

Security Scan Report

Target: <https://myaccount.somaiya.edu>

Scan Date: August 26, 2026 at 14:17 UTC

Scan ID: 283e196c-36b2-414a-ba6e-30fc6e567bd8

0 CRITICAL

1 HIGH

1 MEDIUM

2 LOW

Executive Summary

Security scan of 'https://myaccount.somaiya.edu' identified 4 raw findings, reduced to 4 unique issues after deduplication. ■ 1 HIGH-severity issue(s) should be prioritized for remediation within the next 48 hours. 1 MEDIUM-priority issue(s) should be addressed in the current development sprint. 2 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	4
After Deduplication	4
Critical Findings	0
High Findings	1
Medium Findings	1
Low Findings	2
Scan Duration	10.3s

Detailed Findings

[MEDIUM] #1: Insecure Crypto in myaccount.somaiya.edu:0

Risk Score	0.4158
Affected Location	https://myaccount.somaiya.edu:0
Vulnerability Type	INSECURE_CRYPTO
CWE ID	CWE-295
Detected By	url-scanner

Explanation

The application uses weak or deprecated cryptographic algorithms that can be broken by modern attackers. Found in myaccount.somaiya.edu. SSL certificate verification failed: [SSL: CERTIFICATE_VERIFY_FAILED] certificate verify failed: unable to get local issuer certificate (_ssl.

Code or HTTP Excerpt

```
1 | SSL Error: [SSL: CERTIFICATE_VERIFY_FAILED] certificate verify failed: unable to get local issuer cer
```

Business Impact

Encrypted user accounts and personal data could be decrypted by attackers using known weaknesses in the deprecated algorithm.

Fix Recommendation

Best Fix: Use AES-256 for encryption, SHA-256+ for hashing, bcrypt/argon2 for passwords, and Ed25519 for signing. Avoid MD5, SHA-1, DES, RC4.

[HIGH] #2: Missing Auth in myaccount.somaiya.edu:0

Risk Score	0.3610
Affected Location	https://myaccount.somaiya.edu:0
Vulnerability Type	MISSING_AUTH
CWE ID	CWE-749
Detected By	url-scanner

Explanation

This endpoint or function lacks authentication, allowing unauthenticated users to access protected resources. Found in myaccount.somaiya.edu. Dangerous HTTP method 'TRACE' is enabled.

Code or HTTP Excerpt

```
1 | Allow: OPTIONS, TRACE, GET, HEAD, POST
```

Business Impact

Unauthenticated users could access protected resources, potentially viewing or modifying sensitive data without authorization.

Fix Recommendation

Best Fix: Add authentication middleware or decorators to all sensitive endpoints. Verify user identity before serving protected data.

[LOW] #3: Missing Security Header in myaccount.somaiya.edu:0

Risk Score	0.3136
Affected Location	https://myaccount.somaiya.edu:0
Vulnerability Type	MISSING_SECURITY_HEADER
CWE ID	CWE-693
Detected By	url-scanner

Explanation

The server response is missing recommended HTTP security headers that instruct browsers to enable built-in protections. Found in myaccount.somaiya.edu. Missing Content-Security-Policy (CSP) header.

Code or HTTP Excerpt

```
1 | Response headers: Content-Security-Policy = (not set)
```

Business Impact

Without this header, users' browsers is more vulnerable to XSS, clickjacking, or MIME-type confusion attacks.

Fix Recommendation

Best Fix: Add a Content-Security-Policy header to restrict script sources: default-src 'self'; script-src 'self'; style-src 'self' 'unsafe-inline'.

[LOW] #4: Information Disclosure in myaccount.somaiya.edu:0

Risk Score	0.1940
Affected Location	https://myaccount.somaiya.edu:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in myaccount.somaiya.edu. Server header discloses version information: 'Microsoft-IIS/10'.

Code or HTTP Excerpt

```
1 | Server: Microsoft-IIS/10.0
```

Business Impact

The disclosed server software version (via Server header) helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Suppress the Server header version information. In nginx: server_tokens off; In Apache: ServerTokens Prod. In Flask: remove or override the Server header.

Appendix

Deduplication Statistics

Total raw findings: 4 | After deduplication: 4 | Reduction: 0%

Scan Metadata

Scan ID	283e196c-36b2-414a-ba6e-30fc6e567bd8
Target	https://myaccount.somaiya.edu
Timestamp	2026-08-26T14:17:30.974595+00:00
Duration	10.3s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "b781a35b-7385-40dc-b192-319701ad3369",
    "title": "Insecure Crypto in myaccount.somaiya.edu:0",
    "file": "https://myaccount.somaiya.edu",
    "line_start": 0,
    "line_end": null,
    "severity": "HIGH",
    "vuln_type": "INSECURE_CRYPTO",
    "description": "SSL certificate verification failed: [SSL: CERTIFICATE_VERIFY_FAILED] certificate verify failed: unable to get local issuer certificate",
    "rule_id": null,
    "confidence": 0.95,
    "cwe_id": "CWE-295",
    "cvss_score": null,
    "code_snippet": "SSL Error: [SSL: CERTIFICATE_VERIFY_FAILED] certificate verify failed: unable to get local issuer certificate",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.4158,
    "risk_category": "MEDIUM",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The application uses weak or deprecated cryptographic algorithms that can be broken by attackers using known vulnerabilities.",
    "fix_suggestion": "Use AES-256 for encryption, SHA-256+ for hashing, bcrypt/argon2 for passwords, and ECDSA for digital signatures.",
    "business_impact": "Encrypted user accounts and personal data could be decrypted by attackers using known vulnerabilities.",
    "raw": {
      "hostname": "myaccount.somaiya.edu",
      "error": "[SSL: CERTIFICATE_VERIFY_FAILED] certificate verify failed: unable to get local issuer certificate"
    }
  },
  {
    "id": "b170827e-f4e7-47dc-a122-fa39e5f39689",
    "title": "Missing Auth in myaccount.somaiya.edu:0",
    "file": "https://myaccount.somaiya.edu",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "MISSING_AUTH",
    "description": "Dangerous HTTP method 'TRACE' is enabled. This could allow attackers to modify or delete data on the server."
  }
]
```

```

"rule_id": "dangerous-method-trace",
"confidence": 0.75,
"cwe_id": "CWE-749",
"cvss_score": null,
"code_snippet": "Allow: OPTIONS, TRACE, GET, HEAD, POST",
"sources": [
  "url-scanner"
],
"risk_score": 0.361,
"risk_category": "HIGH",
"category_source": "vuln_floor",
"category_reason": "minimum floor for MISSING_AUTH",
"llm_explanation": "This endpoint or function lacks authentication, allowing unauthenticated users to access sensitive resources.",
"fix_suggestion": "Add authentication middleware or decorators to all sensitive endpoints. Verify user identity before processing requests.",
"business_impact": "Unauthenticated users could access protected resources, potentially viewing or modifying sensitive data.",
"raw": {
  "url": "https://myaccount.somaiya.edu",
  "method": "TRACE",
  "allow": "OPTIONS, TRACE, GET, HEAD, POST"
}
},
{
  "id": "ac8f28c8-bd08-4572-adab-dc506eb547a8",
  "title": "Missing Security Header in myaccount.somaiya.edu:0",
  "file": "https://myaccount.somaiya.edu",
  "line_start": 0,
  "line_end": null,
  "severity": "MEDIUM",
  "vuln_type": "MISSING_SECURITY_HEADER",
  "description": "Missing Content-Security-Policy (CSP) header. Without CSP, the site is more vulnerable to XSS attacks.",
  "rule_id": "header-missing-content-security-policy",
  "confidence": 0.9,
  "cwe_id": "CWE-693",
  "cvss_score": null,
  "code_snippet": "Response headers: Content-Security-Policy = (not set)",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.3136,
  "risk_category": "LOW",
  "category_source": "score",
  "category_reason": "score-threshold",
  "llm_explanation": "The server response is missing recommended HTTP security headers that instruct browsers on how to handle content.",
  "fix_suggestion": "Add a Content-Security-Policy header to restrict script sources: default-src 'self';",
  "business_impact": "Without this header, users' browsers are more vulnerable to XSS, clickjacking, or MITM attacks.",
  "raw": {
    "url": "https://myaccount.somaiya.edu",
    "header": "Content-Security-Policy",
    "check": "missing_header"
  }
},
{
  "id": "6c6ea7e8-d94a-46e0-8397-aecbed9ee63e",
  "title": "Information Disclosure in myaccount.somaiya.edu:0",
  "file": "https://myaccount.somaiya.edu",
  "line_start": 0,
  "line_end": null,
  "severity": "LOW",
  "vuln_type": "INFORMATION_DISCLOSURE",
  "description": "Server header discloses version information: 'Microsoft-IIS/10.0'. Attackers can use this information to identify vulnerabilities.",
  "rule_id": "info-server-version",
  "confidence": 0.85,
  "cwe_id": "CWE-200",
  "cvss_score": null,
  "code_snippet": "Server: Microsoft-IIS/10.0",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.194,
  "risk_category": "LOW",
  "category_source": "score",

```

```
"category_reason": "score-threshold",
"llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted
"fix_suggestion": "Suppress the Server header version information. In nginx: server_tokens off; In Apache:
"business_impact": "The disclosed server software version (via Server header) helps attackers identify a
"raw": {
  "url": "https://myaccount.somaiya.edu",
  "header": "Server",
  "value": "Microsoft-IIS/10.0"
}
}
```