

Security Scan Report

Target: <https://pentest-ground.com/>

Scan Date: August 26, 2026 at 17:55 UTC

Scan ID: 386b03a2-fd9e-45e6-9724-003debef492f

0 CRITICAL

0 HIGH

0 MEDIUM

3 LOW

Executive Summary

Security scan of 'https://pentest-ground.com/' identified 8 raw findings, reduced to 3 unique issues after deduplication. 3 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	8
After Deduplication	3
Critical Findings	0
High Findings	0
Medium Findings	0
Low Findings	3
Scan Duration	62.9s

Detailed Findings

[LOW] #1: Clickjacking in :0

Risk Score	0.3589
Affected Location	https://pentest-ground.com/:0
Vulnerability Type	CLICKJACKING
CWE ID	CWE-1021
Detected By	url-scanner

Explanation
The page can be embedded in an iframe, allowing attackers to overlay invisible controls and trick users into clicking. Found in . Missing X-Frame-Options header.

Code or HTTP Excerpt

```
1 | Response headers: X-Frame-Options = (not set)
```

Business Impact
Users could be tricked into performing unintended actions on your application such as changing settings or transferring funds.

Fix Recommendation
Best Fix: Add X-Frame-Options: DENY header or use Content-Security-Policy with frame-ancestors 'self'.

[LOW] #2: Reconnaissance Surface in :0

Risk Score	0.3500
Affected Location	https://pentest-ground.com/:0
Vulnerability Type	RECONNAISSANCE_SURFACE
CWE ID	CWE-200
Detected By	url-scanner

Explanation
A security vulnerability was detected in your code. Found in . Passive reconnaissance inventory of the reachable page.

Code or HTTP Excerpt

```
1 | Title: Pentest-Ground
2 | Status: 200
3 | Content-Type: text/html
4 | Technologies disclosed: nginx/1.31.4
5 | Same-page links: 66
6 | Forms: 0
7 | Scripts: 6
```

Business Impact
This vulnerability could be exploited to compromise application security.

Fix Recommendation

Best Fix: Review the flagged code and apply security best practices. Consult the OWASP guidelines for the relevant vulnerability type.

[LOW] #3: Missing Security Header in :0

Risk Score	0.3168
Affected Location	https://pentest-ground.com/:0
Vulnerability Type	MISSING_SECURITY_HEADER
CWE ID	CWE-319
Detected By	url-scanner

Explanation
The server response is missing recommended HTTP security headers that instruct browsers to enable built-in protections. Found in . Missing HTTP Strict-Transport-Security (HSTS) header.

Code or HTTP Excerpt

```
1 | Response headers: Strict-Transport-Security = (not set)
```

Business Impact
Without this header, user accounts and personal data is more vulnerable to XSS, clickjacking, or MIME-type confusion attacks.

Fix Recommendation
Best Fix: Add Strict-Transport-Security: max-age=31536000; includeSubDomains to force HTTPS connections and prevent SSL stripping.

Appendix

Deduplication Statistics

Total raw findings: 8 | After deduplication: 3 | Reduction: 62%

Scan Metadata

Scan ID	386b03a2-fd9e-45e6-9724-003debef492f
Target	https://pentest-ground.com/
Timestamp	2026-08-26T17:55:38.793535+00:00
Duration	62.9s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "2addce8a-6e17-4e28-a77e-d97199d52e53",
    "title": "Clickjacking in :0",
    "file": "https://pentest-ground.com/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "CLICKJACKING",
    "description": "Missing X-Frame-Options header. The site may be vulnerable to clickjacking attacks where",
    "rule_id": "header-missing-x-frame-options",
    "confidence": 0.85,
    "cwe_id": "CWE-1021",
    "cvss_score": null,
    "code_snippet": "Response headers: X-Frame-Options = (not set)",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3589,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The page can be embedded in an iframe, allowing attackers to overlay invisible content",
    "fix_suggestion": "Add X-Frame-Options: DENY header or use Content-Security-Policy with frame-ancestors",
    "business_impact": "Users could be tricked into performing unintended actions on your application such as",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes real",
    "raw": {
      "url": "https://pentest-ground.com/",
      "header": "X-Frame-Options",
      "check": "missing_header"
    }
  },
  {
    "id": "001a7ad2-e963-4b8d-86e4-51db1d742754",
    "title": "Reconnaissance Surface in :0",
    "file": "https://pentest-ground.com/",
    "line_start": 0,
    "line_end": null,
```

```
"severity": "LOW",
"vuln_type": "RECONNAISSANCE_SURFACE",
"description": "Passive reconnaissance inventory of the reachable page. Use the listed endpoints, forms,
"rule_id": "recon-page-surface",
"confidence": 1.0,
"cwe_id": "CWE-200",
"cvss_score": null,
"code_snippet": "Title: Pentest-Ground\nStatus: 200\nContent-Type: text/html\nTechnologies disclosed: n
"sources": [
    "url-scanner"
],
"risk_score": 0.35,
"risk_category": "LOW",
"category_source": "score",
"category_reason": "score-threshold",
"llm_explanation": "A security vulnerability was detected in your code. Found in . Passive reconnaissance
"fix_suggestion": "Review the flagged code and apply security best practices. Consult the OWASP guidelin
"business_impact": "This vulnerability could be exploited to compromise application security.",
"attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
"next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea
"raw": {
    "url": "https://pentest-ground.com/",
    "surface": {
        "title": "Pentest-Ground",
        "links": [
            "https://owasp.org/www-community/attacks/Code_Injection",
            "https://owasp.org/www-community/attacks/Command_Injection",
            "https://owasp.org/www-community/attacks/SQL_Injection",
            "https://owasp.org/www-community/attacks/Server_Side_Request_Forgery",
            "https://owasp.org/www-community/attacks/csrf",
            "https://owasp.org/www-community/attacks/xss",
            "https://owasp.org/www-community/vulnerabilities/XML_External_Entity_(XXE)_Processing",
            "https://pentest-ground.com/documents/company/Q4_preview.pptx",
            "https://pentest-ground.com/documents/company/Q4_report.csv",
            "https://pentest-ground.com/documents/company/business_plan.docx",
            "https://pentest-ground.com/documents/company/company_sales_data.docx",
            "https://pentest-ground.com/documents/company/compliance_audit.docx",
            "https://pentest-ground.com/documents/company/full_backup_2025_11_10.csv",
            "https://pentest-ground.com/documents/company/full_backup_2026_01_27.csv",
            "https://pentest-ground.com/documents/company/interal_report_1.csv",
            "https://pentest-ground.com/documents/company/pentest.pptx",
            "https://pentest-ground.com/documents/company/pentest_results.pptx",
            "https://pentest-ground.com/documents/company/q2_draft.pptx",
            "https://pentest-ground.com/documents/company/report.docx",
            "https://pentest-ground.com/documents/company/sales.pptx",
            "https://pentest-ground.com/documents/company/upcoming_final.pptx",
            "https://pentest-ground.com/documents/employees/contract.docx",
            "https://pentest-ground.com/documents/employees/draft.docx",
            "https://pentest-ground.com/documents/employees/employees.csv",
            "https://pentest-ground.com/documents/employees/export.csv",
            "https://pentest-ground.com/documents/employees/full_backup_2025_02_17.csv",
            "https://pentest-ground.com/documents/employees/full_backup_2025_07_17.csv",
            "https://pentest-ground.com/documents/employees/internal_sales.docx",
            "https://pentest-ground.com/documents/employees/it_setup.pptx",
            "https://pentest-ground.com/documents/employees/meeting_notes.docx",
            "https://pentest-ground.com/documents/employees/password_policy.docx",
            "https://pentest-ground.com/documents/employees/prod.csv",
            "https://pentest-ground.com/documents/employees/ssh_keys.csv",
            "https://pentest-ground.com/documents/employees/transactions_1.csv",
            "https://pentest-ground.com/documents/employees/transactions_backup.csv",
            "https://pentest-ground.com/documents/employees/user_data.csv",
            "https://pentest-ground.com/documents/employees/vpn_logins.csv",
            "https://pentest-ground.com/documents/employees/vpn_setup.docx",
            "https://pentest-ground.com/documents/employees/vpn_setup_guide.docx",
            "https://pentest-ground.com/documents/internal/all.csv",
            "https://pentest-ground.com/documents/internal/api_keys.csv",
            "https://pentest-ground.com/documents/internal/archive.csv",
            "https://pentest-ground.com/documents/internal/aws_secrets.docx",
            "https://pentest-ground.com/documents/internal/azure_credentials.csv",
            "https://pentest-ground.com/documents/internal/backup.csv",
            "https://pentest-ground.com/documents/internal/backup2.csv",
```

```

        "https://pentest-ground.com/documents/internal/backup_1.csv",
        "https://pentest-ground.com/documents/internal/config_backup.docx",
        "https://pentest-ground.com/documents/internal/credentials.csv",
        "https://pentest-ground.com/documents/internal/db_export.csv",
        "https://pentest-ground.com/documents/internal/firewall.docx",
        "https://pentest-ground.com/documents/internal/firewall_rules.docx",
        "https://pentest-ground.com/documents/internal/internal_training.pptx",
        "https://pentest-ground.com/documents/internal/ip_config.docx",
        "https://pentest-ground.com/documents/internal/network.pptx",
        "https://pentest-ground.com/documents/internal/private_keys.csv",
        "https://pentest-ground.com/documents/internal/prod_credentials.csv",
        "https://pentest-ground.com/documents/internal/service_accounts.csv",
        "https://pentest-ground.com:4280/",
        "https://pentest-ground.com:5013/",
        "https://pentest-ground.com:7001/console/login/LoginForm.jsp",
        "https://pentest-ground.com:81/",
        "https://pentest-ground.com:9000/",
        "https://pentest-tools.com",
        "https://pentest-tools.com/vulnerabilities-exploits/oracle-weblogic-remote-code-execution_CVE-2023-28839",
        "https://pentest-tools.com/vulnerabilities-exploits/redis-remote-code-execution_CVE-2022-0543"
    ],
    "scripts": [
        "https://cdn.jsdelivr.net/npm/alpinejs@3.13.0/dist/cdn.min.js",
        "https://cdn.tailwindcss.com",
        "https://cdn.usefathom.com/script.js",
        "https://pentest-ground.com/alpine-data.js",
        "https://unpkg.com/@popperjs/core@2",
        "https://unpkg.com/tippy.js@6"
    ],
    "forms": []
},
"technologies": [
    "nginx/1.31.4"
]
}
},
{
    "id": "ff652c78-8727-437c-8cba-fb8e4d2c888b",
    "title": "Missing Security Header in :0",
    "file": "https://pentest-ground.com/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "MISSING_SECURITY_HEADER",
    "description": "Missing HTTP Strict-Transport-Security (HSTS) header. Without HSTS, browsers may allow connections over insecure channels.",
    "rule_id": "header-missing-strict-transport-security",
    "confidence": 0.95,
    "cwe_id": "CWE-319",
    "cvss_score": null,
    "code_snippet": "Response headers: Strict-Transport-Security = (not set)",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3168,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server response is missing recommended HTTP security headers that instruct browsers to only use secure connections.",
    "fix_suggestion": "Add Strict-Transport-Security: max-age=31536000; includeSubDomains to force HTTPS connections.",
    "business_impact": "Without this header, user accounts and personal data is more vulnerable to XSS, clickjacking, and other attacks.",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes real data.",
    "raw": {
        "url": "https://pentest-ground.com/",
        "header": "Strict-Transport-Security",
        "check": "missing_header"
    }
}
]

```