

Security Scan Report

Target: <https://www.youtube.com/>

Scan Date: July 24, 2026 at 05:59 UTC

Scan ID: a06cf1d6-69ec-4309-906a-97228e49cae2

0 CRITICAL

0 HIGH

1 MEDIUM

4 LOW

Executive Summary

Security scan of 'https://www.youtube.com/' identified 6 raw findings, reduced to 5 unique issues after deduplication. 1 MEDIUM-priority issue(s) should be addressed in the current development sprint. 4 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	6
After Deduplication	5
Critical Findings	0
High Findings	0
Medium Findings	1
Low Findings	4
Scan Duration	109.8s

Detailed Findings

[LOW] #1: Xss in :0

Risk Score	0.3552
Affected Location	https://www.youtube.com/:0
Vulnerability Type	XSS
CWE ID	CWE-79
Detected By	url-scanner

Explanation
Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages viewed by other users. Found in . Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS protection.

Code or HTTP Excerpt

```
1 | CSP: base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-EPytxK-j8flcrEpvHaV80A' 'unsafe-inline'
```

Business Impact
An attacker could steal session tokens from authenticated users, redirect users to phishing pages, or perform actions as the victim.

Fix Recommendation
Best Fix: Apply context-aware output encoding before rendering user content. Use your framework's built-in auto-escaping.

[MEDIUM] #2: Information Disclosure in robots.txt:0

Risk Score	0.3492
Affected Location	https://www.youtube.com/robots.txt:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation
The server is exposing sensitive information that could help attackers plan targeted attacks. Found in robots.txt. robots.

Code or HTTP Excerpt

```
1 | GET /robots.txt → HTTP 200
2 | Content-Length: 792 bytes
3 | Preview: # robots.txt file for YouTube
4 | # Created in the distant future (the year 2000) after
5 | # the robotic uprising of the mid 90's which wiped out all humans.
```

Business Impact
The disclosed site structure (via robots.txt disclosure) helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Review robots.txt for sensitive path disclosure. While robots.txt is public, listing hidden paths like /admin or /backup reveals targets to attackers. Use authentication instead of obscurity.

[LOW] #3: Information Disclosure in debug:0

Risk Score	0.3492
Affected Location	https://www.youtube.com/debug:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-215
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in debug. Debug endpoint is publicly accessible — may expose sensitive application internals.

Code or HTTP Excerpt

```
1 | GET /debug → HTTP 200
2 | Content-Length: 819922 bytes
3 | Preview: <!DOCTYPE html><html style="font-size: 62.5%;font-family: Roboto, Arial, sans-serif;" lang=
```

Business Impact

The disclosed internal network services helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Remove or restrict access to the exposed sensitive information. Suppress version headers, block sensitive file access, and disable debug output in production.

[LOW] #4: Information Disclosure in swagger.json:0

Risk Score	0.3492
Affected Location	https://www.youtube.com/api/swagger.json:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in swagger.json. Swagger/OpenAPI spec is publicly accessible — exposes all API endpoints.

Code or HTTP Excerpt

```
1 | GET /api/swagger.json → HTTP 200
2 | Content-Length: 745872 bytes
3 | Preview: <!DOCTYPE html><html style="font-size: 62.5%;font-family: Roboto, Arial, sans-serif;" lang=
```

Business Impact

The disclosed server configuration details helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Rotate the exposed API key immediately. Move API keys to environment variables. Remove any hardcoded keys from HTML comments.

[LOW] #5: Information Disclosure in :0

Risk Score	0.2496
Affected Location	https://www.youtube.com/:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in . Missing Referrer-Policy header.

Code or HTTP Excerpt

```
1 | Response headers: Referrer-Policy = (not set)
```

Business Impact

The disclosed server configuration details helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Remove or restrict access to the exposed sensitive information. Suppress version headers, block sensitive file access, and disable debug output in production.

Appendix

Deduplication Statistics

Total raw findings: 6 | After deduplication: 5 | Reduction: 17%

Scan Metadata

Scan ID	a06cf1d6-69ec-4309-906a-97228e49cae2
Target	https://www.youtube.com/
Timestamp	2026-07-24T05:59:25.669512+00:00
Duration	109.8s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "b23fdf6e-c6d4-4319-8647-5c5daa2e1bd0",
    "title": "Xss in :0",
    "file": "https://www.youtube.com/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "XSS",
    "description": "Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS protection",
    "rule_id": "header-csp-unsafe-inline",
    "confidence": 0.8,
    "cwe_id": "CWE-79",
    "cvss_score": null,
    "code_snippet": "CSP: base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-EPytxK-j8flcrE",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3552,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages",
    "fix_suggestion": "",
    "business_impact": "An attacker could steal session tokens from authenticated users, redirect users to ph",
    "raw": {
      "url": "https://www.youtube.com/",
      "header": "Content-Security-Policy",
      "value": "base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-EPytxK-j8flcrE",
    }
  },
  {
    "id": "60b1b9a1-87b6-49d0-b7fa-065a6a6633b4",
    "title": "Information Disclosure in robots.txt:0",
    "file": "https://www.youtube.com/robots.txt",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
  }
]
```

```

    "description": "robots.txt may reveal hidden paths and sensitive directories.",
    "rule_id": "sensitive-path-robots.txt",
    "confidence": 0.85,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "GET /robots.txt \u2192 HTTP 200\nContent-Length: 792 bytes\nPreview: # robots.txt file",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3492,
    "risk_category": "MEDIUM",
    "category_source": "consistency_cache",
    "category_reason": "locked to historical category MEDIUM",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed site structure (via robots.txt disclosure) helps attackers identify at",
    "raw": {
      "url": "https://www.youtube.com/robots.txt",
      "status": 200,
      "path": "/robots.txt"
    }
  },
  {
    "id": "b7d78ce1-76b3-4bc2-841c-4f41b171accb",
    "title": "Information Disclosure in debug:0",
    "file": "https://www.youtube.com/debug",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "Debug endpoint is publicly accessible \u2014 may expose sensitive application internals",
    "rule_id": "sensitive-path-debug",
    "confidence": 0.85,
    "cwe_id": "CWE-215",
    "cvss_score": null,
    "code_snippet": "GET /debug \u2192 HTTP 200\nContent-Length: 819922 bytes\nPreview: <!DOCTYPE html><html",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3492,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed internal network services helps attackers identify attack vectors, re",
    "raw": {
      "url": "https://www.youtube.com/debug",
      "status": 200,
      "path": "/debug"
    }
  },
  {
    "id": "129e0398-66be-4cb3-be35-f3e9bfb1ce8c",
    "title": "Information Disclosure in swagger.json:0",
    "file": "https://www.youtube.com/api/swagger.json",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "Swagger/OpenAPI spec is publicly accessible \u2014 exposes all API endpoints.",
    "rule_id": "sensitive-path-api-swagger.json",
    "confidence": 0.85,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "GET /api/swagger.json \u2192 HTTP 200\nContent-Length: 745872 bytes\nPreview: <!DOCTYPE",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3492,
    "risk_category": "LOW",

```

```

    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed server configuration details helps attackers identify attack vectors",
    "raw": {
      "url": "https://www.youtube.com/api/swagger.json",
      "status": 200,
      "path": "/api/swagger.json"
    }
  },
  {
    "id": "05a72827-8ca4-4f30-9d25-528f65a87924",
    "title": "Information Disclosure in :0",
    "file": "https://www.youtube.com/",
    "line_start": 0,
    "line_end": null,
    "severity": "LOW",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "Missing Referrer-Policy header. Sensitive information in URLs may be leaked to third-party",
    "rule_id": "header-missing-referrer-policy",
    "confidence": 0.8,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "Response headers: Referrer-Policy = (not set)",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.2496,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed server configuration details helps attackers identify attack vectors",
    "raw": {
      "url": "https://www.youtube.com/",
      "header": "Referrer-Policy",
      "check": "missing_header"
    }
  }
]

```