

Security Scan Report

Target: <https://s4ds.kjsieit.in/>

Scan Date: August 26, 2026 at 13:51 UTC

Scan ID: be972ba4-bdda-4e1e-8f97-cb0f4ea3b302

0 CRITICAL

0 HIGH

1 MEDIUM

5 LOW

Executive Summary

Security scan of 'https://s4ds.kjsieit.in/' identified 9 raw findings, reduced to 6 unique issues after deduplication. 1 MEDIUM-priority issue(s) should be addressed in the current development sprint. 5 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	9
After Deduplication	6
Critical Findings	0
High Findings	0
Medium Findings	1
Low Findings	5
Scan Duration	65.3s

Detailed Findings

[MEDIUM] #1: Information Disclosure in :0

Risk Score	0.4220
Affected Location	https://s4ds.kjsieit.in/wp-admin/:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in . WordPress admin panel is publicly accessible.

Code or HTTP Excerpt

```
1 | GET /wp-admin/ → HTTP 200
2 | Content-Length: 7054 bytes
3 | Preview: <!DOCTYPE html>
4 | <html lang="en">
5 | <head>
6 |   <meta charset="utf8">
7 |   <meta name="viewport" content="width=device-width,initial-scale=1.0">
8 |   <script>
9 |
```

Business Impact

The disclosed the admin panel helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Remove or restrict access to the exposed sensitive information. Suppress version headers, block sensitive file access, and disable debug output in production.

[LOW] #2: Clickjacking in :0

Risk Score	0.3589
Affected Location	https://s4ds.kjsieit.in/:0
Vulnerability Type	CLICKJACKING
CWE ID	CWE-1021
Detected By	url-scanner

Explanation

The page can be embedded in an iframe, allowing attackers to overlay invisible controls and trick users into clicking. Found in . Missing X-Frame-Options header.

Code or HTTP Excerpt

```
1 | Response headers: X-Frame-Options = (not set)
```

Business Impact

Users could be tricked into performing unintended actions on your application such as changing settings or transferring funds.

Fix Recommendation

Best Fix: Add X-Frame-Options: DENY header or use Content-Security-Policy with frame-ancestors 'self'.

[LOW] #3: Information Disclosure in phpinfo.php:0

Risk Score	0.3492
Affected Location	https://s4ds.kjsieit.in/phpinfo.php:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in phpinfo.php. PHP info page is publicly accessible — exposes server configuration details.

Code or HTTP Excerpt

```
1 | GET /phpinfo.php → HTTP 200
2 | Content-Length: 7054 bytes
3 | Preview: <!DOCTYPE html>
4 | <html lang="en">
5 | <head>
6 |   <meta charset="utf8">
7 |   <meta name="viewport" content="width=device-width,initial-scale=1.0">
8 |   <script>
9 |
```

Business Impact

The disclosed configuration files helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Suppress the Server header version information. In nginx: server_tokens off; In Apache: ServerTokens Prod. In Flask: remove or override the Server header.

[LOW] #4: Information Disclosure in server-status:0

Risk Score	0.3492
Affected Location	https://s4ds.kjsieit.in/server-status:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in server-status. Apache server-status page is publicly accessible.

Code or HTTP Excerpt

```
1 | GET /server-status → HTTP 200
2 | Content-Length: 7056 bytes
3 | Preview: <!DOCTYPE html>
4 | <html lang="en">
5 | <head>
6 |   <meta charset="utf8">
7 |   <meta name="viewport" content="width=device-width,initial-scale=1.0">
8 |   <script>
9 |
```

Business Impact

The disclosed server configuration details helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Suppress the Server header version information. In nginx: server_tokens off; In Apache: ServerTokens Prod. In Flask: remove or override the Server header.

[LOW] #5: Missing Security Header in :0

Risk Score	0.3168
Affected Location	https://s4ds.kjsieit.in/:0
Vulnerability Type	MISSING_SECURITY_HEADER
CWE ID	CWE-319
Detected By	url-scanner

Explanation

The server response is missing recommended HTTP security headers that instruct browsers to enable built-in protections. Found in . Missing HTTP Strict-Transport-Security (HSTS) header.

Code or HTTP Excerpt

```
1 | Response headers: Strict-Transport-Security = (not set)
```

Business Impact

Without this header, user accounts and personal data is more vulnerable to XSS, clickjacking, or MIME-type confusion attacks.

Fix Recommendation

Best Fix: Add Strict-Transport-Security: max-age=31536000; includeSubDomains to force HTTPS connections and prevent SSL stripping.

[LOW] #6: Information Disclosure in :0

Risk Score	0.2496
Affected Location	https://s4ds.kjsieit.in/:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in . Missing Referrer-Policy header.

Code or HTTP Excerpt

```
1 | Response headers: Referrer-Policy = (not set)
```

Business Impact

The disclosed server configuration details helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Remove or restrict access to the exposed sensitive information. Suppress version headers, block sensitive file access, and disable debug output in production.

Appendix

Deduplication Statistics

Total raw findings: 9 | After deduplication: 6 | Reduction: 33%

Scan Metadata

Scan ID	be972ba4-bdda-4e1e-8f97-cb0f4ea3b302
Target	https://s4ds.kjsieit.in/
Timestamp	2026-08-26T13:51:59.762164+00:00
Duration	65.3s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "05c9b478-f956-49e3-9aae-8a5e2b7aa72e",
    "title": "Information Disclosure in :0",
    "file": "https://s4ds.kjsieit.in/wp-admin/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "WordPress admin panel is publicly accessible.",
    "rule_id": "sensitive-path-wp-admin",
    "confidence": 0.85,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "GET /wp-admin/ \u2192 HTTP 200\nContent-Length: 7054 bytes\nPreview: <!DOCTYPE html>\n",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.422,
    "risk_category": "MEDIUM",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed the admin panel helps attackers identify attack vectors, reducing the",
    "raw": {
      "url": "https://s4ds.kjsieit.in/wp-admin/",
      "status": 200,
      "path": "/wp-admin/"
    }
  },
  {
    "id": "830a9db4-c2d1-4c71-b172-d49b0f97ccda",
    "title": "Clickjacking in :0",
    "file": "https://s4ds.kjsieit.in/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "CLICKJACKING",
```

```

    "description": "Missing X-Frame-Options header. The site may be vulnerable to clickjacking attacks where",
    "rule_id": "header-missing-x-frame-options",
    "confidence": 0.85,
    "cwe_id": "CWE-1021",
    "cvss_score": null,
    "code_snippet": "Response headers: X-Frame-Options = (not set)",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3589,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The page can be embedded in an iframe, allowing attackers to overlay invisible content.",
    "fix_suggestion": "",
    "business_impact": "Users could be tricked into performing unintended actions on your application such as",
    "raw": {
        "url": "https://s4ds.kjsieit.in/",
        "header": "X-Frame-Options",
        "check": "missing_header"
    }
},
{
    "id": "707e76f8-41a4-4fcb-9b64-de88676b5bee",
    "title": "Information Disclosure in phpinfo.php:0",
    "file": "https://s4ds.kjsieit.in/phpinfo.php",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "PHP info page is publicly accessible \u2014 exposes server configuration details.",
    "rule_id": "sensitive-path-phpinfo.php",
    "confidence": 0.85,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "GET /phpinfo.php \u2192 HTTP 200\nContent-Length: 7054 bytes\nPreview: <!DOCTYPE html>",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3492,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted attacks.",
    "fix_suggestion": "",
    "business_impact": "The disclosed configuration files helps attackers identify attack vectors, reducing the effort to exploit vulnerabilities.",
    "raw": {
        "url": "https://s4ds.kjsieit.in/phpinfo.php",
        "status": 200,
        "path": "/phpinfo.php"
    }
},
{
    "id": "64d42134-f6ee-4723-84b2-60d1b7eecb2e",
    "title": "Information Disclosure in server-status:0",
    "file": "https://s4ds.kjsieit.in/server-status",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "Apache server-status page is publicly accessible.",
    "rule_id": "sensitive-path-server-status",
    "confidence": 0.85,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "GET /server-status \u2192 HTTP 200\nContent-Length: 7056 bytes\nPreview: <!DOCTYPE html>",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3492,
    "risk_category": "LOW",

```

```

    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed server configuration details helps attackers identify attack vectors,",
    "raw": {
      "url": "https://s4ds.kjsieit.in/server-status",
      "status": 200,
      "path": "/server-status"
    }
  },
  {
    "id": "a33a510e-e8d4-4252-891c-83d269ac49ad",
    "title": "Missing Security Header in :0",
    "file": "https://s4ds.kjsieit.in/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "MISSING_SECURITY_HEADER",
    "description": "Missing HTTP Strict-Transport-Security (HSTS) header. Without HSTS, browsers may allow c",
    "rule_id": "header-missing-strict-transport-security",
    "confidence": 0.95,
    "cwe_id": "CWE-319",
    "cvss_score": null,
    "code_snippet": "Response headers: Strict-Transport-Security = (not set)",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.3168,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server response is missing recommended HTTP security headers that instruct brow",
    "fix_suggestion": "",
    "business_impact": "Without this header, user accounts and personal data is more vulnerable to XSS, cli",
    "raw": {
      "url": "https://s4ds.kjsieit.in/",
      "header": "Strict-Transport-Security",
      "check": "missing_header"
    }
  },
  {
    "id": "f298c19f-bf66-4df3-b54f-b4666d71ff6b",
    "title": "Information Disclosure in :0",
    "file": "https://s4ds.kjsieit.in/",
    "line_start": 0,
    "line_end": null,
    "severity": "LOW",
    "vuln_type": "INFORMATION_DISCLOSURE",
    "description": "Missing Referrer-Policy header. Sensitive information in URLs may be leaked to third-par",
    "rule_id": "header-missing-referrer-policy",
    "confidence": 0.8,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "Response headers: Referrer-Policy = (not set)",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.2496,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "",
    "business_impact": "The disclosed server configuration details helps attackers identify attack vectors,",
    "raw": {
      "url": "https://s4ds.kjsieit.in/",
      "header": "Referrer-Policy",
      "check": "missing_header"
    }
  }
}

```

