

Security Scan Report

Target: <https://youtube.com>

Scan Date: July 24, 2026 at 03:19 UTC

Scan ID: c000b14e-8021-43bf-a1a7-e7b10b2e0c40

0 CRITICAL

1 HIGH

0 MEDIUM

3 LOW

Executive Summary

****Moderate Security Posture - Immediate Attention Required**** Our security scan of YouTube's website has identified one high-risk vulnerability that requires immediate attention. A potential Server-Side Request Forgery (SSRF) attack could allow an attacker to access sensitive data or systems by manipulating a specific URL parameter. This vulnerability poses a significant risk to the confidentiality and integrity of user data. To address this issue, we recommend prioritizing the remediation of this SSRF vulnerability within the next sprint, as it has the potential for severe consequences if exploited. In addition to addressing this high-risk finding, we also recommend reviewing and remediating the three low-risk findings identified in the scan to maintain a strong security posture.

Scan Statistics

Metric	Value
Total Raw Findings	5
After Deduplication	4
Critical Findings	0
High Findings	1
Medium Findings	0
Low Findings	3
Scan Duration	434.3s

Detailed Findings

[HIGH] #1: Ssrf in youtube.com:0

Risk Score	0.5076
Affected Location	https://youtube.com:0
Vulnerability Type	SSRF
CWE ID	CWE-918
Detected By	url-scanner

Explanation

Server-Side Request Forgery (SSRF) lets attackers make the server send HTTP requests to arbitrary URLs, including internal services. Found in youtube.com. Potential SSRF detected via parameter 'url'.

Code or HTTP Excerpt

```
1 | Request: GET https://youtube.com?url=http%3A%2F%2Flocalhost%3A80%2F
2 | Payload: http://localhost:80/
3 | Status: 200
4 | Response excerpt: <!DOCTYPE html><html style="font-size: 62.5%;font-family: Roboto, Arial, sans-serif">
```

Business Impact

An attacker could access internal services from within the server's network, potentially reading cloud metadata, internal APIs, or admin panels.

Fix Recommendation

Rule-based recommendation: Whitelist allowed domains for outbound requests. Block private IP ranges. Validate and resolve URLs before making requests.

[LOW] #2: Xss in youtube.com:0

Risk Score	0.3552
Affected Location	https://youtube.com:0
Vulnerability Type	XSS
CWE ID	CWE-79
Detected By	url-scanner

Explanation

Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages viewed by other users. Found in youtube.com. Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS protection.

Code or HTTP Excerpt

```
1 | CSP: base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-VlyyblQwNmXKjdnVN9MS4g' 'unsafe-inline';
```

Business Impact

An attacker could steal session tokens from authenticated users, redirect users to phishing pages, or perform actions as the victim.

Fix Recommendation

Rule-based recommendation: Apply context-aware output encoding before rendering user content. Use your framework's built-in auto-escaping.

[LOW] #3: Open Redirect in youtube.com:0

Risk Score	0.3492
Affected Location	https://youtube.com:0
Vulnerability Type	OPEN_REDIRECT
CWE ID	CWE-601
Detected By	url-scanner

Explanation
Open redirect allows attackers to redirect users from your trusted domain to a malicious site via a URL parameter. Found in youtube.com. Open redirect detected via parameter 'url'.

Code or HTTP Excerpt

```
1 | Request: GET https://youtube.com?url=https%3A%2F%2Fevil.example.com
2 | Response: HTTP 301
3 | Location: https://www.youtube.com/?url=https%3A%2F%2Fevil.example.com
```

Business Impact
Attackers could send users convincing phishing links via your application's redirect endpoint that appear to originate from your trusted domain.

Fix Recommendation
Rule-based recommendation: Validate redirect URLs against a whitelist of allowed domains. Use relative paths for internal redirects. Reject external URLs.

[LOW] #4: Information Disclosure in youtube.com:0

Risk Score	0.2496
Affected Location	https://youtube.com:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation
The server is exposing sensitive information that could help attackers plan targeted attacks. Found in youtube.com. Missing Referrer-Policy header.

Code or HTTP Excerpt

```
1 | Response headers: Referrer-Policy = (not set)
```

Business Impact
The disclosed server configuration details helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Rule-based recommendation: Remove or restrict access to the exposed sensitive information. Suppress version headers, block sensitive file access, and disable debug output in production.

Appendix

Deduplication Statistics

Total raw findings: 5 | After deduplication: 4 | Reduction: 20%

Scan Metadata

Scan ID	c000b14e-8021-43bf-a1a7-e7b10b2e0c40
Target	https://youtube.com
Timestamp	2026-07-24T03:19:24.186739+00:00
Duration	434.3s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "952aa376-7035-430f-b723-015ca27160c7",
    "title": "Ssrf in youtube.com:0",
    "file": "https://youtube.com",
    "line_start": 0,
    "line_end": null,
    "severity": "HIGH",
    "vuln_type": "SSRF",
    "description": "Potential SSRF detected via parameter 'url'. Application appears to process attacker-controlled requests.",
    "rule_id": "ssrf-probe",
    "confidence": 0.7,
    "cwe_id": "CWE-918",
    "cvss_score": null,
    "code_snippet": "Request: GET https://youtube.com?url=http%3A%2F%2Flocalhost%3A80%2F\nPayload: http://localhost:80/",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.5076,
    "risk_category": "HIGH",
    "category_source": "vuln_floor",
    "category_reason": "minimum floor for SSRF",
    "llm_explanation": "Server-Side Request Forgery (SSRF) lets attackers make the server send HTTP requests to internal services.",
    "fix_suggestion": "Whitelist allowed domains for outbound requests. Block private IP ranges. Validate and sanitize user input.",
    "business_impact": "An attacker could access internal services from within the server's network, potentially leading to data leakage or service disruption.",
    "raw": {
      "url": "https://youtube.com",
      "param": "url",
      "payload": "http://localhost:80/"
    }
  },
  {
    "id": "5956563f-d016-4fe9-aa6c-be4b0e40e1cd",
    "title": "Xss in youtube.com:0",
    "file": "https://youtube.com",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "XSS",
    "description": "Cross-Site Scripting (XSS) vulnerability detected.",
    "rule_id": "xss-probe",
    "confidence": 0.5,
    "cwe_id": "CWE-79",
    "cvss_score": null,
    "code_snippet": "Payload: <script>alert('XSS')</script>",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.35,
    "risk_category": "MEDIUM",
    "category_source": "vuln_floor",
    "category_reason": "minimum floor for XSS",
    "llm_explanation": "Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages viewed by other users.",
    "fix_suggestion": "Sanitize user input. Use Content Security Policy (CSP).",
    "business_impact": "An attacker could execute arbitrary scripts in the context of the application, leading to session hijacking or data theft.",
    "raw": {
      "url": "https://youtube.com",
      "param": "url",
      "payload": "<script>alert('XSS')</script>"
    }
  }
]
```

```
"description": "Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS protection",
"rule_id": "header-csp-unsafe-inline",
"confidence": 0.8,
"cwe_id": "CWE-79",
"cvss_score": null,
"code_snippet": "CSP: base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-VlyyblQwNmXKjd",
"sources": [
  "url-scanner"
],
"risk_score": 0.3552,
"risk_category": "LOW",
"category_source": "score",
"category_reason": "score-threshold",
"llm_explanation": "Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages",
"fix_suggestion": "Apply context-aware output encoding before rendering user content. Use your framework's built-in escaping functions.",
"business_impact": "An attacker could steal session tokens from authenticated users, redirect users to phishing sites, and execute arbitrary code in the browser.",
"raw": {
  "url": "https://youtube.com",
  "header": "Content-Security-Policy",
  "value": "base-uri 'self';object-src 'none';script-src 'report-sample' 'nonce-VlyyblQwNmXKjd",
}
},
{
  "id": "bf1cb1b3-b763-4e63-88d3-541129a7dd05",
  "title": "Open Redirect in youtube.com:0",
  "file": "https://youtube.com",
  "line_start": 0,
  "line_end": null,
  "severity": "MEDIUM",
  "vuln_type": "OPEN_REDIRECT",
  "description": "Open redirect detected via parameter 'url'. The application redirects to attacker-controlled domains.",
  "rule_id": "open-redirect",
  "confidence": 0.85,
  "cwe_id": "CWE-601",
  "cvss_score": null,
  "code_snippet": "Request: GET https://youtube.com?url=https%3A%2F%2Fevil.example.com\nResponse: HTTP 302 Found",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.3492,
  "risk_category": "LOW",
  "category_source": "score",
  "category_reason": "score-threshold",
  "llm_explanation": "Open redirect allows attackers to redirect users from your trusted domain to a malicious site.",
  "fix_suggestion": "Validate redirect URLs against a whitelist of allowed domains. Use relative paths for redirects.",
  "business_impact": "Attackers could send users convincing phishing links via your application's redirect functionality.",
  "raw": {
    "url": "https://youtube.com",
    "param": "url",
    "redirect_to": "https://www.youtube.com/?url=https%3A%2F%2Fevil.example.com"
  }
},
{
  "id": "7b043fd1-5ef4-4f6b-9ac2-294e01e9f4fe",
  "title": "Information Disclosure in youtube.com:0",
  "file": "https://youtube.com",
  "line_start": 0,
  "line_end": null,
  "severity": "LOW",
  "vuln_type": "INFORMATION_DISCLOSURE",
  "description": "Missing Referrer-Policy header. Sensitive information in URLs may be leaked to third-party websites.",
  "rule_id": "header-missing-referrer-policy",
  "confidence": 0.8,
  "cwe_id": "CWE-200",
  "cvss_score": null,
  "code_snippet": "Response headers: Referrer-Policy = (not set)",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.2496,
  "risk_category": "LOW",
```

```
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "Remove or restrict access to the exposed sensitive information. Suppress version head",
    "business_impact": "The disclosed server configuration details helps attackers identify attack vectors,",
    "raw": {
      "url": "https://youtube.com",
      "header": "Referrer-Policy",
      "check": "missing_header"
    }
  }
]
```