



PRACTICAL AUTHORING GUIDE

USMLE Step 1-Style Question Writing Recipe

A reusable method for converting standard textbook material into original, clinically framed, one-best-answer questions.

BASIS OF ANALYSIS

119 questions in the April 2026 public-release Step 1 sample-items booklet.

Independent style analysis; not an official NBME or USMLE item-writing manual. This guide is unaffiliated with and not endorsed by NBME, FSMB, or USMLE.

1. The central pattern

Present a realistic clinical problem, make the examinee identify the hidden diagnosis or process, and then ask for a basic-science consequence one level deeper.

Clinical clues → hidden diagnosis or process → mechanism, structure, treatment, or predicted finding

The distinctive feature is not simply a long clinical stem. It is the reasoning transition. A student commonly has to recognize the clinical entity before reaching the fact that is actually being tested.

Observed characteristics of the sample

Total questions	119
Age/sex-based clinical scenarios	Approximately 109
Median stem length	Approximately 97 words
Observed stem range	Approximately 42-233 words
Presentation format	Narrative vignettes overwhelmingly predominate; three chart-format cases were present
Response options	Five is the default; four or six are also common enough to use when justified
Lead-in language	87 explicitly used “most likely”; 19 used “most appropriate”
Laboratory or diagnostic data	Approximately one quarter of the items
Visual interpretation	Roughly one in five used an image, tracing, graph, pedigree, or diagram
Testing pace	Approximately 90 seconds per item

These counts characterize this sample booklet only. They should not be treated as an official content blueprint.

2. Start with the source

Step 1 — Extract one atomic textbook fact

Do not begin by inventing a patient. First identify the exact proposition to test. Record:

- Book, edition, chapter, and page
- Disease or physiologic process
- Population and relevant risk factors
- Typical presentation and discriminating findings
- Mechanism, pathology, complications, and treatment
- Closely related alternatives that could become distractors

Source proposition example

Loss of ATP7B-mediated copper transport reduces biliary copper excretion and produces copper accumulation in the liver, brain, and cornea.

The final vignette must be original. Do not copy sentences or distinctive cases from the source book or an existing question bank.

Step 2 — Define the tested endpoint

Write the correct answer in one sentence. If the fact cannot be stated precisely, it is not ready to become a question.

Step 3 — Design the reasoning chain

Clues:

[population] + [time course] + [key symptoms] + [discriminating finding]

Hidden diagnosis/process:

[the entity the examinee must recognize]

Tested endpoint:

[the mechanism, structure, treatment, or predicted finding]

Complete reasoning chain:

[clues] → [diagnosis/process] → [correct answer]

3. Choose the question family

A. Diagnosis

Reasoning: clues → diagnosis

Which of the following is the most likely diagnosis?

Use selectively. A direct diagnosis item is usually easier unless the alternatives are clinically close.

B. Cause or mechanism

Reasoning: clues → diagnosis → pathophysiology

Which of the following is the most likely underlying cause of this patient's condition?

Which of the following mechanisms best explains these findings?

This is the dominant Step 1-style construction.

C. Predicted additional finding

Reasoning: clues → diagnosis → another consequence

Which of the following additional findings is most likely in this patient?

Physical examination is most likely to show which of the following?

D. Treatment mechanism

Reasoning: clues → diagnosis → appropriate treatment → mechanism

The most appropriate pharmacotherapy has which of the following mechanisms of action?

Treatment will inhibit which of the following enzymes?

E. Anatomy or localization

Reasoning: deficit pattern → affected pathway → lesion location

The lesion is most likely located at which of the following levels?

This deficit is most likely caused by damage to which structure?

F. Laboratory or physiologic prediction

Reasoning: clinical state → physiologic adaptation → expected measurement

Which of the following laboratory findings is most likely in this patient?

Options can be presented as a small matrix of increased/decreased values when two variables must be integrated.

G. Communication or ethics

Include an exact patient statement. Response options should differ in empathy, openness, assumptions, autonomy, and information gathering.

Which of the following is the most appropriate initial response by the physician?

H. Biostatistics or experimental design

Present a concise study and ask about error, validity, reliability, study phase, risk calculation, sample size, or interpretation of a distribution.

4. Build the clue structure

Defining clue	Strongly establishes the hidden diagnosis or process	One
Supporting clue	Confirms the pattern through another domain	One or two
Disambiguating clue	Separates the key from the nearest competing diagnosis	One
Relevant negative	Excludes a tempting alternative	Zero or one
Realism detail	Makes the encounter authentic	Use sparingly

Every sentence should establish the diagnosis, support it, exclude an alternative, provide information needed for the answer, or add restrained clinical realism.

Recommended difficulty formula

Two strong clues + one discriminating clue + a second-step lead-in + four plausible nearby distractors

Easier Classic presentation → diagnosis

Standard Classic presentation → diagnosis → mechanism

Harder but fair Overlapping presentations → discriminating clue → diagnosis → predicted consequence

Difficulty should arise from integration, not obscure terminology, missing information, or trick wording.

5. Write the options before the vignette

Write the correct answer first, followed by the distractor set. Then construct the patient backward so that the stem supports exactly one choice.

Homogeneous options

Every option must answer the same question and occupy the same conceptual level. Suitable option sets include:

- Five diagnoses
- Five receptors or enzymes
- Five infectious organisms
- Five embryologic tissues or developmental processes
- Five mechanisms of drug action
- Five anatomic structures
- Five immune defects

Distractor construction

A useful distractor is plausible but contradicted by one identifiable feature:

- Correct disease category, wrong mechanism
- Correct mechanism, wrong organ or cellular compartment
- Correct organism, wrong exposure or patient population
- Correct drug class, wrong clinical setting
- Correct structure, wrong side or neurologic level
- Correct finding, wrong stage or time course
- Common association contradicted by a discriminating clue

A	Fits the age group	Produces a different laboratory pattern
B	Causes similar symptoms	The time course is incompatible
C — Key	Fits every major clue	—
D	Involves the same organ system	Has a different underlying mechanism
E	Is more common overall	The defining examination finding is absent

6. Write the clinical vignette

Narrative format

A [age]-year-old [man/woman/child] comes/is brought to the [setting] because of a [duration] history of [chief concern]. [Chronology and associated symptoms.] [Relevant medical, medication, family, exposure, or social history.] Temperature is [...], pulse is [...], respirations are [...], and blood pressure is [...]. Physical examination shows [key positive findings] and [relevant negative findings]. [Laboratory, imaging, pathology, or physiologic data.] Which of the following is the most likely [target]?

- (A) [homogeneous option]
- (B) [homogeneous option]
- (C) [homogeneous option]
- (D) [homogeneous option]
- (E) [homogeneous option]

Information order

1. Demographics and site of care
2. Chief concern and duration
3. Evolution and associated symptoms
4. Relevant medical, family, exposure, and social history
5. Medications
6. Vital signs
7. Focused examination
8. Diagnostic data
9. Lead-in

Do not disclose the diagnosis if recognizing it is part of the intended reasoning chain.

Chart format

Patient Information

Age:

Gender:

Race/Ethnicity:

Site of Care:

History

Reason for Visit/Chief Concern:

History of Present Illness:

Past Medical History:

Medications:

Allergies:

Family History:

Psychosocial History:

```

Physical Examination
Vital signs:
Appearance:
Relevant systems:

Diagnostic Studies
Laboratory/imaging/pathology results:

Question:
Which of the following ...?

(A) ...
(B) ...
(C) ...
(D) ...
(E) ...

```

Chart format should be used selectively. It is most useful when organized sections make a dense medical history easier to review.

7. Lead-in and formatting rules

The cover-the-options test

Hide the choices and read only the stem and lead-in. A knowledgeable examinee should be able to formulate an answer. If the question cannot be answered without viewing the options, the lead-in is probably too vague.

Which mechanism most likely explains this patient's hypercalcemia?

Which structure is most likely damaged?

Which is the most appropriate initial treatment?

One-best-answer options

Which of the following statements is true?

Which option is associated with this case?

Which of the following is NOT indicated?

All of the above or none of the above

Surface-format conventions

- Use four or more lettered options; five should be the default.
- Format choices as (A), (B), (C), and so forth.
- Keep option grammar and specificity parallel.
- Order or alphabetize options when natural.
- Place the lead-in at the end of the stem.
- Use an aligned table when several laboratory values are included.
- Provide reference intervals for uncommon or age-specific measurements.
- Use standard clinical units consistently.
- Keep explanations out of the test form; provide a separate answer key and teaching explanation.
- Randomize answer positions only after all questions are finalized.

8. Images, graphs, and tracings

Appropriate visual material includes gross pathology, histopathology, dermatologic photographs, radiographs, CT, MRI, ECGs, pedigrees, physiologic graphs, anatomy with labeled regions, and flow-volume loops.

The visual should provide information required for the reasoning. It should not merely decorate a diagnosis already disclosed completely in the text.

- ☐ The image is essential or meaningfully informative.
- ☐ Resolution remains adequate at examination size.
- ☐ Labels and arrows do not accidentally reveal the answer.
- ☐ The stem explains what specimen, sequence, view, or tracing is displayed.
- ☐ Permission or licensing is documented.
- ☐ The item can be answered from visible features rather than image-quality artifacts.

9. Twenty-question block recipe

The following mix approximates the style of this sample and is not an official examination blueprint:

- 14-16 clinical mechanism, prediction, pathology, pharmacology, or localization questions
- One or two direct diagnosis questions
- One communication or ethics question
- One biostatistics or research-design question
- Three or four items containing an image, graph, laboratory table, or option matrix, overlapping with the categories above
- Mostly five-option questions
- At most one chart-format case

Mix organ systems and disciplines rather than grouping similar questions together.

10. Reusable authoring worksheet

SOURCE

Book:

Edition:

Chapter/page:

Source proposition:

CONTENT TARGET

Discipline:

Organ system:

Tested concept:

Hidden diagnosis/process:

REASONING CHAIN

Clues → diagnosis/process → tested answer:

```
CLUE PLAN
Defining clue:
Supporting clue:
Disambiguating clue:
Relevant negative:
Optional realism detail:

ITEM TYPE
Diagnosis / mechanism / prediction / pharmacology /
localization / communication / biostatistics

LEAD-IN
Exact question:

OPTIONS
Option category:
(A)
(B)
(C)
(D)
(E)

Correct answer:
Why it is correct:

DISTRACTOR AUDIT
A - Why tempting / why wrong:
B - Why tempting / why wrong:
C - Why tempting / why wrong:
D - Why tempting / why wrong:
E - Why tempting / why wrong:
```

11. Final quality-control checklist

Scientific accuracy

- ☐ The tested fact is supported by the cited textbook edition.
- ☐ Patient age, time course, vital signs, laboratory values, and treatment are internally consistent.
- ☐ The key remains correct under current clinical and scientific standards.
- ☐ At least one subject-matter reviewer has independently answered the question.

Item construction

- ☐ The item is answerable without seeing the choices.
- ☐ Exactly one option is the best answer.
- ☐ All options are homogeneous and grammatically parallel.
- ☐ The key is not conspicuously longer, more detailed, or differently worded.
- ☐ Each distractor is plausible for a defined reason.

☐The lead-in does not use EXCEPT, NOT, all of the above, or none of the above.

☐No wording in the stem unintentionally repeats or cues the key.

Fairness and originality

☐The vignette is original rather than copied from a book or question bank.

☐Demographic information is clinically relevant or included neutrally.

☐The item does not depend on stereotypes or unnecessary personal details.

☐Difficulty comes from medical reasoning rather than ambiguity or tricks.

☐Any image is original, licensed, or otherwise authorized for use.

12. The rule to remember

Do not convert a textbook sentence directly into a recall question. Convert the fact into a clinical presentation, require recognition of the underlying process, and ask about the next scientifically linked fact.