

Enrollment No:																			
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

L. J. UNIVERSITY

L.J. INSTITUTE OF ENGINEERING AND TECHNOLOGY, AHMEDABAD
CONTINUOUS AND COMPREHENSIVE EVALUATION (CCE)

TEST 3 (CO3)

B.E. SEMESTER-IV

BRANCH: CE/IT/CSD/AIML/AIDS/RAI/CSE/CST/CS&IT/CEA/MA&CP/CSE(AI)/
CSE(DS)/CSE(CS)/CS&BIO/BIOTECH

SUBJECT-FUNDAMENTALS OF COMPUTER SCIENCE USING PYTHON-2

SUBJECT CODE: 217012491/217022491/217032491/217042491/217052491/117062491/217122491/
217132491/217142491/217152491/017162491/017172491/017182491/017192491/017202491/017212491

DATE: 17-6-2026

DURATION: 1 Hour

TIME: 2:30 TO 3:30 PM

MAX MARKS: 16 marks

Instructions

- * All questions are compulsory.
- * Figure to the right indicates marks
- * Assume suitable additional data if necessary and mention them.

Set: B

			Marks	Bloom Taxonomy									
Q-1	A	MCQS											
	1	What is the primary purpose of the following command in Django? python manage.py makemigration <table><tr><td>A) To apply migrations to the database</td><td>B) To execute SQL queries for creating database tables</td></tr><tr><td>C) To create a superuser for the Django admin site</td><td>D) To run unit tests for your Django app</td></tr><tr><td>E) Generating dynamic HTML</td><td>F) Handling user authentication</td></tr><tr><td>G) To store the project's static files</td><td>H) None of the above</td></tr></table>	A) To apply migrations to the database	B) To execute SQL queries for creating database tables	C) To create a superuser for the Django admin site	D) To run unit tests for your Django app	E) Generating dynamic HTML	F) Handling user authentication	G) To store the project's static files	H) None of the above	[1]	[R]	
A) To apply migrations to the database	B) To execute SQL queries for creating database tables												
C) To create a superuser for the Django admin site	D) To run unit tests for your Django app												
E) Generating dynamic HTML	F) Handling user authentication												
G) To store the project's static files	H) None of the above												
	2	In Django, how would you create a URL route for a view function named "profile" that maps to the path "/profile/"? (Assume that required module and views are imported as: from django.urls import path from .views import profile) <table><tr><td>(A) redirect ('profile/', profile)</td><td>(B) map ('profile/', profile)</td><td>(C) url ('profile/', profile)</td></tr><tr><td>(D) url (profile, 'profile/')</td><td>(E) redirect (profile, 'profile/')</td><td>(F) map (profile, 'profile/')</td></tr><tr><td>(G) path (profile, 'profile/')</td><td>(H) path ('profile/', profile)</td><td></td></tr></table>	(A) redirect ('profile/', profile)	(B) map ('profile/', profile)	(C) url ('profile/', profile)	(D) url (profile, 'profile/')	(E) redirect (profile, 'profile/')	(F) map (profile, 'profile/')	(G) path (profile, 'profile/')	(H) path ('profile/', profile)		[1]	[U]
(A) redirect ('profile/', profile)	(B) map ('profile/', profile)	(C) url ('profile/', profile)											
(D) url (profile, 'profile/')	(E) redirect (profile, 'profile/')	(F) map (profile, 'profile/')											
(G) path (profile, 'profile/')	(H) path ('profile/', profile)												
	3	What will be output of following code? from bs4 import BeautifulSoup	[1]	[A]									

		<pre>html = """ <html> <body> <div> First Second </div> <a>Outside </body> </html> """ soup = BeautifulSoup(html, 'html.parser') div = soup.find('div') anchors = div.find_all('a') for a in anchors: print(a['href'])</pre> (A) Error (B) first.html (C) first.html second.html KEYERROR (D) first.html second.html (E) First Second (F) second.html (G) KeyError (H) None of these										
	4	How do you make a Django model available for use in the admin interface? <table><tr><td>A) By registering the model in the "admin.py" file of the app</td><td>B) By registering the model in the "settings.py" file of the project</td></tr><tr><td>C) By registering the model in the "models.py" file of the app</td><td>D) By registering the model in the "urls.py" file of the project</td></tr><tr><td>E) By registering the app in the "admin.py" file of the app</td><td>F) By registering the app in the "models.py" file of the app</td></tr><tr><td>G) Error</td><td>H) None of the above</td></tr></table>	A) By registering the model in the "admin.py" file of the app	B) By registering the model in the "settings.py" file of the project	C) By registering the model in the "models.py" file of the app	D) By registering the model in the "urls.py" file of the project	E) By registering the app in the "admin.py" file of the app	F) By registering the app in the "models.py" file of the app	G) Error	H) None of the above	[1]	[R]
A) By registering the model in the "admin.py" file of the app	B) By registering the model in the "settings.py" file of the project											
C) By registering the model in the "models.py" file of the app	D) By registering the model in the "urls.py" file of the project											
E) By registering the app in the "admin.py" file of the app	F) By registering the app in the "models.py" file of the app											
G) Error	H) None of the above											
	5	What is the default database used in Django? <table><tr><td>A) Oracle</td><td>B) SQLite</td></tr><tr><td>C) PostgreSQL</td><td>D) MySQL</td></tr><tr><td>E) MariaDB</td><td>F) MongoDB</td></tr><tr><td>G) Error</td><td>H) None of the above</td></tr></table>	A) Oracle	B) SQLite	C) PostgreSQL	D) MySQL	E) MariaDB	F) MongoDB	G) Error	H) None of the above	[1]	[R]
A) Oracle	B) SQLite											
C) PostgreSQL	D) MySQL											
E) MariaDB	F) MongoDB											
G) Error	H) None of the above											
	6	What is Django used for? <table><tr><td>A) Machine learning</td><td>B) Game development</td></tr><tr><td>C) Web development</td><td>D) Data analysis</td></tr></table>	A) Machine learning	B) Game development	C) Web development	D) Data analysis	[1]	[R]				
A) Machine learning	B) Game development											
C) Web development	D) Data analysis											

		E) Networking	F) Deep Learning		
		G) Error	H) None of the above		
	7	Which of the following libraries is used to parse data received from Open Weather Map API?		[1]	[R]
		A) api	B) request		
		C) requests	D) json		
		E) Pretiffy	F) DUMPS		
		G) Error	H) None of the above		
	8	Which method converts API response into Python dictionary?		[1]	[R]
		A) response.text()	B) response.content()		
		C) response.data()	D) response.json()		
		E) response.pretiffy()	F) a and b both		
		G) Error	H) None of the above		
	9	What will be output of following code? <pre> from bs4 import BeautifulSoup html_doc = """ <html> <head> <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1"> <title>An example of HTML page</title> </head> <body> <h2>This is an example HTML page</h2> <p> This is Python Tutorial for Beautiful Soup</p> <p>Learn HTML</p> <p>Learn CSS</p> </body> </html> """ soup = BeautifulSoup(html_doc, 'html.parser') print(soup.find('p').find('a')['href']) </pre>		[1]	[A]
		A) Learn HTML	B) https://www.google.com/html/HTML- tutorials.php		
		C) This is Python Tutorial for Beautiful Soup	D) <p1>This is Python Tutorial for Beautiful Soup</p1>		

		E) <meta http-equiv="Content- Type" content="text/html; charset=iso-8859-1">	F) <p2>This is Python Tutorial for Beautiful Soup</p1>		
		G) Error	H) None of the above		
	10	Which status code indicates too many requests?		[1]	[R]
		A) 404	B) 529		
		C) 403	D) 429		
		E) 401	F) 400		
		G) 404	H) None of the above		
Q-2	1	Create a Python Django Project with named musicplayer (write a terminal command) and follow the following steps: 1. Create an app called findmusic. (write a terminal command) 2. Create a model named Music with attributes song,artist,year and album where song, artist and album are text fields and year is a numeric field. 3. Write terminal commands to Migrate all the sqlite tables. 4. Write a terminal command to Create a superuser. 5. Write appropriate views.py code to extract the data from the created model named Music to display in html file called musicfind.html. (No need to write code for html file) Use following code to import appropriate django modules/classes # models.py from django.db import models # views.py from django.shortcuts import render from .models import Music		[6]	[A]

REVISED BLOOM'S TAXONOMY LEVEL

FULL NAME AS PER BLOOMTAXONOMY	CREATE	EVALUATE	ANALYZE	APPLY	UNDERSTAND	REMEMBER
SHORT NAME AS PER BLOOM TAXONOMY	C	E	N	A	U	R

Enrollment No:																			
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

L. J. UNIVERSITY

L.J. INSTITUTE OF ENGINEERING AND TECHNOLOGY, AHMEDABAD
CONTINUOUS AND COMPREHENSIVE EVALUATION (CCE)

TEST 3 (CO3)

B.E. SEMESTER-IV

BRANCH: CE/IT/CSD/AIML/AIDS/RAI/CSE/CST/CS&IT/CEA/MA&CP/CSE(AI)/
CSE(DS)/CSE(CS)/CS&BIO/BIOTECH

SUBJECT- FUNDAMENTALS OF COMPUTER SCIENCE USING PYTHON-2

SUBJECT CODE: 217012491/217022491/217032491/217042491/217052491/117062491/217122491/
217132491/217142491/217152491/017162491/017172491/017182491/017192491/017202491/017212491

Set: B

DATE: 17-6-2026

TIME: 4:15 TO 5:30 PM

DURATION: 1.25 Hours

MAX MARKS: 09 marks

Instructions

- * All questions are compulsory.
- * Figure to the right indicates marks
- * Assume suitable additional data if necessary and mention them.

Q-3	(A)		Marks	Bloom Taxonomy
	1	You are provided with an HTML file named Mobile.html. This file contains the static HTML content of a Flipkart mobile product search results page. Using Python, BeautifulSoup, and Pandas, scrape the required product information from the HTML file and create a DataFrame in the format shown below. Requirements 1. Read the Mobile.html file. 2. Parse the HTML using BeautifulSoup. 3. Extract the following product details for each mobile phone: - o Name - o Memory - o Color - o Reviews - o Old Price - o New Price - o Discount - o Exchange Price 4. Create an additional column: - o Difference = Old Price – New Price 5. Store all extracted data in a Pandas DataFrame. 6. Display the final DataFrame in the format shown in the expected output.	[9]	[A]

		name	Memory	Color	Reviews	Old Price	New Price	Discount	Exchange Price	Difference		
0		Apple iPhone 16	128 GB ROM	Black	704	79,900	74,900	6%	₹44,150	5000		
1		Apple iPhone 16	128 GB ROM	Pink	704	79,900	74,900	6%	NaN	5000		
2		Apple iPhone 13	128 GB ROM	Starlight	13,902	49,900	44,999	9%	₹33,250	4901		
3		Apple iPhone 16	128 GB ROM	White	704	79,900	74,900	6%	₹44,150	5000		
4		Apple iPhone 16 Plus	128 GB ROM	White	143	89,900	84,900	5%	₹44,150	5000		
5		Apple iPhone 16e	128 GB ROM	White	51	59,900	54,900	8%	₹41,750	5000		
6		Apple iPhone 16	128 GB ROM	Teal	704	79,900	74,900	6%	NaN	5000		
7		Apple iPhone 16 Plus	128 GB ROM	Black	143	89,900	84,900	5%	NaN	5000		
8		Apple iPhone 13	128 GB ROM	Midnight	13,902	49,900	44,999	9%	₹33,250	4901		
9		Apple iPhone 13	128 GB ROM	Blue	13,902	49,900	44,999	9%	₹33,250	4901		
10		Apple iPhone 16	128 GB ROM	Ultramarine	704	79,900	74,900	6%	₹44,150	5000		
11		Apple iPhone 15	128 GB ROM	Blue	9,298	69,900	64,400	7%	₹44,150	5500		
12		Apple iPhone 16	256 GB ROM	Black	704	89,900	84,900	5%	₹44,150	5000		
13		Apple iPhone 16	256 GB ROM	Ultramarine	704	89,900	84,900	5%	₹44,150	5000		
14		Apple iPhone 14	128 GB ROM	Starlight	11,672	59,900	54,999	8%	₹39,550	4901		
15		Apple iPhone 16	256 GB ROM	Pink	704	89,900	84,900	5%	₹44,150	5000		
16		Apple iPhone 16	256 GB ROM	White	704	89,900	84,900	5%	NaN	5000		
17		Apple iPhone 15 Plus	256 GB ROM	Green	2,541	89,900	84,900	5%	NaN	5000		
18		Apple iPhone 16 Pro	256 GB ROM	Desert Titanium	104	1,29,900	1,22,900	5%	₹44,150	7000		
19		Apple iPhone 16 Plus	256 GB ROM	Ultramarine	143	99,900	94,900	5%	NaN	5000		
20		Apple iPhone 16	256 GB ROM	Teal	704	89,900	84,900	5%	NaN	5000		
21		Apple iPhone 16 Plus	128 GB ROM	Teal	143	89,900	84,900	5%	₹44,150	5000		
22		Apple iPhone 16 Plus	256 GB ROM	Pink	143	99,900	94,900	5%	₹44,150	5000		
23		Apple iPhone 15	256 GB ROM	Pink	9,298	79,900	74,400	6%	₹44,150	5500		

REVISED BLOOM`S TAXONOMY LEVEL						
FULL NAME AS PER BLOOMTAXONOMY	CREATE	EVALUATE	ANALYZE	APPLY	UNDERSTAND	REMEMBER
SHORT NAME AS PER BLOOM TAXONOMY	C	E	N	A	U	R