

| Number_of_Involved_Lymph_Nodes | |
|-----------------------------------|--|
| zero_involved_lymph_nodes | |
| one_three_involved_lymph_nodes | |
| four_or_more_involved_lymph_nodes | |

| Size_of_Involved_Lymph_Nodes | |
|------------------------------|--|
| more_than_6_cm | |
| three_cm_to_six_cm | |
| smaller_than_three_cm | |
| absent | |

| Presence_of_Metastasis_in_Lymph_Nodes | |
|---------------------------------------|--|
| unknown | |
| present | |
| absent | |

| Computed_Tomography_CT_Scans | |
|------------------------------|--|
| present | |
| absent | |

| Magnetic_Resonance_Imaging_MRI | |
|--------------------------------|--|
| present | |
| absent | |

| Ultrasound | |
|------------|--|
| present | |
| absent | |

| Positron_Emission_Tomography_PET_Scans | |
|--|--|
| present | |
| absent | |

| Examination | |
|-------------------------------------|--|
| bilateral_lymph_node_metastasis | |
| ipsilateral_lymph_node_metastasis | |
| contralateral_lymph_node_metastasis | |

| Magnetic_Resonance_Imaging_MRI | |
|-------------------------------------|--|
| bilateral_lymph_node_metastasis | |
| ipsilateral_lymph_node_metastasis | |
| contralateral_lymph_node_metastasis | |

| Positron_Emission_Tomography_PET | |
|-------------------------------------|--|
| bilateral_lymph_node_metastasis | |
| ipsilateral_lymph_node_metastasis | |
| contralateral_lymph_node_metastasis | |

| N_State | |
|---------|--|
| nx | |
| n3 | |
| n2c | |
| n2b | |
| n2a | |
| n2 | |
| n1 | |
| n0 | |

| Location_of_Involved_Lymph_Nodes | |
|----------------------------------|--|
| ipsilateral | |
| bilateral | |
| contralateral | |

| Ultrasonography | |
|-------------------------------------|--|
| bilateral_lymph_node_metastasis | |
| ipsilateral_lymph_node_metastasis | |
| contralateral_lymph_node_metastasis | |

| Computerized_Tomography_CT | |
|-------------------------------------|--|
| bilateral_lymph_node_metastasis | |
| ipsilateral_lymph_node_metastasis | |
| contralateral_lymph_node_metastasis | |