

Name of Student: Dhruv Sharma	PRN:25070122075
Semester: III	Year : AY 2026-27
Subject: Programming with Java	
ASSIGNMENT No : 4	
TITLE : Wrapper Classes in Java	

Problem Statement

Develop a Java application demonstrating the use of wrapper classes for conversion between primitive data types and objects, and performing basic operations on wrapped values.

Learning Objectives

To perform conversion between primitive data types and wrapper objects using Java wrapper classes.

Programme

```
J WrapperClass.java ×
wrapper > J WrapperClass.java > ...
1 // 1.Create a program to convert student marks from String format to Integer and calculate total marks.
2
3 public class WrapperClass {
4     Run main | Debug main
5     public static void main(String[] args) {
6
7         String mark1 = "8";
8         String mark2 = "9";
9         String mark3 = "10";
10
11
12         int m1 = Integer.parseInt(mark1);
13         int m2 = Integer.parseInt(mark2);
14         int m3 = Integer.parseInt(mark3);
15
16
17         int total = m1 + m2 + m3 ;
18
19
20         System.out.println("Marks:");
21         System.out.println("Subject 1: " + m1);
22         System.out.println("Subject 2: " + m2);
23         System.out.println("Subject 3: " + m3);
24         System.out.println("Total Marks = " + total);
25     }
26 }
```

Output-

```
PS C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\assignment6> cd "C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper\" ; if ($?) { javac WrapperClass.java } ; if ($?) { java WrapperClass }
Total Marks = 27
● PS C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper> cd "C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper\" ; if ($?) { javac WrapperClass.java } ; if ($?) { java WrapperClass }
Marks:
Subject 1: 8
Subject 2: 9
Subject 3: 10
Total Marks = 27
○ PS C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper>
```

Question2 –

```
Employee.java
wrapper > Employee.java > Employee
4
5 public class Employee {
    Run main | Debug main
6     public static void main(String[] args){
7         Scanner sc = new Scanner(System.in);
8
9         System.out.println("Enter employee's ID");
10        String empId = sc.nextLine();
11
12        System.out.println("Enter employee's Salary");
13        String empSal = sc.nextLine();
14
15        System.out.println("Enter employee's Bonus amount");
16        String empBon = sc.nextLine();
17
18        Integer id = Integer.valueOf(empId);
19        Double sal = Double.valueOf(empSal);
20        Double bonus = Double.valueOf(empBon);
21
22        if (sal < 0 || bonus < 0) {
23            System.out.println("Invalid salary or bonus amount.");
24            return;
25        }
26
27        double netSalary = sal + bonus;
28
29
30        System.out.println("Employee Details");
31        System.out.println("Employee ID: " + id);
32        System.out.println("Basic Salary: " + sal);
33        System.out.println("Bonus: " + bonus);
34        System.out.println("Net Salary: " + netSalary);
35    }
36 }
```

Output-



```
PS C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper> cd "c:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper"
javac Employee.java ; if ($?) { java Employee }
Enter employee's ID
2
Enter employee's Salary
200000.800
Enter employee's Bonus amount
700.29
Employee Details
Employee ID: 2
Basic Salary: 200000.8
Bonus: 700.29
Net Salary: 200701.09
PS C:\Users\dhruv\OneDrive\Pictures\Documents\Desktop\Study\sem 3\JAVA\wrapper>
```

Output

Conclusion- From this assignment we learn about Wrapper Classes and how to use them.