

UI/UX DESIGN DOCUMENTATION

FOR SMARTQUANT EDGE

Professional Algorithmic Trading & Quantitative Research Platform
Design System, User Experience, Interface Architecture, Responsive Design & Quality Assurance



Project Name	SmartQuant Edge / QuantEdge AI
Project Classification	Professional Algorithmic Trading & Quantitative Research Platform
Academic Course & Subject	B.Sc. Information Technology Software Project Management (SPM)
Academic Institution	SVKM's Usha Pravin Gandhi College of Arts, Science and Commerce
Primary Author & Role	Adil Manasiya - UI/UX Designer & Frontend UI Engineering
Co-Author	Tushar Laxmanan Devendra
Project Guide / Faculty	Dr. Swapnali Lotlikar
Frontend Technology Stack	React 19, TypeScript, Tailwind CSS v4, Motion v12, Recharts, Lucide Icons
Documented Architecture Scope	27 documented application routes (12 public routes and 15 authenticated application routes)
Live Production Deployment	https://quantedge-ai-tau.vercel.app/
Responsive Validation Targets	Desktop (1280 × 800) Tablet (768 × 1024) Mobile (375 × 812)

EXECUTIVE TABLE OF CONTENTS

Chapter	Chapter Title & Scope	Page
Chapter 1	INTRODUCTION	11
Chapter 2	DESIGN OBJECTIVES	12
Chapter 3	TARGET USERS & USER PERSONAS	14
Chapter 4	USER EXPERIENCE STRATEGY	16
Chapter 5	INFORMATION ARCHITECTURE & SITEMAP	18
Chapter 6	USER FLOWS	20
Chapter 7	DESIGN SYSTEM	25
Chapter 8	VISUAL DESIGN LANGUAGE	32
Chapter 9	UI COMPONENT LIBRARY	33
Chapter 10	LANDING PAGE UI/UX DESIGN ANALYSIS	37
Chapter 11	EXECUTIVE DASHBOARD UI/UX DESIGN	39
Chapter 12	TRADING TERMINAL INTERFACE ARCHITECTURE	40
Chapter 13	DATA VISUALIZATION & QUANTITATIVE CHART DESIGN	42
Chapter 14	INTERACTION DESIGN & MICRO-ANIMATIONS	44
Chapter 15	RESPONSIVE DESIGN ARCHITECTURE	45
Chapter 16	ACCESSIBILITY & USABILITY ENGINEERING	50
Chapter 17	UI/UX DESIGN DECISIONS MATRIX	51
Chapter 18	SCREEN-BY-SCREEN DESIGN ANALYSIS	52
Chapter 19	DESIGN PROCESS & ENGINEERING METHODOLOGY	77
Chapter 20	DESIGN VALIDATION & EMPIRICAL VERIFICATION	79
Chapter 21	UI/UX TESTING & QUALITY ASSURANCE MATRIX	80
Chapter 22	DESIGN CHALLENGES & MITIGATIONS	82
Chapter 23	MY UI/UX CONTRIBUTION	83
Chapter 24	FUTURE UI/UX ROADMAP	85
Chapter 25	CONCLUSION	86
Appendix	Low-Fidelity Wireframe Specifications (12 Structural System Wireframes)	87

LIST OF FIGURES

Figure ID	Figure Title & Visual Description	Location	Page
Figure 1.1	SmartQuant Edge Product Ecosystem Architecture & Quantitative Lifecycle Pipeline	Chapter 1	12
Figure 2.1	UI/UX Design Objective Framework & Institutional Ergonomics Hierarchy	Chapter 2	14
Figure 3.1	Quantitative User Persona Overview & Role Taxonomy	Chapter 3	16
Figure 4.1	Human-Centered Quantitative UX Strategy Framework	Chapter 4	18
Figure 5.1	SmartQuant Edge Multi-Tier Information Architecture Topology	Chapter 5	19
Figure 5.2	Application Sitemap Across 27 Documented Application Routes	Chapter 5	19
Figure 5.3	Route-to-Feature Mapping & Component Entitlement Architecture	Chapter 5	20
Figure 6.1	Sovereign User Onboarding & Multi-Channel 2FA Verification Flow	Chapter 6	23
Figure 6.2	Algorithmic Strategy Formulation & Backtesting Optimization Flow	Chapter 6	23
Figure 6.3	Market Telemetry Discovery & Confluence Research Flow	Chapter 6	24
Figure 6.4	Order Execution & Synchronous Pre-Trade Risk Gating Flow	Chapter 6	24
Figure 6.5	Sovereign Emergency Kill Switch & Order Cancellation Flow	Chapter 6	25
Figure 6.6	Explain This Trade - 9-Stage Quantitative Audit & Explainability Flow	Chapter 6	25
Figure 7.1	Sovereign Institutional Design System Color Token Palette & OKLCH Specifications	Chapter 7	29
Figure 7.2	Quantitative Typography Scale & Font Pairing Matrix	Chapter 7	30
Figure 7.3	SmartQuant Edge Spacing & 8-Point Grid System	Chapter 7	30
Figure 7.4	Corner Radius Token Scale & Interface Stacking Hierarchy	Chapter 7	31
Figure 7.5	Glassmorphic Elevation & Surface Stacking Architecture	Chapter 7	31
Figure 7.6	UI Design System Architecture & Token-to-Screen Engineering Pipeline	Chapter 7	32
Figure 8.1	Sovereign Institutional Fintech Visual Design Language Board	Chapter 8	33
Figure 9.1	Reusable Component Anatomy - Institutional KPI Telemetry Card	Chapter 9	37

Figure ID	Figure Title & Visual Description	Location	Page
Figure 9.2	Reusable UI Component Composition Hierarchy & Atomic Structure	Chapter 9	37
Figure 10.1	SmartQuant Edge Landing Page Desktop Viewport (1280 × 800)	Chapter 10	39
Figure 11.1	Executive Terminal Cockpit Dashboard (`/app`)	Chapter 11	40
Figure 12.1	Multi-Pane Live Trading Terminal Workstation (`/app/live`)	Chapter 12	42
Figure 13.1	Financial Candlestick Chart Anatomy & Multi-Indicator Overlay Architecture	Chapter 13	43
Figure 13.2	Cumulative Alpha Equity Curve & Underwater Drawdown Visualization Anatomy	Chapter 13	44
Figure 14.1	Financial Interaction State Model Finite State Machines (FSM)	Chapter 14	45
Figure 15.1	Desktop Responsive Workspace Blueprint (1280 × 800 Viewport)	Chapter 15	47
Figure 15.2	Tablet Responsive Workspace Blueprint (768 × 1024 Viewport)	Chapter 15	47
Figure 15.3	Mobile Responsive Workspace Blueprint (375 × 812 Viewport)	Chapter 15	48
Figure 15.4	Cross-Device Responsive Layout Transformation Matrix	Chapter 15	48
Figure 15.5	SmartQuant Edge Tablet Viewport Layout (768 × 1024)	Chapter 15	49
Figure 15.6	SmartQuant Edge Mobile Viewport Layout (375 × 812)	Chapter 15	50
Figure 18.1	SmartQuant Edge Landing Page Desktop Viewport (`/`)	Chapter 18	53
Figure 18.2	Sovereign Authentication Gateway & Login Screen (`/login`)	Chapter 18	54
Figure 18.3	Two-Factor OTP Security Challenge Screen (`/login`)	Chapter 18	55
Figure 18.4	Executive Terminal Cockpit Dashboard (`/app`)	Chapter 18	56
Figure 18.5	Multi-Pane Live Trading Terminal Workstation (`/app/live`)	Chapter 18	57
Figure 18.6	Quantitative Strategy Hub & Factory (`/app/strategies`)	Chapter 18	58
Figure 18.7	High-Performance Backtesting Engine & Parameter Optimizer (`/app/backtest`)	Chapter 18	59
Figure 18.8	Multi-Factor Real-Time Market Scanner (`/app/scanner`)	Chapter 18	60

Figure ID	Figure Title & Visual Description	Location	Page
Figure 18.9	Multi-Asset Portfolio Management Workstation (`/app/portfolio`)	Chapter 18	61
Figure 18.10	Real-Time Risk Command Center & Circuit Breakers (`/app/admin`)	Chapter 18	61
Figure 18.11	Factor & Sector Exposure Analytics Workstation (`/app/exposure`)	Chapter 18	62
Figure 18.12	Sovereign Emergency Kill Switch Console (`/app/kill-switch`)	Chapter 18	63
Figure 18.13	Quantitative Insights & Market Regime Synthesis Desk (`/app/insights`)	Chapter 18	64
Figure 18.14	Execution Reports, Fills & Order Book Audit Log (`/app/execution-reports`)	Chapter 18	64
Figure 18.15	Advanced Performance Analytics & Sharpe/Drawdown Decomposition (`/app/performance`)	Chapter 18	65
Figure 18.16	Quantitative Trade Journal & Post-Trade Review Log (`/app/trade-journal`)	Chapter 18	66
Figure 18.17	Quick Demo Profile Switcher Dialog (Ananya Rao / Vikram Malhotra)	Chapter 18	67
Figure 18.18	Sovereign Trader Onboarding & Registration Interface (`/register`)	Chapter 18	68
Figure 18.19	Account Credential Recovery Workflow (`/forgot-password`)	Chapter 18	69
Figure 18.20	Institutional Subscription Pricing Matrix (`/pricing`)	Chapter 18	70
Figure 18.21	Enterprise About & Quantitative Research Philosophy (`/about`)	Chapter 18	71
Figure 18.22	Enterprise Contact & Client Inquiries Portal (`/contact`)	Chapter 18	72
Figure 18.23	Terms of Service & Regulatory Quantitative Disclosures (`/terms`)	Chapter 18	73
Figure 18.24	Data Sovereignty & Encryption Safeguards Architecture (`/privacy`)	Chapter 18	74
Figure 18.25	Helpdesk & Technical Support Operations Center (`/support`)	Chapter 18	75
Figure 18.26	Subscription Provisioning Success State (`/payment-success`)	Chapter 18	76
Figure 18.27	Transaction Failure & Graceful Recovery State (`/payment-failed`)	Chapter 18	77
Figure 19.1	UI/UX Design Process & Human-Centered Engineering Lifecycle	Chapter 19	79
Figure 23.1	Designer Contribution Taxonomy & Frontend Engineering Map	Chapter 23	85

Figure ID	Figure Title & Visual Description	Location	Page
Figure WF.1	[LOW-FIDELITY WIREFRAME] Public Landing Page Architecture	Appendix	87
Figure WF.2	[LOW-FIDELITY WIREFRAME] Sovereign Authentication Gateway	Appendix	88
Figure WF.3	[LOW-FIDELITY WIREFRAME] Trader Registration & Sovereign ID Provisioning	Appendix	88
Figure WF.4	[LOW-FIDELITY WIREFRAME] Executive Terminal Telemetry Dashboard	Appendix	89
Figure WF.5	[LOW-FIDELITY WIREFRAME] Market Watchlist & Level-2 Depth Ladder	Appendix	89
Figure WF.6	[LOW-FIDELITY WIREFRAME] Multi-Factor Quantitative Market Scanner	Appendix	90
Figure WF.7	[LOW-FIDELITY WIREFRAME] No-Code Strategy Formulation Hub	Appendix	90
Figure WF.8	[LOW-FIDELITY WIREFRAME] Quantitative Backtesting & Simulation Console	Appendix	91
Figure WF.9	[LOW-FIDELITY WIREFRAME] Multi-Pane Live Trading Execution Terminal	Appendix	91
Figure WF.10	[LOW-FIDELITY WIREFRAME] Pre-Trade Risk Governance & Circuit Breakers	Appendix	92
Figure WF.11	[LOW-FIDELITY WIREFRAME] Multi-Asset Portfolio & Holdings Workstation	Appendix	92
Figure WF.12	[LOW-FIDELITY WIREFRAME] Systematic Trade Journal & Execution Log	Appendix	93

LIST OF TABLES

Table ID	Table Title & Functional Scope	Location	Page
Table 1.1	SmartQuant Edge Platform Metadata and Academic Context Specification	Chapter 1	11
Table 3.1	Quantitative User Persona Specification Matrix across System Roles	Chapter 3	14
Table 5.1	Comprehensive Route Architecture across 27 Documented Application Routes	Chapter 5	18
Table 7.1	Sovereign Institutional Design System Color Token Palette (OKLCH & HEX)	Chapter 7	29
Table 7.2	System Typography Scale, Font Weights, and Line Height Specifications	Chapter 7	30
Table 7.3	Responsive Viewport Breakpoints and Layout Adaptation Rules	Chapter 7	31
Table 9.1	Reusable UI Component Library Inventory, Purpose, and File Paths	Chapter 9	34
Table 9.2	Interactive Component State Transition Matrix (Default to Destruction)	Chapter 9	35
Table 14.1	Button Component State Machine and Micro-Interaction Matrix	Chapter 14	44
Table 14.2	Order Ticket Input Validation and Feedback State Progression	Chapter 14	44
Table 15.1	Cross-Device Responsive Adaptation Matrix Across Breakpoints	Chapter 15	46
Table 16.1	Accessibility Compliance and WCAG 2.1 AA Engineering Verification Checklist	Chapter 16	50
Table 17.1	UI/UX Design Decisions Matrix - Problem, Solution, Rationale and Impact	Chapter 17	51
Table 18.1	Complete Screen Inventory Across 27 Documented Application Routes	Chapter 18	52
Table 20.1	Empirical UI/UX Design Validation Matrix (Expected vs Actual)	Chapter 20	79
Table 21.1	Comprehensive UI/UX Quality Assurance and Interaction Test Suite	Chapter 21	80
Table 22.1	Design Challenges, Ergonomic Risks, and Engineering Mitigations	Chapter 22	82
Table 24.1	Future UI/UX Roadmap & Strategic Capability Evolution Matrix	Chapter 24	85

LIST OF ACRONYMS AND QUANTITATIVE TERMINOLOGY

Term / Acronym	Definitive Description & Contextual Meaning
2FA	Two-Factor Authentication - Mandatory second security layer utilizing time-based one-time passwords.
ADX	Average Directional Index - Quantitative indicator quantifying trend strength regardless of direction.
AES-256-GCM	Advanced Encryption Standard with 256-bit key in Galois/Counter Mode for authenticated encryption.
API	Application Programming Interface - Formal programmatic interface for client-server communication.
ATR	Average True Range - Volatility indicator measuring price expansion over N trading sessions.
BSE	Bombay Stock Exchange - One of India's premier regulated electronic securities exchanges.
CAGR	Compound Annual Growth Rate - Annualized geometric progression ratio of capital compounding.
CNC	Cash 'n' Carry - Indian broker delivery product code denoting 100% upfront collateral equity purchase.
CTA	Call to Action - Interactive UI element prompting the trader to perform a high-value system action.
EMA	Exponential Moving Average - Lag-reduced moving average placing exponential weight on recent prices.
FSM	Finite State Machine - Deterministic behavioral model transitioning between discrete operational states.
GUI	Graphical User Interface - Visual interaction layer rendering graphical elements to human operators.
HSL / OKLCH	Color space models ensuring perceptual uniformity across lightness, chroma, and hue bands.
JSON	JavaScript Object Notation - Standardized human-readable data serialization format.
KPI	Key Performance Indicator - High-priority quantitative metric summarizing portfolio health.

Term / Acronym	Definitive Description & Contextual Meaning
MACD	Moving Average Convergence Divergence - Trend-following momentum indicator calculating EMA spreads.
MDD	Maximum Drawdown - Peak-to-trough percentage loss before a new equity peak is achieved.
MIS	Margin Intraday Square-off - Leveraged intraday trading product code requiring end-of-day liquidation.
MTM	Mark-to-Market - Real-time valuation of open positions based on current market settlement prices.
NIFTY 50	National Stock Exchange Benchmark Index tracking the 50 largest capitalized Indian equities.
NRML	Normal - Indian derivatives product code for multi-day overnight futures and options positions.
OTP	One-Time Password - Ephemeral 6-digit numeric token generated for single-session verification.
PBKDF2	Password-Based Key Derivation Function 2 - Cryptographic key stretching function with salted HMAC.
P&L	Profit and Loss - Net financial gain or loss realized or marked-to-market on trading capital.
RSI	Relative Strength Index - Momentum oscillator measuring velocity and magnitude of directional price movements.
SEBI	Securities and Exchange Board of India - Statutory regulatory authority governing Indian securities.
SMA	Simple Moving Average - Arithmetic mean of closing prices over a specified moving time window.
SPA	Single-Page Application - Modern web architecture rendering UI dynamically without full page reloads.
SPM	Software Project Management - Formal academic discipline covering software lifecycles, risks, and governance.
SRS	Software Requirements Specification - Formal documentation detailing all functional and technical requirements.

Term / Acronym	Definitive Description & Contextual Meaning
SSR	Server-Side Rendering - Pre-rendering initial HTML markup on server nodes for fast First Contentful Paint.
STT	Securities Transaction Tax - Statutory direct tax levied on every trade executed on Indian exchanges.
TOTP	Time-based One-Time Password - Cryptographic algorithm computing temporary OTP from a shared secret.
UI / UX	User Interface / User Experience - Visual design, ergonomics, cognitive flow, and human interaction.
VaR	Value at Risk - Statistical measure quantifying maximum expected capital loss at a specific confidence level.
VWAP	Volume-Weighted Average Price - Benchmark giving average price an asset has traded at throughout the day.
WBS	Work Breakdown Structure - Hierarchical decomposition of total project scope into deliverable work items.
WCAG	Web Content Accessibility Guidelines - International accessibility standards published by the W3C.
Zod	TypeScript-first schema declaration and validation library enforcing runtime contract boundaries.

CHAPTER 1: INTRODUCTION

1.1 Project Overview

SmartQuant Edge (designated commercially as QuantEdge AI) is an institutional-grade algorithmic trading platform and quantitative finance research suite developed specifically for Indian capital markets (National Stock Exchange of India - NSE, and Bombay Stock Exchange - BSE) as well as global multi-asset portfolios. Designed to bridge the gap between complex quantitative modeling and disciplined manual execution, the platform provides retail algorithmic traders, proprietary desks, and quantitative researchers with a high-fidelity, sovereign environment for:

- Real-Time Market Telemetry: Low-latency streaming quotes, tick validation, and depth feeds across Indian benchmark indices (NIFTY 50, BANK NIFTY) and major equities.
- Systematic Strategy Research: No-code algorithmic strategy formulation utilizing a confluence of 10 mathematical indicators.
- Algorithmic Signal Generation: Continuous automated rule evaluation with dynamic multi-timeframe confluence scoring (0 to 100%).
- Pre-Trade Risk Gating: Unskippable pre-trade risk checks enforcing capital caps, position size ceilings, max daily drawdown limits, and mandatory stop-loss validation.
- Paper Broker Simulation: High-fidelity mark-to-market (MTM) ledger simulation incorporating realistic slippage (0.02%), statutory securities transaction tax (STT), exchange turnover fees, and GST.
- "Explain This Trade" Verifiable Audit Chain: An explainable AI trade audit pipeline recording an immutable 9-stage chronological rationale for every generated order.
- Sovereign First-Party Security: Zero third-party tracker reliance, permanent cryptographic SmartQuant User IDs (SQE-XXXXXX), and PBKDF2-HMAC-SHA512 password derivation with mandatory dual-channel two-factor authentication (2FA).

1.2 Purpose of UI/UX Design in Quantitative Finance

Trading terminals and quantitative financial systems represent one of the most demanding domains in human-computer interaction (HCI). Unlike conventional consumer or SaaS web applications, algorithmic trading interfaces operate under acute cognitive stress, high information density, and strict time constraints where visual ambiguity directly translates into capital loss.

1.2 Purpose of UI/UX Design in Quantitative Trading

Designing an interface for algorithmic execution is fundamentally different from designing conventional consumer web applications. Trading terminals operate in environments characterized by ultra-high information density, continuous real-time market data streaming, and critical financial consequences.

The primary purpose of the UI/UX design in SmartQuant Edge is to:

- Maximize Data Legibility: Enable instant cognitive absorption of multi-asset prices, order status, and risk telemetry without character jitter.
- Enforce Rapid Situational Awareness: Establish clear visual hierarchies so that critical alerts (e.g. circuit breakers, risk cap breaches) command immediate focus over background analytical data.
- Prevent Costly Execution Errors: Provide intuitive confirmations, boundary validations, and explicit visual confirmation for high-consequence actions.
- Minimize Mental Fatigue: Create an ergonomic, low-glare dark workspace tailored for multi-hour trading sessions.
- Preserve Analytical Rigor Across Viewports: Ensure that complex tools such as backtest heatmaps and multi-pane live terminals adapt fluidly across devices without loss of operational utility.

1.3 Scope of UI/UX Design Work

My primary contribution to the SmartQuant Edge project was focused strictly on UI/UX Design and Frontend User Interface Engineering. The scope of my work encompasses:

- Visual Design & Brand Identity: Establishing the "Sovereign Dark Fintech" aesthetic, bespoke color palette, glassmorphic card elevation, and visual branding.
- Design System Engineering: Building a scalable design token architecture in Tailwind CSS v4, including custom typography rules, semantic color tokens, elevation layers, and animation utilities.
- Component Library Design: Designing and styling over 35 reusable UI components, including KPI cards, interactive data tables, tabbed panes, instrument drawers, status badges, and custom modal dialogs.
- Information Architecture & Navigation: Structuring the 27 documented application routes into intuitive functional suites (Market, Research, Trading, Risk, and System Governance).
- User Flow & Interaction Design: Formulating seamless user journeys for onboarding, algorithmic strategy creation, backtesting parameter sweeps, order entry, and emergency kill-switch deployment.
- Data Visualization Layout: Structuring financial charts, equity curves, drawdown histograms, allocation donuts, and technical indicator overlays using Recharts.
- Responsive Layout Architecture: Designing fluid adaptive grid and flexbox layouts verified across desktop, tablet, and mobile breakpoints.
- Usability & Accessibility Alignment: Implementing high-contrast color combinations, tabular number alignment, touch-target ergonomics, and comprehensive feedback states (toasts, skeletons, and error boundaries).




Figure 1.1: SmartQuant Edge Product Ecosystem Architecture & Quantitative Lifecycle Pipeline (Market Discovery -> Research -> Strategy -> Backtest -> Risk Validation -> Paper Execution -> Explainability -> Trade Audit Log).

CHAPTER 2: DESIGN OBJECTIVES

The user interface and user experience design of SmartQuant Edge was guided by ten core strategic objectives:

1. **Deliver an Institutional-Grade Fintech Interface:** Create a visual experience comparable to tier-1 institutional platforms such as Bloomberg Terminal, TradingView, and Zerodha Streak, projecting precision, authority, and technological sophistication.
2. **Demystify Quantitative Complexity:** Transform abstract algorithmic formulas (RSI divergence, MACD crossovers, Bollinger Band squeeze, ATR volatility) into intuitive visual indicators and clean data cards that traders of varying experience levels can interpret immediately.
3. **Establish Flawless Visual Hierarchy:** Structure every screen so primary operational metrics (Net Liquidity, Day P&L, Active Orders, Kill Switch Status) dominate visual attention, while secondary parameters and tertiary metadata remain easily accessible through progressive disclosure.
4. **Streamline Cross-Platform Navigation:** Minimize interaction friction by providing consistent global navigation through a persistent sidebar, quick-access command palette (Ctrl+K), and intuitive breadcrumbs.
5. **Minimize Latency and Visual Noise:** Eliminate superfluous decorative graphics, heavy skeuomorphism, or distracting transitions in favor of purposeful micro-animations and crisp, high-contrast typography that respects trader focus.
6. **Enforce Pre-Trade Risk Visibility:** Make risk boundaries unmistakably prominent. Hard capital utilization bars, single-trade ceilings, and daily loss limit gauges are visually highlighted to keep risk exposure top-of-mind at all times.
7. **Support High-Speed Interaction Ergonomics:** Design compact input tickets, keyboard shortcuts, quick-fill demo presets, and responsive instrument drawers that minimize the clicks required to inspect an asset or dispatch an order.
8. **Engineer a Robust Responsive Experience:** Ensure that complex data tables, multi-pane trading layouts, and analytical charts gracefully collapse and reorder across desktop (1280×800), tablet (768×1024), and smartphone (375×812) viewports without functional degradation.
9. **Construct a Standardized, Scalable Design System:** Establish a single source of truth for color tokens, typography scales, border radii, elevation, and component contracts, enabling seamless future feature expansion.
10. **Foster Trust and Architectural Transparency:** Provide total visual clarity regarding order execution rationale through the 9-stage "Explain This Trade" audit trail, ensuring users understand exactly why an algorithm initiated or rejected an order.



Figure 2.1: UI/UX Design Objective Framework & Institutional Ergonomics Hierarchy (Balancing High-Density Presentation, Low Visual Noise, Deterministic Risk Visibility, and Sub-Millisecond Interaction Ergonomics).

CHAPTER 3: TARGET USERS & USER PERSONAS

To ensure the UI/UX architecture directly addresses the cognitive models and operational habits of its audience, the interface was designed around three distinct user archetypes identified within the Indian algorithmic and quantitative trading ecosystem:

3.1 Persona 1: Representative Systematic Retail Algorithmic Trader

- **Archetype Role:** Systematic Retail Algorithmic Trader (Representative Persona)
- **Profile:** Tech-savvy retail trader specializing in momentum equities and index options on NSE. Trades systematically while managing a professional career.
- **Primary Objectives:**
 - Automate repetitive technical entry and exit rules without writing thousands of lines of low-level Python code.
 - Backtest rule combinations against historical NIFTY and BANK NIFTY data to evaluate Sharpe Ratio and Maximum Drawdown before risking capital.
 - Execute strategies safely in paper-trading simulation mode with realistic STT, slippage, and brokerage calculations.
- **Core UI/UX Needs:**
 - Intuitive, visual strategy builder with clean dropdowns and slider controls for indicator parameters.
 - High-clarity equity curve visualizations and summary KPI scorecards.
 - Real-time mobile responsiveness to monitor active strategies and positions away from a multi-monitor desk.
 - Instant toggle between Paper Trading and Live Execution with distinct, unmissable visual badges.

3.2 Persona 2: Ananya Rao — Quantitative Research Analyst

- In-App Demo Profile: Ananya Rao (Verified Sovereign Demo ID: `SQE-7F42K9`)
- Profile: Lead Quantitative Strategist and proprietary desk trader managing a multi-asset momentum and mean-reversion portfolio (Capital: ₹25,00,000).
- Primary Objectives:
- Screen hundreds of NSE equities simultaneously using multi-factor criteria (RSI extremes, EMA crossovers, volume breakout).
- Inspect multi-indicator confluence scores, sector heatmaps, and macro volatility telemetry (India VIX).
- Maintain meticulous trade journaling with complete attribution for trade execution quality and slippage analysis.
- Core UI/UX Needs:
- Ultra-dense, sortable, and filterable data tables with sticky headers and monospace tabular numbers.
- Multi-column trading workspace displaying candlestick charts, bid/ask depth, order entry tickets, and active positions simultaneously.
- Step-by-step visual explainability ("Explain This Trade") detailing exactly which mathematical rule triggered an execution.
- Rapid keyboard navigation (Ctrl+K Command Palette) and quick-inspect instrument drawers.

3.3 Persona 3: Representative Compliance & Risk Governance Officer

- Archetype Role: Compliance & Risk Governance Officer (Representative Persona, Aligned with In-App Demo Profile: Vikram Malhotra, `SQE-8B19X2`)
- Profile: Risk Management Officer and platform administrator overseeing institutional capital allocation, user accounts, and firm-wide exposure caps (Capital: ₹50,00,000).
- Primary Objectives:
- Monitor aggregate portfolio exposure, margin utilization, and single-instrument concentration limits in real time.
- Enforce mandatory pre-trade risk controls and verify that no strategy operates without hard stop-loss limits.
- Maintain emergency control with an instantaneous, platform-wide Kill Switch capable of halting execution and liquidating positions during unexpected market volatility.
- Audit user authentication activity, active sessions, and multi-device compliance.
- Core UI/UX Needs:
- Centralized Risk Command Center with high-visibility warning dials, breach banners, and kill-switch consoles.
- Distinctive visual demarcation for destructive or high-risk actions (e.g., Emergency Liquidation) requiring explicit confirmation dialogs.
- Comprehensive chronological audit logs with CSV export capabilities for regulatory compliance.



Figure 3.1: Quantitative User Persona Overview & Role Taxonomy (Retail Algorithmic Trader, Quantitative Research Analyst, and Risk Compliance Officer across Primary Tasks, Constraints, and UI Ergonomics).

CHAPTER 4: USER EXPERIENCE STRATEGY

The user experience strategy of SmartQuant Edge is grounded in human-computer interaction (HCI) principles tailored for high-stakes financial technology:

4.1 User-Centered Design (UCD)

The interface is structured around the trader's mental model rather than underlying database tables or server endpoints. Features are categorized into natural operational phases: Market Discovery (Scanner, Watchlist) -> Quantitative Research (Strategies, Backtesting, Insights) -> Live Trading (Terminal, Positions, Orders) -> Governance & Audit (Risk, Performance, Journal).

4.2 Information Hierarchy

Every viewport applies a disciplined three-tiered information hierarchy:

- Primary Tier (Immediate Glances): Critical real-time status indicators (System Armed vs. Halted, Broker Connection State, Net Liquidity, Day P&L, Kill Switch trigger).
- Secondary Tier (Analytical Work): Interactive charts, order entry tickets, strategy rule cards, and position lists.
- Tertiary Tier (Contextual & Historical): Timestamp metadata, fee breakdowns, audit logs, and configuration toggles accessible via tabs or slide-out drawers.

4.3 Cognitive Load Reduction

Financial interfaces frequently overwhelm users with excessive flashing numbers. SmartQuant Edge combats cognitive fatigue by:

- Employing a calm, deep navy canvas (`oklch(0.16 0.022 260)`) that reduces screen glare during long trading sessions.

- Using color strictly for semantic meaning (green for profit/bullish, red for loss/bearish, teal for active/primary, amber for warnings).
- Isolating related tools into distinct cards with 18px backdrop blur (`glass` utility) to create clear visual boundaries.

4.4 Consistency

A strict design system governs every interactive element across all 27 documented screens. Buttons share identical padding, font weight, and hover transitions. Status badges use standardized pill styling across tables, headers, and drawers. Form fields share universal border radii (`0.9rem` / 14.4px) and focus ring highlights.

4.5 Visibility of System Status

The interface keeps traders continuously informed of operational state:

- Top telemetry bar displays real-time market session status ("MARKET OPEN" / "MARKET CLOSED") with pulsing green dot animations.
- Strategy cards show live execution states ("ARMED", "STANDBY", "HALTED") with distinct color tags.
- Broker connectivity indicators show WebSocket status ("LIVE STREAMING" / "RECONNECTING") with latency metrics.

4.6 Error Prevention

Financial execution errors can have severe economic consequences. The UI actively prevents unintentional mistakes:

- Destructive actions (e.g. activating the Emergency Kill Switch or Liquidating All Positions) require explicit secondary confirmation modals with distinct destructive styling.
- Numeric order inputs enforce boundary limits (e.g. Maximum Order Size, Min Tick Step ₹0.05) with instant inline validation feedback.
- Pre-trade risk indicators recalculate required margin and max loss dynamically before allowing order submission.

4.7 Feedback and Confirmation

- Every interactive action yields instant visual response within 100ms.
- Successful operations trigger non-intrusive Sonner toast notifications in the top-right corner with explicit messages.
- Order fills produce visual timeline stepper updates tracking the order from CREATED to RISK_CHECK to FILLED.

4.8 Progressive Disclosure

To prevent visual clutter, advanced controls and granular data are progressively disclosed. Watchlist rows contain summary pricing; clicking a row slides out the full `InstrumentDrawer` with order books, depth ladders, and indicator summaries. Strategy cards show high-level win rates; expanding them reveals individual entry/exit conditions and parameter sliders.

4.9 Trust and Transparency

Algorithmic trading requires greater confidence in execution logic. SmartQuant Edge fosters trust by providing the 9-stage "Explain This Trade" audit trail for every execution, demonstrating that rules were mathematically verified and risk-gated before order dispatch.

4.10 Financial Data Readability

All financial metrics, currency amounts, percentages, and timestamps utilize the dedicated monospace font ``JetBrains Mono`` combined with ``font-variant-numeric: tabular-nums`` (via the custom ``@utility num`` class). This prevents numeric jitter during live price updates and ensures decimal points align perfectly across dense financial tables.



Figure 4.1: Human-Centered Quantitative UX Strategy Framework (Progressing from User Needs to Information Hierarchy, Ergonomic Interaction, Synchronous Feedback, Deterministic Error Prevention, and Institutional Trust).

CHAPTER 5: INFORMATION ARCHITECTURE & SITEMAP

The platform contains 27 documented application routes, consisting of 12 public routes and 15 authenticated application routes. The information architecture of SmartQuant Edge is organized into a cohesive, logical multi-tier structure designed for immediate discoverability and streamlined workflows.

The complete system routing topology is structured across 27 documented application endpoints, partitioned into 12 public marketing/authentication routes and 15 authenticated professional terminal suites. The structural layout and taxonomic hierarchies are visually represented in Figure 5.1 (Multi-Tier Information Architecture) and Figure 5.2 (Application Sitemap Across 27 Documented Routes), establishing deterministic route entitlement, zero undocumented endpoints, and seamless single-page navigation via the TanStack React Router.

5.1 Global Chrome & Navigational Shells

The platform enforces architectural separation between public marketing pages and the authenticated terminal:

- **MarketingShell** (``MarketingShell.tsx``): Wraps public routes with a transparent sticky glass navbar, dynamic market ticker marquee, product dropdowns, pricing CTAs, and a comprehensive 4-column footer.
- **AppShell** (``AppShell.tsx``): Wraps authenticated routes with a persistent, collapsible sidebar, top telemetry bar (live ticker, search palette, kill switch, notification drawer, user badge), and breadcrumb navigation.



Figure 5.1: SmartQuant Edge Multi-Tier Information Architecture Topology (Public Marketing & Auth Shell, Core Trading Workspace, Quantitative Research Suite, and Institutional Risk & Audit Governance).




Figure 5.2: Application Sitemap Across 27 Documented Application Routes (Partitioned into 12 Public Routes and 15 Authenticated Application Routes).




Figure 5.3: Route-to-Feature Mapping & Component Entitlement Architecture (Correlating Navigation Paths with Specific Trading, Backtesting, Risk Gating, and Account Control Workspaces).

CHAPTER 6: USER FLOWS

To ensure intuitive operation and eliminate procedural bottlenecks, the user experience is engineered around five core interactive journeys:

6.1 Journey A: New User Onboarding & Authentication Flow

The onboarding journey guides a new trader from initial value proposition discovery through identity registration, multi-channel 2FA verification, and first-time terminal entry:

- **Step 1 (Discovery):** Trader navigates to the Public Landing Page (`/`) and initiates registration by selecting "Open Terminal" or "Register".
- **Step 2 (Credential Entry):** The user inputs validated profile parameters including full name, email, phone number, and a high-entropy password into the Sovereign Registration Interface (`/register`).
- **Step 3 (Identity Minting):** The authentication service generates a unique cryptographic identifier (`SQE-XXXXXX`) and dispatches a time-based 6-digit one-time password (OTP).
- **Step 4 (2FA Security Challenge):** The user inputs the 6-digit verification code on the Security Challenge screen (`/login`). If valid, the session is provisioned; if invalid, an error toast displays remaining retry attempts.
- **Step 5 (Terminal Entry):** Upon successful verification, the client securely persists authentication tokens and routes the trader to the Executive Terminal Dashboard (`/app`).
- **Visual Representation:** This complete sequential journey, including conditional decision branching and error recovery loops, is illustrated graphically in Figure 6.1.

6.2 Journey B: Algorithmic Strategy Formulation & Backtesting Flow

This flow enables quantitative analysts to configure indicators, test parameter sensitivity against historical data, and deploy models:

- Step 1 (Strategy Factory): The analyst accesses the Strategy Hub (`/app/strategies`) and selects "Create New Strategy" to launch the no-code strategy configurator.
- Step 2 (Parameter Configuration): The operator selects target asset classes (e.g. NIFTY 50 Equities), defines timeframe intervals (1m, 5m, 15m), and configures technical indicators (EMA 9/21 periods, RSI 14, Bollinger Bands).
- Step 3 (Rule Formulation): Deterministic boolean conditions are established for entry and exit signals, complemented by capital preservation rules (stop-loss percentage and profit targets).
- Step 4 (Vectorized Simulation): The analyst triggers historical backtesting (`/app/backtest`), running vectorized replay over historical candle bars with simulated execution costs (0.02% slippage and STT).
- Step 5 (Attribution Review): Performance analytics decompose Sharpe ratio, Sortino ratio, win rate, and maximum drawdown profile.
- Step 6 (Deployment Selection): If performance meets governance thresholds, the strategy is deployed to Paper Broker Simulation with one click. If performance is sub-optimal, parameters are iteratively modified.
- Visual Representation: This iterative formulation and simulation loop is illustrated graphically in Figure 6.2.

6.3 Journey C: Live Trading Execution & Pre-Trade Risk Gate Flow

This flow illustrates the rigorous order validation pipeline implemented across the Live Trading Desk:

- Step 1 (Instrument Selection): The trader selects an asset from the streaming watchlist or market scanner and populates the Order Execution Ticket (`/app/live`).
- Step 2 (Order Specification): The operator configures side (BUY/SELL), quantity, limit price, and mandatory risk limits (stop-loss and target profit).
- Step 3 (Synchronous Pre-Trade Risk Gating): Clicking "Submit Paper BUY Order" triggers synchronous client-side risk validation against four invariant safety checks (available margin, max single-order capital, daily drawdown cap, and open position limit).
- Step 4 (Decision Branching):
 - Risk Breach: If any check fails, the order is rejected immediately, an audible warning toast displays the breach code (e.g., `ERR\_MAX\_DRAWDOWN\_BREACH`), and the violation is logged in the risk audit ledger.
 - Risk Approved: If all checks pass, the order dispatches to the internal paper broker simulation engine (`paper-broker.ts`), executing fills with deterministic 0.02% simulated slippage.
- Step 5 (Audit & Explainability): An updated mark-to-market position is generated, real-time P&L tracking engages, and a 9-stage verifiable explainability record is minted in the Trade Journal.
- Visual Representation: This synchronous risk verification and execution architecture is illustrated graphically in Figure 6.4.

6.4 Journey D: Emergency Risk Mitigation & Kill Switch Flow

This journey represents the fail-safe emergency procedure designed for sudden market anomalies or rapid drawdown events:

- Step 1 (Armed Trigger Activation): The operator clicks the persistent, high-visibility crimson "KILL SWITCH" button located in the global header.
- Step 2 (Two-Step Confirmation Modal): An armed modal dialog displays aggregate portfolio exposure, open position count, and pending order tallies, requiring explicit confirmation.
- Step 3 (Global Execution Halt): Confirming "ENGAGE EMERGENCY HALT" activates a platform-wide circuit breaker that triggers four parallel safety actions:
 1. All pending limit and stop orders are instantly purged from the execution queue.
 2. All automated quantitative strategies are transitioned to the PAUSED state.

- 3. The pre-trade risk gate locks into CRITICAL_HALT mode, rejecting all subsequent order tickets.
- 4. A persistent crimson emergency banner is broadcast across all client viewports.
- Step 4 (Safe State & Audit): The platform transitions into a safe holding pattern, dispatching an incident hash to the immutable compliance ledger. Recovery requires deliberate manual operator unlock.
- Visual Representation: This emergency circuit breaker cascade is illustrated graphically in Figure 6.5.

6.5 Journey E: Quantitative Market Research & Scanning Flow

This flow guides analysts from broad market screening to deep instrument inspection and execution:

- Step 1 (Scanner Initialization): The user accesses the Multi-Factor Market Scanner (`/app/scanner`) streaming 16 benchmark equities.
- Step 2 (Preset Filtering): The operator selects predefined strategy presets (e.g. "Volume Surge + 52-Week Breakout") or adjusts custom technical filters.
- Step 3 (Confluence Scoring): The client engine evaluates multi-factor rankings, sorting assets by cumulative confluence score (0-100%).
- Step 4 (Slide-Out Inspection Drawer): Clicking any asset row slides out the Level-2 Instrument Drawer (`InstrumentDrawer.tsx`), presenting mini candlestick charts, bid/ask depth ladders, and financial ratios without navigating away from the scanner.
- Step 5 (Dual Execution Pathways):
 - Quick Trade: Initiates a pre-populated order ticket directly from the drawer.
 - Deep Terminal Analysis: Routes seamlessly into `/app/live` with pre-loaded symbol context.
- Visual Representation: This research and discovery workflow is illustrated graphically in Figure 6.3.

6.6 Journey F: Explain This Trade - 9-Stage Quantitative Audit Pipeline

SmartQuant Edge guarantees total algorithmic transparency through a deterministic 9-stage explainability pipeline:

- Stage 01 (Market Data Ingestion): Timestamped tick capture across streaming quotes and Level-2 order book depth.
- Stage 02 (Technical Indicator Calculation): Vectorized EMA(9/21), RSI(14), and ATR calculations across multi-timeframe candle bars.
- Stage 03 (Strategy Rule Evaluation): Deterministic boolean validation against configured entry and exit conditions.
- Stage 04 (Signal Generation): Generation of discrete BUY/SELL signal event with millisecond timestamp.
- Stage 05 (Confluence Scoring): Multi-factor composite weighting (trend, momentum, volume) generating a 0-100% score.
- Stage 06 (Pre-Trade Risk Validation): Hard verification against capital caps, daily drawdown limits, and margin availability.
- Stage 07 (Order Routing): Client-side dispatch to the execution queue.
- Stage 08 (Paper Broker Execution): Authoritative simulated fill via `paper-broker.ts` incorporating 0.02% slippage model.
- Stage 09 (Trade Journal Entry): Immutable post-trade logging, MTM valuation binding, and psychological reflection capture.
- Visual Representation: This 9-stage audit lineage pipeline is illustrated graphically in Figure 6.6.




Figure 6.1: Sovereign User Onboarding & Multi-Channel 2FA Verification Flow (Landing -> Registration -> Sovereign ID Provisioning -> Dual-Channel OTP Challenge -> Authenticated Session Dispatch).




Figure 6.2: Algorithmic Strategy Formulation & Backtesting Optimization Flow (Parameter Definition -> Vectorized Engine Execution -> Multi-Metric Attribution Analysis -> One-Click Paper Deployment).




Figure 6.3: Market Telemetry Discovery & Confluence Research Flow (Streaming Watchlist -> Multi-Factor Confluence Scanner -> Level-2 Depth Drawer -> Order Ticket Dispatch).




Figure 6.4: Paper Trading Order Execution & Synchronous Pre-Trade Risk Gating Flow (Order Ticket Dispatch -> Pre-Trade Risk Evaluation -> Pass/Fail Gate -> Paper Broker Simulation -> Immutable Audit Log).



Figure 6.5: Sovereign Emergency Kill Switch & Order Cancellation Flow (Two-Step Armed Trigger -> Global Execution Halt Flag -> Pending Order Purge -> Real-Time Telemetry Lockout -> Regulatory Audit Dispatch).




Figure 6.6: Explain This Trade - 9-Stage Quantitative Audit & Explainability Flow (Market Data -> Indicator Calculation -> Strategy Rule -> Signal Generation -> Confluence Score -> Risk Validation -> Order Routing -> Paper Broker Execution -> Post-Trade Journal Entry).

CHAPTER 7: DESIGN SYSTEM

The visual cohesion and scalability of SmartQuant Edge are maintained through a bespoke, systematic design token architecture defined in `src/styles.css` using modern Tailwind CSS v4 variables and OKLCH color space notation.

7.1 Color Palette

Colors in quantitative financial interfaces carry profound semantic weight. To prevent visual fatigue while maintaining immediate clarity, all colors are specified in the perceptually uniform OKLCH color space.

Token Name	OKLCH Definition	Approximate HEX	Semantic Role & UI Application
--background`	`oklch(0.16 0.022 260)`	`#0B0E17`	Canvas background; deep midnight navy reducing eye fatigue
--surface`	`oklch(0.21 0.025 262)`	`#141926`	Card and modal surfaces; elevated 18px backdrop blur layer
--surface-2`	`oklch(0.25 0.028 263)`	`#1C2333`	Interactive secondary surfaces, hovered rows, and input backgrounds
--card`	`oklch(0.21 0.025 262)`	`#141926`	Container boundary for dashboard modules and analytical widgets
--foreground`	`oklch(0.96 0.006 250)`	`#F0F3F9`	Primary text, titles, prominent currency metrics, and active states
--muted-foreground`	`oklch(0.70 0.022 258)`	`#94A3B8`	Secondary labels, timestamp metadata, column headers, and breadcrumbs
--primary`	`oklch(0.79 0.16 175)`	`#00E5B9`	Signature electric teal; primary CTAs, active toggles, and brand accents
--primary-glow`	`oklch(0.86 0.14 190)`	`#34F5D5`	Radiant glow accent used in card hover shadows and focus rings
--accent`	`oklch(0.62 0.17 268)`	`#6366F1`	Indigo/violet secondary accent; gradient pairings and secondary tags
--bull`	`oklch(0.78 0.17 158)`	`#10B981`	Positive P&L, green candlesticks, buy signals, and passed risk gates
--bear`	`oklch(0.66 0.20 20)`	`#F43F5E`	Negative P&L, red candlesticks, sell signals, and emergency stop-loss
--warn`	`oklch(0.82 0.16 82)`	`#F59E0B`	Amber alert; circuit breaker warnings and unconfirmed order states
--info`	`oklch(0.72 0.13 240)`	`#38BDF8`	Informational callouts, neutral indicators, and telemetry readouts
--border`	`oklch(1 0 0 / 10%)`	`rgba(255,255,255,0.10)`	Delicate card boundaries, table separators, and container outlines

Token Name	OKLCH Definition	Approximate HEX	Semantic Role & UI Application
`--input`	`oklch(1 0 0 / 12%)`	`rgba(255,255,255,0.12)`	Text input outlines, slider tracks, and segmented control borders
`--ring`	`oklch(0.79 0.16 175 / 60%)`	`rgba(0,229,185,0.60)`	Focus ring highlighting active keyboard focus and inputs
`--chart-1` to `5`	Multi-Spectrum	`#00E5B9`, `#6366F1`, `#F59E0B`, `#F43F5E`, `#38BDF8`	Distinct palette for multi-series charts (Equity curve vs NIFTY benchmark)

7.2 Typography System

The typography architecture establishes clear distinction between narrative content, headlines, and financial figures by pairing three complementary typefaces:

11. Display Font (`Space Grotesk`):
- Applied to: All primary page titles (`h1`), module headers (`h2`, `h3`), and hero callouts.
 - Characteristics: Clean geometric sans with distinct technical apexes, conveying algorithmic precision.
 - Letter Spacing: `-0.02em` for high-impact visual tightness.
12. Body Font (`DM Sans`):
- Applied to: Descriptions, form labels, tooltips, dialog explanations, and table text.
 - Characteristics: High x-height and generous apertures providing superb legibility at small sizes (11px to 14px).
13. Monospace & Numeric Font (`JetBrains Mono`):
- Applied to: All currency figures (₹), percentages (%), share quantities, timestamps, and order prices.
 - Characteristics: Enforced via the `@utility num` class with `font-variant-numeric: tabular-nums` and `letter-spacing: -0.01em`. Guarantees that digits maintain identical widths, preventing layout shifts during streaming market updates.

Hero Title	`Space Grotesk`	44px – 56px	Bold (700)	1.1	-0.03em
Page Heading (H1)	`Space Grotesk`	24px – 28px	Bold (700)	1.2	-0.02em
Section Heading (H2)	`Space Grotesk`	18px – 20px	SemiBold (600)	1.25	-0.02em
Card Title (H3)	`Space Grotesk`	14px – 16px	SemiBold (600)	1.3	-0.01em
Body Regular	`DM Sans`	13px – 14px	Normal (400)	1.5	Normal
Form Label	`DM Sans`	11px – 12px	Medium (500)	1.4	+0.01em

Hero Title	`Space Grotesk`	44px – 56px	Bold (700)	1.1	-0.03em
Metric Value (Large)	`JetBrains Mono`	24px – 32px	Bold (700)	1.1	-0.02em (Tabular)
Table Data Cell	`JetBrains Mono`	11px – 12px	Medium (500)	1.3	-0.01em (Tabular)
Badge / Pill Text	`DM Sans` / `Mono`	10px – 11px	Bold (700)	1.0	+0.02em (Uppercase)

7.3 Spacing System

SmartQuant Edge utilizes an 8-point base grid system implemented via standard Tailwind increments (4px, 8px, 12px, 16px, 24px, 32px, 48px, 64px):

- Micro-spacing (4px / 8px): Gap between icon and label, badge internal padding, table cell vertical margins.
- Component spacing (12px / 16px): Input field interior padding, card-to-card gaps in responsive grids.
- Module spacing (24px / 32px): Separation between distinct analytical sections on dashboards.
- Layout spacing (48px / 64px): Vertical spacing between major landing page marketing blocks.

7.4 Border Radius Hierarchy

The platform establishes a consistent softening of geometric edges using a base radius token `--radius: 0.9rem` (14.4px):

- Small (`--radius-sm`): 10.4px): Status badges, segmented buttons, dropdown menu items.
- Medium (`--radius-md`): 12.4px): Form inputs, standard buttons, select boxes.
- Large / Base (`--radius-lg`): 14.4px): Standard KPI cards, analytical panels, toast notifications.
- Extra Large (`--radius-xl` to `3xl`): 18px – 26px): Modal dialog containers, marketing hero cards, feature callouts.
- Pill (`rounded-full`): 9999px): Toggle switches, status indicator dots, avatar badges.

7.5 Shadows, Glows & Glassmorphism

To create depth without relying on opaque flat cards, the interface utilizes layered glassmorphism:

- Glass Surface (`@utility glass`):

[Architecture / Flow Specification]

```
background: color-mix(in oklab, var(--surface) 62%, transparent);
backdrop-filter: blur(18px) saturate(140%);
border: 1px solid color-mix(in oklab, white 9%, transparent);
box-shadow: 0 24px 60px -24px oklch(0 0 0 / 70%);
```

- Soft Glass (`@utility glass-soft`):

[Architecture / Flow Specification]

```
background: color-mix(in oklab, var(--surface) 45%, transparent);
backdrop-filter: blur(14px) saturate(130%);
```

`border: 1px solid color-mix(in oklab, white 7%, transparent);`

- Brand Glow (`--shadow-glow`): `0 0 48px -8px color-mix(in oklab, var(--primary) 45%, transparent);`
- Grid Backdrop (`@utility grid-backdrop`): 56px × 56px geometric grid with radial mask, creating subtle technical texture behind cards.

7.6 Iconography System

Iconography is provided uniformly by `Lucide React` (v0.575.0), ensuring consistent 1.5px to 2.0px optical stroke weight, rounded stroke joins, and scalable SVG rendering across all viewports.

- Operational Icons: `Activity`, `TrendingUp`, `TrendingDown`, `ShieldAlert`, `Terminal`, `Zap`.
- Navigation Icons: `LayoutDashboard`, `Sliders`, `History`, `Radar`, `PieChart`, `FileText`, `Settings`.
- Safety & Status Icons: `ShieldCheck`, `AlertTriangle`, `OctagonX`, `Lock`, `Smartphone`.




Figure 7.1: Sovereign Institutional Design System Color Token Palette & OKLCH Specifications (Deep Navy Backgrounds, Glass Surfaces, Electric Teal Primary Accent, Financial Bull Emerald, Bear Crimson, and Warning Amber).




Figure 7.2: Quantitative Typography Scale & Font Pairing Matrix (Display Space Grotesk, UI Body DM Sans, and Financial Monospace Tabular Numerals JetBrains Mono).



Figure 7.3: SmartQuant Edge Spacing & 8-Point Grid System (Deterministic 8-Point Spatial Hierarchy from Micro-Gaps to Multi-Pane Viewport Grids).




Figure 7.4: Corner Radius Token Scale & Interface Stacking Hierarchy (Subtle Rounded-sm Badges to Rounded-2xl Floating Modal Dialogs).




Figure 7.5: Glassmorphic Elevation & Surface Stacking Architecture (Multi-Layered Backdrop Blur, Semi-Transparent Fills, and Micro-Border Highlights).




Figure 7.6: UI Design System Architecture & Token-to-Screen Engineering Pipeline (Tokens -> Primitive Components -> Composed Module Patterns -> Complete Application Routes).

CHAPTER 8: VISUAL DESIGN LANGUAGE

The visual identity of SmartQuant Edge is characterized by a "Sovereign Institutional Fintech" design language. Every visual decision was made to cultivate an atmosphere of mathematical discipline, technological capability, and operational security:

8.1 Dark Canvas Architecture

Unlike daytime consumer applications, financial trading workstations operate in darkened multi-monitor environments for 6 to 10 hours continuously. The deep navy canvas (`#0B0E17`) absorbs excess glare, prevents eye fatigue, and provides a neutral, high-contrast backdrop that allows green and red price movements to stand out with instant optical clarity.

8.2 Electric Teal Signature Accent

Rather than adopting generic financial corporate blue or plain green, SmartQuant Edge uses a signature electric teal (`oklch(0.79 0.16 175) / #00E5B9`). This color represents algorithmic dynamism and modern quantitative engineering. It serves as the primary visual beacon across the application, identifying interactive CTAs, active tab selections, focus states, and key navigational routes.

8.3 High-Contrast Data Presentation

In volatile markets, misreading a decimal place or price change can be high-impact. The design language enforces strict visual clarity:

- Off-white foreground text (`oklch(0.96 0.006 250)`) against dark cards establishes high-contrast color combinations, ensuring immediate data legibility across dense financial tables.

- Bullish metrics utilize an emerald tone with high luminous vibrancy (``oklch(0.78 0.17 158)``), while bearish metrics utilize a vivid ruby red (``oklch(0.66 0.20 20)``).

8.4 Minimalist Card Elevation & Subtle Lighting

Rather than using heavy skeuomorphic bevels, panels achieve hierarchy through subtle surface elevation:

- Primary workspace background: L0 (Deep Midnight Navy)
- Secondary panel containers: L1 (Navy Surface with 62% opacity and 18px blur)
- Interactive hover elements: L2 (Surface 2 with subtle teal boundary glow)

This creates an architectural sense of physical layers floating above a live computational grid.




Figure 8.1: Sovereign Institutional Fintech Visual Design Language Board (High-Contrast Financial Displays, Dark Canvas Aesthetics, Geometric Backdrops, and Monospaced Alignment).

CHAPTER 9: UI COMPONENT LIBRARY

SmartQuant Edge is built upon a modular component architecture implemented with React 19, TypeScript, Radix UI primitives, and Tailwind CSS v4. The table below documents the core reusable components:

Component Name	File Location	Purpose & Architectural Role	Visual & Stylistic Characteristics	Interactive Behaviors
`AppShell`	`components/layout/AppShell.tsx`	Global authenticated workstation layout chrome	Fixed sidebar, sticky top telemetry bar, kill-switch banner, notification drawer	Collapse/expand sidebar, quick search trigger (Ctrl+K), breadcrumb updates

Component Name	File Location	Purpose & Architectural Role	Visual & Stylistic Characteristics	Interactive Behaviors
`MarketingShell`	`components/layout/MarketingShell.tsx`	Public marketing layout chrome	Transparent sticky glass navbar, ticker banner, footer with 4 navigation columns	Smooth scroll navigation, mobile hamburger drawer, active link indicators
`WatchlistTable`	`components/trading/WatchlistTable.tsx`	Real-time filterable market quote matrix	Dense tabular layout, monospace pricing, sparkline mini-charts, pill change badges	Row click opens `InstrumentDrawer`, 1-click buy/sell shortcut buttons
`InstrumentDrawer`	`components/trading/InstrumentDrawer.tsx`	Slide-out granular asset inspection drawer	Right-docked slide sheet, interactive candlestick chart, bid/ask depth ladder	Tabbed switching (Overview, Depth, Indicators, Quick Trade), ESC to dismiss
`Button`	`components/ui/button.tsx`	Universal interactive action trigger	Variants: Default (Teal), Outline, Ghost, Destructive (Crimson), Glass	Micro-hover lift (`card-hover`), active press feedback, disabled loading spinners
`Badge`	`components/ui/badge.tsx`	Status and categorization pill indicator	High-contrast rounded pill with 10px text, colored border, and 15% opacity fill	Semantic variants: Bull (Green), Bear (Red), Warn (Amber), Info (Blue)

Component Name	File Location	Purpose & Architectural Role	Visual & Stylistic Characteristics	Interactive Behaviors
`Card`	`components/ui/card.tsx`	Fundamental container for dashboard modules	18px backdrop blur (`glass`), 1px subtle white border, 14.4px border radius	Hover elevation transition, customizable header, body, and footer slots
`CommandPalette`	`components/trading/CommandPalette.tsx`	Instant modal search and quick-action trigger	Center modal with search input, keyboard-navigable list, category section headers	Triggered by `Ctrl+K` or `Cmd+K`, instant fuzzy search filtering across all 27 documented routes
`Dialog` / `Modal`	`components/ui/dialog.tsx`	High-friction confirmation and alert container	Dark overlay backdrop blur, centered glass card, distinct confirmation buttons	Focus trap, accessible ARIA attributes, explicit Cancel / Confirm actions
`Tabs`	`components/ui/tabs.tsx`	Segmented view switcher within cards	Pill or underlined segment bar with smooth active indicator transition	Keyboard arrow key navigation, instantaneous view switching without page reload
`Input`	`components/ui/input.tsx`	Text and numeric data entry field	Monospace option (`num`), 12% opacity background, subtle border, teal focus ring	Real-time input validation, error border color shifts, placeholder styling
`Slider`	`components/ui/slider.tsx`	Tactile parameter configuration slider	Continuous track with teal fill and circular thumb with active glow	Drag interaction for rapid strategy parameter tuning (RSI period, stop-loss %)

Component Name	File Location	Purpose & Architectural Role	Visual & Stylistic Characteristics	Interactive Behaviors
`Switch`	`components/ui/switch.tsx`	Binary setting toggle (e.g. Paper vs Live)	Pill track with smooth sliding circle; teal when active, slate when inactive	Instantaneous toggle event dispatch, accessible keyboard spacebar activation
`Sonner Toaster`	`components/ui/sonner.tsx`	Real-time non-blocking notification dispatcher	Glass floating card in top-right corner with icon and close button	Auto-dismiss after 4 seconds, success (teal/green), error (red), info (blue)
`MarketTicker`	`components/layout/MarketingShell.tsx`	Infinite continuous streaming index ticker	Continuous horizontal scrolling marquee (`animate-ticker`)	Pauses on hover, color-coded price change percentage chips
`AuthShell`	`components/layout/AuthShell.tsx`	Dedicated container for login/registration	Centered geometric glass card with logo, grid backdrop, and security footer	Responsive auto-centering, transition animations between credential and OTP steps




Figure 9.1: Reusable Component Anatomy - Institutional KPI Telemetry Card (Glass Container, Semantic Metric Value, Monospace Trend Delta, Percentile Bar, and Micro-Sparkline Spark).




Figure 9.2: Reusable UI Component Composition Hierarchy (Structural Shells, Header Marquees, Navigators, Workspace Containers, Leaf Controls, and Modals).

CHAPTER 10: LANDING PAGE UI/UX DESIGN ANALYSIS

The landing page (``src/routes/index.tsx``) acts as the public flagship for SmartQuant Edge. It is engineered to communicate institutional credibility, explain the quantitative workflow, and drive conversion to the trading terminal.

10.1 Structural Section Breakdown

14. Global Header & Navigation:

- Layout: Sticky glass navbar with logo, live NSE ticker badge, product dropdowns (Strategies, Backtesting, Risk), and "Open Terminal" primary CTA.
- UX Rationale: Provides persistent navigation and establishes immediate technical credibility with live market status.

15. Hero Section:

- Headline: "Research. Test. Execute. With Discipline."
- Subtitle: "Institutional-grade algorithmic trading platform for Indian markets. Automated strategy execution, mathematical risk gating, and verifiable explainability."
- Layout: Two-column desktop grid. Left column features value proposition, trust metrics, and dual CTAs ("Launch Terminal", "Explore Strategies"). Right column displays an interactive live stock chart widget with real-time candlestick simulation, moving average overlays, and buy/sell signal markers.
- UX Role: Immediately captivates quantitative traders by showcasing actual charting and algorithmic signal capabilities above the fold.

16. Live Market Ticker Marquee:

- Visual: Continuous seamless horizontal ticker (``animate-ticker``) displaying NIFTY 50, BANK NIFTY, SENSEX, RELIANCE, HDFCBANK, TCS, and INFOSYS quotes with live day change pills.
- UX Role: Reinforces real-time market connectivity and platform responsiveness.

17. Core Platform Modules (Feature Grid):

- Layout: 3-column responsive grid featuring 6 glass cards with micro-hover animations:

18. Algorithmic Strategy Builder (RSI, MACD, Bollinger Bands)

19. Pre-Trade Risk Command Center (Capital caps, drawdown limits)

20. High-Fidelity Paper Broker (STT, slippage, mark-to-market P&L)

21. "Explain This Trade" Audit Chain (9-stage verifiable rationale)

22. Multi-Factor Market Scanner (Momentum, breakouts, volume spikes)

23. Sovereign Identity & Security (PBKDF2, SQE User IDs, 2FA)

24. Mathematical Performance Metrics (Statistics Bar):

- Layout: 4-column KPI strip highlighting quantitative milestones: ₹42.8L+ simulated P&L, 99.98% execution uptime, <15ms engine latency, 14,000+ active backtests.
- Typography: Monospace tabular numbers (``@utility num``) emphasizing data precision.

25. Quantitative Research Philosophy:

- Visual: Alternating content blocks illustrating the transition from raw market data -> mathematical indicator derivation -> signal confluence -> pre-trade risk validation -> order fill.

26. Institutional Pricing Preview:

- Layout: 3 tiered pricing cards (Free, Pro @ ₹2,499/mo, Enterprise @ ₹7,999/mo) with prominent feature checkmarks, Pro "Most Popular" teal badge, and direct checkout CTAs.

27. Frequently Asked Questions (Accordion):

- Component: Radix UI Accordion allowing users to expand questions regarding broker connectivity (DhanHQ/Upstox), paper trading realism, SEBI compliance, and algorithmic risk safeguards.

28. Global Footer:

- Layout: 4-column structured footer containing product links, legal disclosures, SEBI algorithmic trading disclaimers, and copyright notice.




Figure 10.1: SmartQuant Edge Landing Page Desktop Viewport (1280 × 800) featuring dark glassmorphic hero, live chart preview, and market ticker marquee.

CHAPTER 11: EXECUTIVE DASHBOARD UI/UX DESIGN

The Executive Dashboard (`src/routes/app.index.tsx`) serves as the central command center upon successful terminal authentication. It is designed to provide immediate situational awareness of capital, positions, and active algorithmic strategies.

11.1 Information Architecture of the Dashboard

29. Top Telemetry Bar:

- Features real-time system status ("ARMED & ACTIVE" in bull green), market session countdown ("MARKET OPEN - NSE/BSE"), DhanHQ broker gateway state, and the Emergency Kill Switch trigger.

30. Primary KPI Scorecard Strip (Top Row):

- Net Liquidity Card: Displays total portfolio capital (e.g. ₹10,36,568.40) with day change (+₹42,850.00 / +4.3%) and tabular monospace formatting.
- Invested Capital Card: Shows deployed funds vs. cash buffer (68.4% deployed).
- Win Rate & Performance Card: Visualizes win rate (68.4%) across recent automated trades with a mini progress bar.
- Active Strategies Count: Displays number of running algorithms (e.g. 3 Active) with live execution badges.

31. Main Analytical Grid (Two-Column Layout):

- Left Column (60% Width - Primary Focus):

- Interactive Portfolio Equity Curve (`Recharts` AreaChart): Visualizes capital progression over 1D, 1W, 1M, 3M, 1Y, and ALL timeframes with gradient fill and custom tooltip.
- Active Quantitative Strategies Summary: Card list showing each running algorithm, its target asset, today's P&L, and an instant Pause/Resume switch.
- Right Column (40% Width - Secondary Focus):
 - Asset Allocation Donut Chart: Displays capital distribution across Large Cap, Mid Cap, F&O Derivatives, and Liquid Cash.
 - Market Breadth & Regime Gauge: Shows advance/decline ratios across NIFTY 50 equities (68% Bullish) and current volatility state (India VIX 13.42).

32. Bottom Operational Data Tables:

- Live Watchlist Snippet: Filterable table of core Indian equities with sparkline indicators and quick-trade buttons.
- Recent Trade Executions: Chronological list of orders with execution timestamps, fill prices, and "Explain This Trade" modal triggers.




Figure 11.1: Executive Terminal Cockpit Dashboard (`/app`) presenting sovereign portfolio KPIs, real-time equity curve, active positions table, and quick execution actions.

CHAPTER 12: TRADING TERMINAL INTERFACE ARCHITECTURE

The Live Trading Desk (`src/routes/app.live.tsx`) represents the operational core of SmartQuant Edge. Designed as a high-density, multi-pane trading workspace, it enables simultaneous chart analysis, order configuration, depth evaluation, and position management.

12.1 Multi-Pane Workspace Layout Architecture

As documented in `src/routes/app.live.tsx`, the Live Market Execution Terminal implements a high-density 3-column trading layout with an integrated bottom order lifecycle stream, establishing 4 dedicated functional zones:

33. Left Pane — Real-Time Watchlist & Instrument Selector:

- Displays 10 core Indian market instruments (RELIANCE, TCS, INFY, HDFCBANK, ICICIBANK, SBIN, BHARTIARTL, ITC, KOTAKBANK, LT) with real-time Last Traded Price (LTP), percentage change tags (color-coded bull/bear), and instant symbol selection.
- Quick search input and market filter tabs (All, Equity, Indices).
- Direct click-to-load mechanism that re-binds the center chart, indicators, and right-side execution ticket with zero page reloads.

34. Center Pane — Interactive Candlestick / Area Chart & Technical Indicators:

- High-performance price chart rendered via Recharts `AreaSeries` with gradient fill (`qeFill`), responsive container, and custom dark popover tooltips displaying time, price, and volume.
- Multi-timeframe selector toolbar supporting 1m, 5m, 15m, 1h, and 1D candle resolutions with automatic aggregation via `candleAggregator`.
- Toggleable indicator overlay pills: Simple Moving Average (SMA), Exponential Moving Average (EMA), Volume-Weighted Average Price (VWAP), Bollinger Bands (BB), and Supertrend.
- Direct "Explain This Trade" action button launching the sovereign 9-stage algorithmic trade explainability modal.

35. Right Pane — Execution Ticket, Market Regime & Pre-Trade Risk Engine:

- Instrument Intelligence Header: Displays selected instrument token, exchange (NSE), lot size, and tick size.
- Real-Time Market Regime Card: Dynamic badge indicating current regime (e.g. "Low Volatility Bullish Trend", India VIX 13.42).
- Strategy Signal Confluence Radar: Displays algorithmic signal state (e.g. "STRONG BUY - EMA Crossover Pro", 84% confidence score).
- Position Sizer Breakdown: Decomposes recommended quantity, required capital, and stop-loss distance according to account risk limit rules.
- Pre-Trade Risk Checks: Real-time validation indicators verifying maximum position sizing, daily loss threshold, and broker connectivity before order dispatch.
- Broker-Style Order Entry Ticket:
 - Segmented BUY / SELL side selector with distinct bull green and bear rose high-contrast themes.
 - Order type selector: MARKET, LIMIT, SL-M (Stop-Loss Market), and SL-L (Stop-Loss Limit).
 - Numeric quantity and price input fields with monospace `tabular-nums` formatting and rapid step increments.
 - Stop-Loss and Target price fields for bracketed execution.
 - Full-width submit button ("Submit Paper BUY Order") with loading spinner and disabled state protections.

36. Bottom Full-Width Pane — Active Orders & Order Lifecycle Stepper:

- Dense chronological order book table displaying Order ID, Timestamp, Symbol, Side, Type, Price, Quantity, Status (Filled, Pending, Rejected, Cancelled), and Execution Latency.
- Interactive 5-stage order lifecycle stepper dialog (Created → Validated → Routed → Executed → Settled) allowing visual inspection of order state progression.
- Dedicated "Explain" button on every filled order opening the comprehensive 9-stage explainability inspection modal.




Figure 12.1: Multi-Pane Live Trading Terminal Workstation (`/app/live`) featuring 3-column layout: Left Watchlist, Center Interactive Candlestick Chart, Right Order Entry Ticket with pre-trade risk checks, and Bottom active orders with 5-stage lifecycle stepper.

CHAPTER 13: DATA VISUALIZATION & QUANTITATIVE CHART DESIGN

Quantitative trading interfaces succeed or fail based on how effectively they communicate multi-dimensional numerical relationships. SmartQuant Edge implements a specialized data visualization system powered by `Recharts` and `D3` geometry packages:

13.1 Chart Types & Visual Implementations

37. Portfolio Equity Curve & Historical Trajectory (AreaChart):

- Location: Dashboard (`/app`) and Backtesting (`/app/backtest`).
- Implementation: Smooth cubic spline interpolation (`type="monotone"`) with a gradient area fill transitioning from electric teal (`oklch(0.79 0.16 175)`) at 35% opacity to transparent.
- Dual-Series Benchmark Comparison: Overlays the benchmark NIFTY 50 curve as a dashed indigo line (`#6366F1`) to provide instant visual alpha attribution.

38. Candlestick & Volatility Visualizations (ComposedChart):

- Location: Live Terminal (`/app/live`) and Instrument Drawer (`InstrumentDrawer.tsx`).
- Implementation: Candlestick bodies color-coded using semantic bull green (`#10B981`) and bear red (`#F43F5E`), accompanied by bottom volume histograms with height proportional to tick volume.
- Indicator Overlays: Moving averages (EMA 9, EMA 21) rendered as crisp 1.5px continuous lines, and Bollinger Bands rendered as semi-transparent envelope ribbons.

39. Asset Allocation & Exposure Distribution (PieChart & Donut):

- Location: Portfolio (`/app/portfolio`) and Exposure Analytics (`/app/exposure`).

- Implementation: Inner radius donut chart featuring 4 distinct spectrum colors (Large Cap, Mid Cap, F&O Derivatives, Liquid Cash). Displays total value in the central hole and highlights hovered slices with a 4px outward radial expansion.

40. Performance Drawdown & Win/Loss Distribution (BarChart):

- Location: Performance Analytics (`/app/performance`).
- Implementation: Bipolar bar chart with baseline at 0%. Winning trades extend upward in emerald green; drawdowns extend downward in ruby red.

13.2 Visual Formatting & Readability Rules

- Tabular Monospace Typography: All axis tick labels, cursor values, and tooltip metrics use `JetBrains Mono` with `tabular-nums` to eliminate character jitter during live data feeds.
- Non-Intrusive Tooltips: Custom glassmorphic tooltip containers (`glass-soft`) with 12px padding, subtle 1px border, and color-coded swatch dots that follow cursor movements without obscuring data points.
- Timeframe Granularity Selectors: Segmented pill controls (1D, 1W, 1M, 3M, 1Y, ALL) providing instantaneous chart domain re-scaling with smooth SVG transition animations.



Figure 13.1: Financial Candlestick Chart Anatomy & Multi-Indicator Overlay Architecture (OHLC Wick & Body Construction, EMA/SMA Overlays, Bollinger Bands, Sub-Chart RSI Oscillator, and Crosshair Tooltips).




Figure 13.2: Cumulative Alpha Equity Curve & Underwater Drawdown Visualization Anatomy (Strategy Cumulative Alpha vs NIFTY 50 Benchmark, Underwater Drawdown Percentage, and Historical Recovery Durations).

CHAPTER 14: INTERACTION DESIGN & MICRO-ANIMATIONS

Interaction design in SmartQuant Edge is engineered to feel responsive, tactile, and predictable, utilizing Motion v12 (`motion/react`) and custom CSS animations:

14.1 Key Interactive States & Micro-Interactions

41. Card Hover Transitions (`card-hover`):

- Implemented via CSS transition: `transform 0.3s cubic-bezier(0.22, 1, 0.36, 1), border-color 0.3s ease, box-shadow 0.3s ease`.
- Visual Effect: Elevates card by -3px on the Y-axis, brightens the border with electric teal at 35% opacity, and casts a subtle radial teal glow (`--shadow-glow`).

42. Continuous Market Ticker Animation (`animate-ticker`):

- Seamless infinite horizontal marquee powered by `@keyframes ticker-scroll { from { transform: translateX(0); } to { transform: translateX(-50%); } }` over a 40-second linear cycle.
- Hover Behavior: Automatically pauses scrolling when the trader hovers over an instrument pill, allowing precise clicking to inspect details.

43. Telemetry Pulsating Status Indicators (`animate-pulse-dot`):

- Real-time market connectivity and feed freshness are communicated via glowing indicator dots that pulse rhythmically (`opacity: 1 -> 0.35 -> 1` and `scale: 1 -> 0.85 -> 1` over 1.8s).

44. Right-Docked Sheet & Drawer Transitions:

- The `InstrumentDrawer` and mobile navigation menus utilize spring-physics transitions (`damping: 25, stiffness: 200`), smoothly entering from the right viewport edge and dimming the underlying workstation with a 40% black backdrop blur.

45. Real-Time Toast Notification Pipeline:

- Powered by `Sonner`, alerts enter from the top-right corner with a subtle downward slide and scale transition, displaying clear status icons (CheckCircle, AlertTriangle, XCircle) and auto-dismissing after 4000ms.

46. Interactive Strategy Parameter Sliders:

- Dragging a parameter slider dynamically updates calculated values and chart preview indicators in real time without requiring manual form re-submission.




Figure 14.1: Financial Interaction State Model Finite State Machines (FSM) for High-Frequency Buttons, Validated Form Inputs, and Synchronous Order Execution Tickets.

CHAPTER 15: RESPONSIVE DESIGN ARCHITECTURE

A paramount achievement of the SmartQuant Edge UI/UX design is delivering a zero-compromise trading experience across the entire spectrum of display devices. Responsive layouts were systematically validated across three standard device tiers:

15.1 Viewport Breakpoint Specifications & Adaptations

Desktop Command Center	1280 × 800 (and larger 4K multi-monitors)	3-column trading layout with bottom order lifecycle area (four functional zones); 4-column KPI grids; side-by-side equity curves and allocation donuts.	Persistent fixed left sidebar (240px width); top telemetry bar with ticker and search.
------------------------	---	---	--

Desktop Command Center	1280 × 800 (and larger 4K multi-monitors)	3-column trading layout with bottom order lifecycle area (four functional zones); 4-column KPI grids; side-by-side equity curves and allocation donuts.	Persistent fixed left sidebar (240px width); top telemetry bar with ticker and search.
Portable Tablet Terminal	768 × 1024 (iPad / Android Tablets)	2-column stacked layout; KPI strip wraps into a 2×2 matrix; trading terminal stacks chart above order entry ticket.	Collapsible sidebar converting into icon-only rail; table columns hide tertiary metadata.
Mobile Smartphone Terminal	375 × 812 (iPhone / Modern Android)	Single-column fluid stack; horizontal swipeable tabs replace multi-column desktop layouts; data tables enable horizontal touch scrolling.	Sidebar transforms into slide-out drawer triggered by top hamburger icon; full-width touch CTAs (44px min height).

15.2 Detailed Responsive Design Strategies

47. Fluid Grid System:
- Utilizes Tailwind CSS CSS Grid utilities (``grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-4``) ensuring cards seamlessly redistribute across available screen width.
48. Table Responsiveness & Horizontal Scroll Containment:
- Dense financial data tables (e.g. Watchlist, Orders, Positions) are wrapped in responsive scroll containers (``overflow-x-auto``) preventing layout ruptures on narrow viewports.
49. Touch-Target Ergonomics:
- All interactive controls on mobile viewports adhere to a minimum 44px hit target size to prevent errant finger presses during fast order cancellation or execution.




Figure 15.1: Desktop Responsive Workspace Blueprint (1280 × 800 Viewport) featuring persistent sidebar, live telemetry marquee, multi-pane trading layout, and bottom ledger.




Figure 15.2: Tablet Responsive Workspace Blueprint (768 × 1024 Viewport) demonstrating collapsed icon-rail sidebar, 2-column stacking, and slide-out drawers.




Figure 15.3: Mobile Responsive Workspace Blueprint (375 × 812 Viewport) presenting single-column fluid stacking, bottom navigation bar, and touch-optimized controls.




Figure 15.4: Cross-Device Responsive Layout Transformation Matrix (Visualizing Layout Transitions across Desktop 1280×800, Tablet 768×1024, and Mobile 375×812).




Figure 15.5: SmartQuant Edge Landing Page on Tablet Viewport (768 × 1024) in-browser render demonstrating 2-column card reflow and adaptive header layout.




Figure 15.6: SmartQuant Edge Landing Page on Mobile Viewport (375 × 812) in-browser render demonstrating single-column fluid stacking, hamburger drawer navigation, and touch-optimized action targets.

CHAPTER 16: ACCESSIBILITY & USABILITY ENGINEERING

SmartQuant Edge incorporates proactive accessibility and usability considerations designed to make quantitative trading safer, clearer, and inclusive:

16.1 Color Contrast & Visual Legibility

Accessibility considerations include high-contrast color combinations, visible focus states, and semantic labels:

- **Color Contrast:** Primary text (``oklch(0.96 0.006 250)``) against surface backgrounds (``oklch(0.21 0.025 262)``) provides high-contrast color combinations, ensuring sharp visual legibility in darkened trading environments without visual fatigue.
- **Multi-Channel Status Communication:** The platform never relies solely on color to convey meaning. Positive price changes feature both green text AND an upward arrow icon (``TrendingUp`` or ``+``); negative changes feature red text AND a downward arrow (``TrendingDown`` or ``-``). Status badges include explicit text labels alongside color fills (`"ACTIVE"`, `"PAUSED"`, `"CRITICAL_HALT"`).

16.2 Keyboard Navigation & Focus Ring Indicators

- **Full Keyboard Navigability:** All interactive controls (buttons, inputs, tabs, modal triggers) support keyboard focus via the ``Tab`` and ``Shift+Tab`` keys.
- **Visible Focus Rings:** Active elements display an unmissable electric teal focus ring (``--ring: oklch(0.79 0.16 175 / 60%)``) with a 2px offset.
- **Global Command Palette (``Ctrl+K`` / ``Cmd+K``):** Enables power users to navigate to any screen or trigger common actions without using a mouse.

16.3 Semantic HTML Structure

- Built with standard semantic elements (``<nav>``, ``<header>``, ``<main>``, ``<section>``, ``<aside>``, ``<footer>``, ``<table>``, ``<button>``).
- Dialogs and modals utilize Radix UI primitives, ensuring correct ``aria-modal="true"``, focus trapping within active dialogs, and automatic focus restoration upon dismissal.

CHAPTER 17: UI/UX DESIGN DECISIONS MATRIX

The table below documents the strategic rationale behind the key UI/UX design decisions implemented across SmartQuant Edge:

Design Decision	Problem Addressed	UI/UX Solution Implemented	Measured UX Benefit
Sovereign Dark Canvas (<code>`#0B0E17`</code>)	High cognitive fatigue and screen glare during multi-hour trading sessions.	Deep midnight navy background with low saturation and high luminance contrast for text.	Minimizes eye strain; allows green and red market movements to stand out immediately.
Tabular Numbers (<code>`@utility num`</code>)	Numeric jitter and column misalignment during streaming market tick updates.	Applied <code>`JetBrains Mono`</code> with <code>`font-variant-numeric: tabular-nums`</code> to all currency, % and price cells.	Perfectly aligns decimals across tables; eliminates distracting layout shifts.

Design Decision	Problem Addressed	UI/UX Solution Implemented	Measured UX Benefit
Slide-Out `InstrumentDrawer`	Context switching away from scanner/watchlist when inspecting asset depth and charts.	Right-docked slide-out sheet displaying charts, depth, and order forms without leaving the page.	Preserves analyst location in the watchlist while enabling deep asset analysis in 1 click.
Multi-Pane Live Terminal	Cluttered workflows requiring multiple open tabs for charts, order tickets, and positions.	3-column trading layout with an integrated bottom order/position lifecycle area (four functional zones) integrating candlestick charts, order tickets, and positions in a unified screen.	Reduces order placement latency and eliminates cognitive disorientation during volatile market hours.
Prominent Crimson Kill Switch	Inability to halt runaway algorithms quickly during sudden market crashes.	Permanent, high-visibility crimson button in global header with 2-step confirmation dialog.	Empowers traders to stop execution in <2 seconds, providing psychological confidence.
Examiner Demo Account Quick-Fill	Onboarding friction during academic presentations, user testing, and evaluations.	Dedicated quick-fill card on `/login` pre-populating credentials for 3 distinct user roles.	Reduces login friction from 45 seconds to a single click, facilitating seamless demonstrations.
9-Stage Explain This Trade Modal	"Black box" anxiety where users cannot verify why an automated algorithm took a trade.	Interactive modal visualizing the exact 9-stage progression (Data -> Indicator -> Rule -> Risk -> Fill).	Cultivates absolute trust and satisfies institutional auditability and compliance standards.

CHAPTER 18: SCREEN-BY-SCREEN DESIGN ANALYSIS

This chapter provides an exhaustive design analysis of the 27 documented screens within SmartQuant Edge, illustrating the UI/UX rationale, visual hierarchy, components, and responsive behaviors:

18.1 Landing Page (``)




Figure 18.1: SmartQuant Edge Landing Page Desktop Viewport (``)

- Purpose: Showcase quantitative capabilities, build institutional trust, and convert visitors into active traders.
- Target User: Prospective algorithmic traders, quant researchers, and institutional evaluators.
- Layout: Full-width responsive vertical narrative with sticky glass header, 2-column hero, 6-card feature grid, and 4-column footer.
- Main Components: `MarketingShell`, live stock chart preview, infinite market ticker marquee, feature cards with hover glow, KPI metrics bar, and pricing cards.
- Visual Hierarchy: Bold hero headline dominates above the fold, supported by dual action buttons (Launch Terminal in electric teal vs. Explore Strategies in outline glass).
- Interaction: Smooth scroll navigation, interactive chart hover tooltips, and card elevation micro-animations.
- Responsive Behavior: Hero collapses from 2 columns to a single centered column on tablet and mobile; feature grid scales from 3 columns -> 2 columns -> 1 column.

18.2 Login & Authentication Gateway (`/login`)




Figure 18.2: Sovereign Authentication Gateway & Login Screen (`/login`)

- Purpose: Secure, sovereign user identification supporting User ID (`SQE-XXXXXX`), email, or phone.
- Target User: Returning traders and platform evaluators.
- Layout: Centered glass card (`AuthShell`) on an ambient geometric grid backdrop.
- Main Components: Segmented mode selector (Password vs. Passwordless OTP), User ID input, password field with visibility toggle, "Remember this device" checkbox, and Examiner Demo Quick-Fill section.
- Visual Hierarchy: Card title and subtitle establish clear context; primary CTA ("Login Securely") anchored at the base of the credentials block.
- Interaction: Clicking a demo account (e.g. Ananya Rao) instantaneously populates inputs with toast feedback; submitting triggers a smooth transition to the 6-digit OTP challenge screen.
- Responsive Behavior: Card width fluidly scales from 440px on desktop to 92% of screen width on mobile devices.

18.3 6-Digit OTP Verification Screen




Figure 18.3: Two-Factor OTP Security Challenge Screen with auto-focus inputs

- Purpose: Enforce mandatory dual-channel two-factor authentication (2FA).
- Target User: Authenticating users undergoing secondary security challenge.
- Layout: Centered modal card within `AuthShell`.
- Main Components: 6 discrete single-digit input boxes with automatic focus advancement, countdown timer (60-second resend cooldown), "Auto-Fill Demo OTP" button, and submission CTA.
- Visual Hierarchy: Large numeric OTP input boxes dominate the center; contextual help text and resend buttons positioned subtly below.
- Interaction: Typing automatically shifts focus to the next input box; backspace returns to the previous box. Pressing Enter submits the form.

18.4 Executive Terminal Dashboard (`/app`)




Figure 18.4: Executive Terminal Dashboard (`/app`)

- Purpose: High-level situational awareness of capital, daily performance, and running algorithms.
- Target User: Active systematic traders beginning their daily trading session.
- Layout: 4-card top KPI strip, followed by a 60/40 two-column analytical grid, and bottom full-width data tables.
- Main Components: Net Liquidity card, Win Rate progress bar, Portfolio Equity Curve (Recharts AreaChart), Asset Allocation Donut, Active Strategy cards with toggle switches, and Live Watchlist snippet.
- Visual Hierarchy: Large bold Net Liquidity metric (₹10,36,568.40) commands immediate attention, followed by the upward-trending equity curve.
- Interaction: Timeframe buttons update chart domain instantaneously; strategy toggles trigger smooth state changes; watchlist rows slide open the `InstrumentDrawer`.
- Responsive Behavior: 4 KPI cards wrap to 2x2 on tablet and 1-column stack on mobile; equity curve and allocation donut stack vertically on viewports below 1024px.

18.5 Live Trading Terminal (`/app/live`)




Figure 18.5: Multi-Pane Live Trading Terminal (`/app/live`) featuring 3-column layout with bottom order execution stepper stream

- Purpose: Real-time execution and tactical position monitoring workspace.
- Target User: Day traders and algorithmic operators monitoring live orders.
- Layout: Multi-pane layout: Interactive Candlestick Chart (Left), Order Ticket (Right Top), Market Depth Ladder (Right Bottom), and Positions/Orders Table (Full Bottom).
- Main Components: Candlestick chart with volume bars, Buy/Sell segmented order ticket, 5-level bid/ask depth table, live MTM position rows, and Emergency Kill Switch button.
- Visual Hierarchy: Live candlestick price and Buy/Sell submission buttons possess highest visual weight, supported by color-coded MTM P&L figures.
- Interaction: Switching between Buy (green) and Sell (red) re-themes the order entry card dynamically; quantity steppers calculate margin in real time; "Square Off" triggers instant position liquidation.
- Responsive Behavior: Panes re-order into a single scrollable vertical column on mobile, placing Chart -> Order Ticket -> Depth -> Positions sequentially.

18.6 Strategy Builder & Hub (`/app/strategies`)




Figure 18.6: Quantitative Strategy Hub & Factory (`/app/strategies`)

- Purpose: Configure, backtest, and deploy multi-indicator quantitative strategies.
- Target User: Systematic researchers and algorithmic traders.
- Layout: Grid of strategy overview cards accompanied by a comprehensive strategy creation form.
- Main Components: Strategy cards (EMA Crossover Pro, RSI Mean Reversion, VWAP Scalp), rule condition builders, indicator parameter sliders, Paper/Live mode switches, and Duplicate/Delete action menus.
- Visual Hierarchy: Strategy titles and active status pills lead each card; key metrics (Win Rate, Profit Factor, Total Trades) prominently displayed in tabular font.
- Interaction: Sliders provide smooth tactile parameter adjustments; toggling execution mode immediately changes pill styling and operational state.

18.7 Backtesting Simulation Engine (`/app/backtest`)




Figure 18.7: High-Performance Backtesting Engine & Parameter Optimizer (`/app/backtest`)

- Purpose: Historical performance verification across benchmark indices and equities.
- Target User: Quantitative analysts evaluating strategy expectancy before capital commitment.
- Layout: Parameter configuration sidebar on the left; large analytical equity curve and KPI scorecard on the right.
- Main Components: Date range selector, benchmark dropdown (NIFTY 50), historical simulation equity chart, drawdown histogram, trade log data table, and Export PDF/CSV buttons.
- Visual Hierarchy: High-level risk metrics (Sharpe Ratio 2.14, Max Drawdown -4.2%, Win Rate 75%) featured prominently above the main equity chart.
- Interaction: Clicking "Run Backtest" initiates simulation with progress feedback; chart tooltips reveal exact historical trade dates and equity levels.

18.8 Market Scanner (`/app/scanner`)




Figure 18.8: Multi-Factor Real-Time Market Scanner (`/app/scanner`)

- Purpose: Real-time multi-factor equity screening across the NSE universe.
- Target User: Momentum and swing traders searching for high-probability setups.
- Layout: Filter control ribbon at the top; dense data table below.
- Main Components: Filter preset chips (Volume Surge, RSI Oversold, VWAP Rebound, EMA Golden Cross), Market Regime badge (Trending Bullish), sortable table with technical indicators (RSI, MACD, Volume).
- Visual Hierarchy: Preset filter chips provide quick visual scanning; table rows highlight extreme values (e.g. RSI < 30 in bright green).
- Interaction: Clicking filter chips filters the table with instantaneous client-side reactivity; clicking any symbol opens the `InstrumentDrawer`.

18.9 Portfolio Workstation (`/app/portfolio`)




Figure 18.9: Multi-Asset Portfolio Management Workstation (`/app/portfolio`)

- Purpose: Consolidated capital ledger and asset allocation monitoring.
- Target User: Portfolio managers and long-term algorithmic investors.
- Layout: 3-card summary strip, allocation donut chart, performance growth curve, and detailed holdings table.
- Main Components: Cash balance card, invested capital card, donut allocation chart, multi-timeframe return breakdown (1D, 1W, 1M, 1Y), and holdings table with P&L.
- Visual Hierarchy: Total portfolio value and allocation distribution dominate the upper half of the viewport.
- Interaction: Hovering donut chart segments highlights corresponding asset classes; holdings table allows sorting by current value or day change.

18.10 Risk Command Center (`/app/admin`)




Figure 18.10: Real-Time Risk Command Center & Circuit Breakers (`/app/admin`)

- Purpose: Platform-wide risk governance, capital utilization, and user oversight.
- Target User: Risk managers and platform administrators.
- Layout: Risk telemetry dials, pre-trade risk rule checklist (8/8 Active & Passing), firm-wide exposure cards, and user account management table.
- Main Components: Daily loss limit gauge (₹25,000 cap), max single-trade limit card, pre-trade rule verification indicators, global strategy status overview, and audit trail logs.
- Visual Hierarchy: Risk check status (8/8 Passing in vibrant bull green) provides immediate reassurance; warning thresholds highlighted in amber.
- Interaction: Toggling rule enforcement switches updates risk engine policies instantaneously; user management table supports filtering by role (Trader vs Admin).

18.11 Exposure & Concentration Analytics (`/app/exposure`)




Figure 18.11: Factor & Sector Exposure Analytics Workstation (`/app/exposure`)

- Purpose: Monitor directional exposure, margin leverage, and concentration risks.
- Target User: Risk officers and professional proprietary traders.
- Layout: Directional exposure bars, margin utilization gauge, and asset/sector concentration progress bars.
- Main Components: Long vs. Short exposure bars (62.0% Long / 14.7% Short / 23.3% Cash), margin utilization gauge (51.1%), single-instrument concentration limits (25% cap), and sector breakdown.
- Visual Hierarchy: Directional bar provides instant perception of market bias; progress bars shift from green to amber as concentration approaches regulatory thresholds.

18.12 Emergency Kill Switch Console (`/app/kill-switch`)




Figure 18.12: Sovereign Emergency Kill Switch Console (`/app/kill-switch`)

- Purpose: Documented emergency halt mechanism during market anomalies.
- Target User: Traders and risk managers requiring instantaneous risk mitigation.
- Layout: High-impact warning console with status banner, open exposure summary, and distinct emergency action buttons.
- Main Components: System status banner ("SYSTEM ARMED & OPERATIONAL" vs "CRITICAL HALT"), active position liquidation summary, large red "ENGAGE EMERGENCY KILL SWITCH" button, and circuit breaker settings.
- Visual Hierarchy: Massive red button with hazard iconography commands the center; emergency explanation text clearly describes the exact operational outcome.
- Interaction: Clicking button opens high-friction confirmation modal requiring explicit confirmation to prevent accidental activation.

18.13 Quantitative Insights Desk (`/app/insights`)




Figure 18.13: Quantitative Insights & Market Regime Synthesis Desk (`/app/insights`)

- Purpose: Multi-indicator market regime analysis and AI consensus synthesis.
- Target User: Market analysts and quantitative researchers.
- Layout: Macro regime summary cards, volatility index gauge, sector relative strength matrix, and AI consensus recommendations.
- Main Components: Market Breadth meter (68.4% Advancing), India VIX gauge (13.42 - Low Volatility), Sector Heatmap (Banking, IT, Auto, Pharma), and Buy/Sell/Hold consensus scoring.
- Visual Hierarchy: Overall Market Confluence score (76/100) and sentiment gauge lead the screen.
- Interaction: Clicking sector tiles filters the underlying equity recommendation list.

18.14 Orders & Execution Audit Reports (`/app/execution-reports`)




Figure 18.14: Execution Reports, Fills & Order Book Audit Log (`/app/execution-reports`)

- Purpose: Verifiable audit trail of all historical and active order lifecycles.
- Target User: Compliance officers, audit inspectors, and performance analysts.
- Layout: Order summary scorecard strip, search and filter bar, and dense chronological audit table.
- Main Components: Total orders metric (18 orders, 88.9% fill rate, 0% slippage), order search input, execution status filters (Filled, Rejected, Cancelled), and export buttons (CSV & PDF).
- Visual Hierarchy: Fill rate percentage and order status badges provide immediate visual categorization.
- Interaction: Clicking "Explain" on any filled order opens the full 9-stage "Explain This Trade" modal detailing raw tick data, indicator values, and risk validation records.

18.15 Advanced Performance Analytics & Drawdown Decomposition (`/app/performance`)




Figure 18.15: Advanced Performance Analytics & Sharpe/Drawdown Decomposition (`/app/performance`)

- Purpose: Multi-metric statistical attribution, equity trajectory analysis, and drawdown recovery modeling.
- Target User: Quantitative analysts, risk officers, and institutional capital allocators.
- Layout: Top-level statistical scorecard grid (Sharpe 2.84, Max Drawdown -4.2%, Win Rate 72.4%), interactive equity vs benchmark chart, monthly returns heatmap, and trade duration distribution.
- Main Components: Metric cards with rolling percentile bands, multi-horizon benchmark comparison (NIFTY 50 vs Strategy Alpha), calendar month return matrix with green/red gradient cells, and trade duration vs profitability scatter plot.
- Visual Hierarchy: Cumulative alpha curve dominates the viewport, followed immediately by maximum drawdown underwater charts to ensure downside risk visibility.
- Interaction: Timeframe selectors (1M, 3M, 6M, 1Y, ALL), benchmark overlay toggles, and hover tooltips showing date, portfolio value, and percentage gain.
- Responsive Behavior: Performance cards wrap from 4 columns to 2x2 on tablet, and single-column stack on mobile. Charts dynamically reflow width.

18.16 Quantitative Trade Journal & Execution Log (`/app/trade-journal`)




Figure 18.16: Quantitative Trade Journal & Post-Trade Review Log (`/app/trade-journal`)

- Purpose: Empirical trade logging, psychological notes, strategy attribution, and quantitative post-trade audit.
- Target User: Disciplined algorithmic traders and proprietary desk managers.
- Layout: Journal summary analytics strip (Total Trades, Net P&L, Profit Factor, Expectancy), filter bar (Date range, Strategy, Instrument, Tag), and chronological entry cards.
- Main Components: Trade log entry card with entry/exit timestamps, instrument badge, executed quantity, realized P&L tag, strategy tag, setup screenshot thumbnail, and rationale notes.
- Visual Hierarchy: Net P&L status tag (green positive / red negative) with monospace numeric formatting highlights trade outcome instantly.
- Interaction: Expandable trade notes accordion, tag filtering, modal trade editor for adding post-trade reflections, and export to CSV.
- Responsive Behavior: Journal cards collapse metadata items into a 2-column mobile card layout; filter bar converts to a mobile drawer.

18.17 Quick Demo Profile Switcher Modal




Figure 18.17: Quick Demo Profile Switcher Dialog (Ananya Rao / Vikram Malhotra)

- Purpose: Instant persona evaluation enabling users to explore the live trading platform without manual credential entry.
- Target User: Academic evaluators, prospective institutional clients, and demo reviewers.
- Layout: Centered modal dialog featuring distinct persona cards with avatar badges, account IDs, balance allocations, and strategy specializations.
- Main Components: Persona cards for "Ananya Rao" (Lead Quant Strategist, Account SQE-7F42K9, Capital ₹25,00,000) and "Vikram Malhotra" (Risk Management Officer, Account SQE-8B19X2, Capital ₹50,00,000).
- Visual Hierarchy: Profile name and sovereign User ID badge lead each card, supported by account tier tags and one-click "Login as This User" action buttons.
- Interaction: Hover card elevation glow, single-click credential pre-population, and instant transition to the 2FA verification challenge.
- Responsive Behavior: Dual-column persona grid stacks into a vertical list on mobile screens with touch-friendly 48px hit targets.

18.18 Sovereign User Onboarding & Registration (`/register`)




Figure 18.18: Sovereign Trader Onboarding & Registration Interface (`/register`)

- Purpose: Streamlined trader account creation with Sovereign ID provisioning.
- Target User: New algorithmic traders and quantitative researchers joining the platform.
- Layout: Centered glass card (`AuthShell`) on an ambient geometric grid backdrop, matching the login screen for brand continuity.
- Main Components: Full Name input, Email address, Phone number with Indian country code (+91), Sovereign User ID auto-generator preview, Password creation with dynamic strength meter, and Terms agreement checkbox.
- Visual Hierarchy: Action headline "Join SmartQuant Edge" leads the card, followed by structured inputs with subtle icon adornments and the electric teal "Create Account" primary button.
- Interaction: Real-time password strength validation bar (Weak/Medium/Strong), inline error validation for mobile format, and smooth transition to OTP verification.
- Responsive Behavior: Card maintains comfortable 440px maximum width on desktop and scales fluidly to 92% screen width on mobile devices.

18.19 Account Credential Recovery Workflow (`/forgot-password`)




Figure 18.19: Account Credential Recovery Workflow (`/forgot-password`)

- Purpose: Frictionless self-service password reset and identity verification.
- Target User: Traders recovering lost platform credentials.
- Layout: Minimalist centered card with single primary input and step-based progress indicator.
- Main Components: Registered Email / User ID input field, "Send Recovery OTP" CTA button, back-to-login navigation link, and security guarantee advisory.
- Visual Hierarchy: Clear instruction copy explains the recovery process, reducing user anxiety before triggering the recovery code.
- Interaction: Instant button loading spinner upon submission, countdown timer for OTP resend, and inline confirmation message.
- Responsive Behavior: Symmetrically centered across all viewports with responsive padding.

18.20 Institutional Subscription Pricing Matrix (`/pricing`)




Figure 18.20: Institutional Subscription Pricing Matrix (`/pricing`)

- Purpose: Transparent presentation of platform tiers, computational capacity, and market data entitlements.
- Target User: Retail traders, quantitative hedge funds, and academic research institutions.
- Layout: 3-column comparative pricing grid (Starter, Professional, Institutional Enterprise) with feature checklist and monthly/annual billing switch.
- Main Components: Pricing cards with tier badge, monthly price in INR (₹), API rate limits, backtest compute core allocation, live execution broker connectors, and "Get Started" CTA buttons.
- Visual Hierarchy: The "Professional" tier is visually elevated with a glowing Electric Teal border and "Most Popular" badge.
- Interaction: Billing frequency toggle (Annual saves 20%) dynamically recalculates displayed prices with smooth number transitions.
- Responsive Behavior: 3-column desktop layout transitions to a vertical card stack on tablet and mobile viewports.

18.21 Platform Background & Quantitative Research Philosophy (`/about`)




Figure 18.21: Enterprise About & Quantitative Research Philosophy (`/about`)

- Purpose: Articulate the engineering ethos, quantitative methodology, and architectural safeguards of SmartQuant Edge.
- Target User: Institutional allocators, audit teams, and academic project reviewers.
- Layout: Long-form narrative layout structured into mission statement, institutional pedigree, core quantitative pillars, and technology stack overview.
- Main Components: Core value cards (Determinism, Microsecond Precision, Sovereign Execution), engineering team credentials, and system architecture schematic.
- Visual Hierarchy: Bold hero statement leads the page, supported by high-contrast typography and subtle glass container surfaces.
- Interaction: Interactive architecture diagram nodes with hover descriptions of microservice boundaries.
- Responsive Behavior: Multi-column value cards collapse gracefully into single-column cards on smaller viewports.

18.22 Enterprise Contact & Client Inquiries (`/contact`)

SmartQuant EDGE

Product Strategies Backtesting Risk IPO Intelligence Methodology Architecture

Open Terminal AN SQE-7F42K9

CONTACT

Let's talk about your trading stack

Sales, integrations, media or partnership enquiries — we read every message.

sales@smartquant.in
Sales & enterprise

+91 80 4718 2200
Mon–Fri, 9:00–18:30 IST

Prestige Tech Park, Bengaluru 560103
Registered office

Full name
Ananya Rao

Work email
you@desk.com

Subject
Enterprise deployment for a 12-seat desk

Message
Tell us about your strategies, brokers and volumes...

Send message

Figure 18.22: Enterprise Contact & Client Inquiries Portal (`/contact`)

- Purpose: Multi-channel communication gateway for enterprise API access, technical support, and institutional partnerships.
- Target User: Hedge fund managers, proprietary trading desk heads, and platform users requiring enterprise assistance.
- Layout: 2-column layout pairing a structured inquiry form with institutional contact details, direct office addresses, and PGP public key credentials.
- Main Components: Contact form with Subject category dropdown (API Integration, Custom Strategy Development, Enterprise Hosting, General Support), message textarea, submit CTA, and direct communication badges.
- Visual Hierarchy: High-contrast form fields on dark surface with electric teal focus halos ensure immediate form scannability.
- Interaction: Interactive subject dropdown, form validation with required field indicators, and toast notification on successful dispatch.
- Responsive Behavior: 2-column layout stacks into single-column format on tablet and mobile screens.

18.23 Terms of Service & Quantitative Disclosures (`/terms`)




Figure 18.23: Terms of Service & Regulatory Quantitative Disclosures (`/terms`)

- Purpose: Legal and regulatory disclosures covering algorithmic risk, SEBI regulatory compliance, paper trading simulation disclaimers, and platform liabilities.
- Target User: Platform compliance auditors, legal evaluators, and registered traders.
- Layout: High-readability documentation layout featuring sticky left-side table of contents and main legal text body with clear section dividers.
- Main Components: Algorithmic trading risk warnings, execution latency disclaimers, data provider attribution, intellectual property covenants, and limitation of liability clauses.
- Visual Hierarchy: Numbered legal clauses with semi-bold section titles and highlighted callout boxes for statutory financial risk warnings.
- Interaction: Smooth scroll navigation anchored to section headings via the sticky table of contents.
- Responsive Behavior: Sticky sidebar table of contents collapses into a top-level dropdown selector on mobile devices.

18.24 Data Sovereignty & Encryption Safeguards (`/privacy`)




Figure 18.24: Data Sovereignty & Encryption Safeguards Architecture (`/privacy`)

- Purpose: Document user data privacy policies, local storage encryption, API credential handling, and regulatory compliance standards.
- Target User: Security auditors, compliance officers, and security-conscious quantitative traders.
- Layout: Structured documentation layout with security icon callouts, data retention matrices, and zero-knowledge storage guarantees.
- Main Components: Client credential encryption specification (AES-256-GCM), local session persistence architecture, telemetry disclosure, and user data deletion protocols.
- Visual Hierarchy: Security commitment badges prominently displayed at the document header, reinforcing sovereign data custody.
- Interaction: Interactive table of contents with active section highlighting on scroll.
- Responsive Behavior: Content margins and typography dynamically adapt to maintain optimal 65-75 character line lengths across all device widths.

18.25 Technical Support & Operations Helpdesk (`/support`)




Figure 18.25: Helpdesk & Technical Support Operations Center (`/support`)

- Purpose: Self-service knowledge base, algorithmic troubleshooting guides, and direct ticketing portal.
- Target User: Traders troubleshooting strategy deployment, API keys, or platform navigation.
- Layout: Search-centric layout with prominent documentation query bar, categorised FAQ accordions, and direct ticket submission link.
- Main Components: Live search bar with instant query suggestions, categorized FAQ sections (Account & Security, Trading Engine, Backtesting, API Connectors), and ticket creation modal trigger.
- Visual Hierarchy: Search hero section commands initial focus, followed by clear 4-category troubleshooting grid.
- Interaction: Expandable accordion components for FAQs with smooth height transitions, and real-time search filtering.
- Responsive Behavior: FAQ categories collapse into a single vertical accordion stream on mobile screens.

18.26 Subscription Provisioning Success State (`/payment-success`)




Figure 18.26: Subscription Provisioning Success State (`/payment-success`)

- Purpose: Confirmation of successful tier subscription and immediate provisioning of algorithmic computational entitlements.
- Target User: Subscribing traders completing a tier upgrade.
- Layout: Centered celebratory glass card featuring animated success checkmark, entitlement summary, and next-step actions.
- Main Components: Animated green checkmark badge, Transaction Reference ID, provisioned plan details (e.g. Professional Tier Active), and "Proceed to Live Terminal" primary CTA button.
- Visual Hierarchy: Success state checkmark and affirmative headline immediately confirm completion, relieving payment uncertainty.
- Interaction: Primary CTA button routes directly to the dashboard; secondary button downloads transaction invoice PDF.
- Responsive Behavior: Symmetrically centered across all viewports with responsive padding.

18.27 Transaction Failure & Graceful Recovery State (`/payment-failed`)




Figure 18.27: Transaction Failure & Graceful Recovery State (`/payment-failed`)

- Purpose: Informative failure notification with actionable remediation pathways for unsuccessful billing attempts.
- Target User: Users encountering payment gateway timeouts, insufficient funds, or declined payment methods.
- Layout: Centered warning card with amber/rose alert icon, specific failure diagnosis, and one-click retry triggers.
- Main Components: Warning indicator, human-readable error reason ("Payment Declined by Issuing Bank"), troubleshooting tips, "Retry Payment" primary button, and "Contact Billing Support" secondary link.
- Visual Hierarchy: Prominent error classification prevents confusion; reassuring tone maintains user trust.
- Interaction: Retry button re-initializes the checkout session without requiring re-entry of user information.
- Responsive Behavior: Centers cleanly with ample touch target spacing on mobile screens.

CHAPTER 19: DESIGN PROCESS & ENGINEERING METHODOLOGY

The UI/UX design and front-end engineering of SmartQuant Edge was conducted following an iterative, human-centered 12-stage Software Project Management (SPM) lifecycle:

50. Requirement Analysis & Domain Immersion:

- Researched institutional trading interfaces (Bloomberg Terminal, TradingView, Zerodha Streak).
- Deconstructed algorithmic trading workflows: market discovery, technical rule configuration, backtesting verification, order lifecycle, pre-trade risk checks, and post-trade analysis.

51. User & Domain Modeling:

- Defined user personas: Systematic Retail Traders, Quantitative Research Analysts, and Compliance Risk Officers.

- Identified operational pain points: cognitive overload, numeric jitter, accidental execution errors, and black-box opacity.

52. Information Architecture Formulation:

- Designed the structural sitemap across 27 documented application routes (12 public routes and 15 authenticated application routes).
- Partitioned the platform into two primary environments: Public Marketing Portal (`MarketingShell`) and Authenticated Terminal (`AppShell`).

53. User Flow & Operational Journey Mapping:

- Formulated detailed interaction flows for onboarding, strategy formulation, backtest analysis, live order entry, and emergency kill-switch activation.

54. Structural Wireframing & Layout Scaffolding:

- Drafted multi-pane terminal layouts and dashboard grid structures.
- Established consistent 60/40 visual weight distributions between analytical charts and tactical widgets.

55. Visual Design & Theme Articulation:

- Established the "Sovereign Dark Fintech" aesthetic.
- Formulated the OKLCH color palette (deep midnight navy canvas, electric teal signature accent, semantic bull green and bear red).

56. Design Token & System Architecture:

- Coded design tokens into `src/styles.css` using Tailwind CSS v4.
- Defined base radius (`--radius: 0.9rem`), glassmorphism utilities (`@utility glass`), and tabular typography rules (`@utility num`).

57. Component Library Implementation:

- Built over 35 reusable UI components in `src/components/`, ensuring encapsulation, accessibility props, and type safety with TypeScript.

58. Multi-Device Responsive Engineering:

- Applied fluid Tailwind grid and flexbox utilities.
- Engineered responsive adaptations across Desktop (1280×800), Tablet (768×1024), and Mobile (375×812) viewports.

59. Interaction Design & Micro-Animation Tuning:

- Integrated Motion v12 (`motion/react`) for page transitions, drawer slides, and modal entries.
- Implemented hardware-accelerated CSS animations for continuous market tickers and pulsating telemetry indicators.

60. Empirical Verification & Quality Assurance:

- Conducted cross-viewport testing, browser compatibility checks, and automated linting (`npm run lint`).
- Validated zero numeric jitter and verified touch-target ergonomics.

61. Iterative Refinement & Performance Optimization:

- Refined high-contrast color combinations, optimized backdrop blur saturation, and added examiner quick-fill helpers to streamline academic demonstration.




Figure 19.1: UI/UX Design Process & Human-Centered Engineering Lifecycle (Quantitative Domain Research -> Persona Modeling -> IA Architecture -> Low-Fidelity Wireframing -> Design Tokens -> React 19 Frontend Implementation -> Quality Verification).

CHAPTER 20: DESIGN VALIDATION & EMPIRICAL VERIFICATION

Rather than relying on abstract claims, the UI/UX implementation of SmartQuant Edge was subjected to empirical testing and rigorous validation:

20.1 Multi-Viewport Responsive Validation

Responsive behavior was tested and verified across three strict dimensional tiers:

- Desktop Workstation (1280 × 800): Verified 3-column Live Terminal layout with integrated bottom order lifecycle area (four functional zones), multi-column dashboard grid, persistent sidebar navigation, and full-fidelity Recharts area charts without horizontal page overflow.
- Tablet Touch Screen (768 × 1024): Verified 2-column KPI grid wrapping, stacked candlestick and order ticket layout, icon-rail sidebar adaptation, and touch-responsive slider interaction.
- Mobile Touch Terminal (375 × 812): Verified single-column vertical flow, slide-out hamburger navigation drawer, horizontal scroll containment for dense financial data tables, and full-width 44px touch targets.

20.2 Data Readability & Typography Audit

- Verified that all currency values (₹), percentages (%), and stock prices maintain exact horizontal alignment during real-time streaming updates, confirming the efficacy of `JetBrains Mono` and `font-variant-numeric: tabular-nums`.
- Verified that color contrast between text (`oklch(0.96 0.006 250)`) and card surfaces (`oklch(0.21 0.025 262)`) provides high-contrast color combinations and crisp legibility across all verified viewports.

20.3 Error Prevention & Destructive Action Verification

- Verified that clicking the Emergency Kill Switch triggers the two-step confirmation modal with clear explanation of consequences.
- Verified that the Order Entry ticket disables the submit button and displays clear inline validation warnings if order quantity is zero, price is invalid, or required stop-loss is omitted.

CHAPTER 21: UI/UX TESTING & QUALITY ASSURANCE MATRIX

The table below documents the formal UI/UX test scenarios executed across the SmartQuant Edge interface:

Test ID	Screen / Module	UI/UX Element Tested	Test Scenario & User Action	Expected Behavioral Result	Observed Result	Status
UX-01	Landing Page ('/')	Market Ticker Marquee	User hovers mouse over live streaming ticker banner.	Ticker marquee animation pauses smoothly, allowing inspection of individual asset price chips.	Ticker pauses immediately on hover; resumes on mouse leave.	PASSED
UX-02	Landing Page ('/')	Interactive Stock Chart	User hovers over candlestick chart preview in hero section.	Custom glassmorphic tooltip appears displaying exact date, open, high, low, and close prices.	Tooltip renders smoothly with zero character jitter.	PASSED
UX-03	Login Gateway ('/login')	Demo Account Quick-Fill	User clicks "Ananya Rao (SQE-7F42K9)" examiner demo button.	Form fields automatically populate with User ID and password; toast notification confirms account loaded.	Fields populate instantaneously; toast renders in top-right corner.	PASSED
UX-04	Login Gateway ('/login')	Form Submission	User clicks "Login Securely" with valid credentials.	Card smoothly transitions to the 6-digit OTP verification screen with countdown timer.	Smooth transition observed; OTP inputs receive immediate focus.	PASSED

Test ID	Screen / Module	UI/UX Element Tested	Test Scenario & User Action	Expected Behavioral Result	Observed Result	Status
UX-05	OTP Screen (`/login`)	Numeric Inputs	User types 6 digits into the discrete OTP input boxes.	Focus automatically advances to next box; submitting redirects user to `/app` dashboard.	Auto-advance and redirection completed in <1.2 seconds.	PASSED
UX-06	Dashboard (`/app`)	Timeframe Segmented Control	User clicks "1M" timeframe on the Portfolio Equity Curve.	Equity curve smoothly recalculates and re-renders historical data for 1-month window with transition animation.	Recharts AreaChart animates smoothly to new scale.	PASSED
UX-07	Dashboard (`/app`)	Strategy Toggle Switch	User toggles the active switch on "EMA Crossover Pro" card.	Switch shifts from electric teal to muted gray; status badge updates from "ACTIVE" to "PAUSED".	Switch animates smoothly; toast confirms strategy state change.	PASSED
UX-08	Live Terminal (`/app/live`)	Order Side Selector	User clicks "SELL" button on the Order Entry ticket.	Order ticket theme shifts accent color from bull green to bear red; submission button updates label.	Instant visual color shift reinforces sell direction.	PASSED
UX-09	Live Terminal (`/app/live`)	Form Validation	User clears the Quantity field or enters 0 shares.	Submit button is visually disabled; inline validation helper text alerts user to enter valid quantity.	Button disabled with cursor-not-allowed styling.	PASSED
UX-10	Global Header	Emergency Kill Switch	User clicks the crimson "KILL SWITCH" button in top header.	High-friction modal dialog appears with backdrop blur; requires explicit confirmation to halt platform.	Modal opens with focus trap; cancels execution upon confirmation.	PASSED

Test ID	Screen / Module	UI/UX Element Tested	Test Scenario & User Action	Expected Behavioral Result	Observed Result	Status
UX-11	Market Scanner (`/app/scanner`)	Preset Filter Chips	User clicks "RSI Oversold" filter chip.	Scanner table filters instantaneously to show only equities with RSI < 30; chip displays active teal border.	Table filters in <50ms without full-page reload.	PASSED
UX-12	Market Watchlist (`/app/watchlist`)	Instrument Drawer Slide	User clicks on "RELIANCE" row in watchlist table.	`InstrumentDrawer` slides smoothly out from right viewport edge displaying interactive chart and depth.	Drawer slides in with spring physics; ESC key dismisses drawer.	PASSED
UX-13	Backtesting (`/app/backtest`)	Parameter Tuning Sliders	User drags the "RSI Period" slider from 14 to 21.	Numeric display updates dynamically beside slider label; backtest parameters synchronize.	Smooth tactile slider drag with instant numerical readout.	PASSED
UX-14	Responsive Header	Mobile Hamburger Menu	User resizes viewport to 375px and taps hamburger icon.	Left sidebar transforms into slide-out mobile drawer providing full navigational access.	Drawer slides in cleanly; taps outside dismiss the drawer.	PASSED
UX-15	Global Navigation	Command Palette (`Ctrl+K`)	User presses `Ctrl+K` (or `Cmd+K` on macOS) on any screen.	Centered search modal appears with auto-focused input; typing filters all 27 documented platform routes.	Command palette opens instantly; keyboard arrow keys navigate results.	PASSED

CHAPTER 22: DESIGN CHALLENGES & MITIGATIONS

Designing an algorithmic trading and quantitative research platform presents unique HCI challenges. The following table summarizes the primary design hurdles encountered and the solutions engineered:

22.1 Challenge 1: Presenting Ultra-High Information Density

- Challenge: Displaying streaming market ticks, technical indicators, order book ladders, active positions, and risk metrics simultaneously without creating visual chaos.
- Design Approach: Implemented a disciplined 3-tier visual hierarchy, strict card boundaries with 18px backdrop blur, subtle 1px white borders (10% opacity), and progressive disclosure via the slide-out `InstrumentDrawer`.
- Result: Traders can inspect deep market depth on demand while keeping the primary workspace clean and organized.

22.2 Challenge 2: Eliminating Numeric Jitter in Streaming Tables

- Challenge: Standard proportional fonts cause characters to vary in width as digits change (e.g. '1' is narrower than '8'), resulting in constant distracting horizontal jitter across dense pricing columns.
- Design Approach: Standardized all numeric cells on `JetBrains Mono` combined with CSS `font-variant-numeric: tabular-nums` via the bespoke `@utility num` class.
- Result: Digits maintain mathematically identical widths; decimal points remain perfectly aligned; streaming tick updates occur with zero layout shift.

22.3 Challenge 3: Balancing Quantitative Power with Error Prevention

- Challenge: Algorithmic trading interfaces must support rapid interaction while strictly preventing high-impact "fat-finger" errors or unintentional strategy activation.
- Design Approach: Built dynamic pre-trade validation into order tickets, visually highlighted risk thresholds (e.g. missing stop-loss warning), and added two-step confirmation dialogs for destructive actions (e.g. Emergency Kill Switch).
- Result: Zero unvalidated orders can be submitted; traders maintain high speed for normal operations while high-risk actions carry appropriate friction.

22.4 Challenge 4: Multi-Column Terminal Usability on Mobile Devices

- Challenge: Desktop trading terminals rely on expansive multi-column layouts with simultaneous chart, depth, and order areas that are physically impossible to view side-by-side on a 375px mobile display.
- Design Approach: Engineered an adaptive layout transformation that re-stacks zones into a vertical card sequence and introduces swipeable segmented tabs (Chart vs. Order Ticket vs. Depth vs. Positions).
- Result: Full analytical and order execution capabilities are preserved on smartphones without compromising touch ergonomics.

CHAPTER 23: MY UI/UX CONTRIBUTION

As the UI/UX Designer for the SmartQuant Edge (QuantEdge AI) project, my contribution focused exclusively on user interface design, user experience strategy, visual branding, and front-end design system engineering.

A concise summary of my individual work includes:

62. Visual Identity & Brand Architecture:

- Formulated the "Sovereign Dark Fintech" design aesthetic, combining a deep midnight navy canvas with vibrant electric teal accents.

- Designed the visual branding, geometric logo styling, and aesthetic tone that projects institutional credibility and mathematical precision.

63. Design System & Token Architecture:

- Authored the comprehensive design tokens in `src/styles.css` using modern Tailwind CSS v4 variables.
- Established the OKLCH semantic color palette, geometric typography scale (Space Grotesk, DM Sans, JetBrains Mono), spacing grid, and border radius hierarchy (`0.9rem` base).
- Engineered custom CSS utilities for layered glassmorphism (`@utility glass`), gradient typography (`@utility text-gradient`), and tabular number formatting (`@utility num`).

64. Reusable UI Component Library:

- Designed, styled, and documented over 35 modular UI components, including KPI cards, interactive data tables, status badges, segmented toggles, tabbed containers, and slide-out drawers.
- Structured component contracts with Radix UI primitives to ensure robust accessibility, focus trapping, and keyboard navigability.

65. Multi-Screen Layout & Interface Design:

- Designed the complete layout architecture across all 27 documented screens (12 public routes and 15 authenticated application routes), including the public marketing portal, authentication gateway, executive dashboard, live multi-pane trading desk, strategy builder, backtesting suite, and risk command center.
- Created the responsive 3-column layout with bottom order lifecycle area (four functional zones) for the Live Terminal, balancing candlestick charts, order entry tickets, risk validation indicators, and active position streams.

66. Information Architecture & Navigation Design:

- Formulated the platform sitemap and navigational hierarchy, categorizing complex quantitative tools into intuitive operational suites.
- Designed the persistent AppShell navigation, top telemetry bar, live market ticker marquee, and global Command Palette (`Ctrl+K`).

67. Interaction Design & Micro-Animations:

- Configured smooth state transitions and micro-animations using Motion v12 (`motion/react`) and CSS keyframes, including card hover elevation, ticker marquee scrolling, pulsating status dots, and drawer entries.
- Designed non-blocking feedback patterns via Sonner toast notifications and interactive loading states.

68. Responsive Design & Cross-Device Engineering:

- Designed and verified adaptive layout behaviors across Desktop (1280×800), Tablet (768×1024), and Mobile (375×812) viewports.
- Engineered horizontal scroll containment for dense tables and touch-friendly 44px hit targets for mobile controls.

69. Design Validation & Usability Testing:

- Established the UI/UX testing matrix, verifying 15 rigorous test scenarios covering navigation, responsive adaptations, form validations, and chart interactions.
- Created examiner demo account quick-fill helpers to facilitate seamless academic evaluations and presentations.




Figure 23.1: Designer Contribution Taxonomy & Frontend Engineering Map (Visual Design, UX Architecture, Design Tokens, Component Engineering, Responsive Adaptation, Interaction FSMs, and Technical Documentation).

CHAPTER 24: FUTURE UI/UX ROADMAP

While SmartQuant Edge represents a complete, fully operational UI/UX implementation satisfying 100% of its initial requirements, several promising design enhancements are identified for future development:

70. Customizable Multi-Pane Grid Workspaces:

- Introduce user-configurable drag-and-drop workspace layouts (using `react-grid-layout`), allowing institutional traders to dock, detach, and resize chart and order book panes across multiple physical monitors.

71. Saved Workspace Layout Presets:

- Enable traders to save bespoke workspace layouts tailored for specific trading styles (e.g. "Scalping Workspace", "Options Greeks Desk", "Macro Research View").

72. User-Configurable Theme Palettes:

- Expand the design system to support alternative dark themes (e.g. "OLED Pure Black" for battery conservation, or "Classic Slate Monochrome" for minimalist focus).

73. Advanced TradingView Lightweight Charting Integration:

- Deepen charting interactions by adding user-drawn trendlines, Fibonacci retracement overlays, and interactive on-chart order line dragging for stop-loss adjustment.

74. Enhanced Interactive Onboarding & Walkthrough Tours:

- Implement an interactive guided product tour (using driver.js) to onboard novice algorithmic traders through their first strategy backtest and paper trade.

75. Granular Keyboard Shortcut Customization:

- Expand the Command Palette to allow power traders to map custom hotkeys (e.g. `Shift+B` for Instant Buy, `Shift+S` for Instant Sell, `Space` for Pause Algorithm).

CHAPTER 25: CONCLUSION

The UI/UX design of **SmartQuant Edge (QuantEdge AI)** successfully transforms complex mathematical algorithms, high-frequency market telemetry, and pre-trade risk controls into a disciplined, intuitive, and aesthetically compelling financial technology workstation.

By grounding every visual and interactive decision in human-computer interaction (HCI) principles—reducing cognitive load through a calming deep navy canvas, eliminating numeric jitter with tabular monospace typography, enforcing pre-trade risk visibility with unmissable status badges, and delivering absolute explainability through the 9-stage audit chain—the interface empowers traders to formulate and execute systematic strategies with clarity, speed, and confidence.

The resulting design system represents a scalable, production-grade foundation that seamlessly adapts across desktop command centers, tablet touchscreens, and mobile terminals without sacrificing analytical rigor. SmartQuant Edge stands as a documented example of modern quantitative UI/UX design, fully validated, verified, and prepared for final academic capstone submission and future institutional deployment.

TECHNICAL APPENDIX: LOW-FIDELITY WIREFRAME SPECIFICATIONS

This appendix documents the 12 low-fidelity wireframes created during the foundational layout design and interaction prototyping phase of SmartQuant Edge. Each diagram illustrates the structural geometry, information zones, and control hierarchies established prior to high-fidelity implementation. Every asset is explicitly designated as a [LOW-FIDELITY WIREFRAME] to ensure rigorous academic clarity and transparent design process tracking.




Figure WF.1: [LOW-FIDELITY WIREFRAME] Public Landing Page Architecture & Structural Wireframe Specification




Figure WF.2: [LOW-FIDELITY WIREFRAME] Sovereign Authentication Gateway & Credentials Verification Wireframe




Figure WF.3: [LOW-FIDELITY WIREFRAME] Trader Registration & Sovereign ID Provisioning Wireframe




Figure WF.4: [LOW-FIDELITY WIREFRAME] Executive Terminal Telemetry Dashboard & KPI Card Matrix Wireframe




Figure WF.5: [LOW-FIDELITY WIREFRAME] Market Watchlist & Level-2 Order Depth Drawer Wireframe




Figure WF.6: [LOW-FIDELITY WIREFRAME] Multi-Factor Quantitative Market Scanner & Confluence Table Wireframe






Figure WF.8: [LOW-FIDELITY WIREFRAME] Quantitative Backtesting & Historical Simulation Console Wireframe




Figure WF.9: [LOW-FIDELITY WIREFRAME] Multi-Pane Live Trading Execution Terminal Workstation Wireframe




Figure WF.10: [LOW-FIDELITY WIREFRAME] Pre-Trade Risk Governance Center & Dynamic Limit Dials Wireframe




Figure WF.11: [LOW-FIDELITY WIREFRAME] Multi-Asset Portfolio Workstation & Holdings Allocation Matrix Wireframe

