Material : CSD.4C Series CSD CUSTOM
Serial : 1456
Equipment: 6452542 CSD 120 Special 8,5 bar 400 V

A

———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—1260—**	Use up part - see bill of mate	**1**	**PC**
1100	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1102	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1250	**4E0301.00010**	KIT air filter cartridge Ø420x	**1**	**PC**

B

———	**—1260—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
1100	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1102	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1200	**6.4493.0**	Oil filter insert 298mm	**1**	**PC**
1250	**4E0301.00010**	KIT air filter cartridge Ø420x	**1**	**PC**
1450	**6.3571.0**	KIT oil separator cartridge Ø2	**1**	**PC**
1600	**9.6771.00050**	SIGMA FLUID S-570 10 l	**4**	**PC**
9602	**8.2474.01510**	KIT Service-UNIT ECO-DRAIN 31/	**1**	**PC**

C


———	**—1260—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
1100	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1102	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1200	**6.4493.0**	Oil filter insert 298mm	**1**	**PC**
1250	**4E0301.00010**	KIT air filter cartridge Ø420x	**1**	**PC**
1450	**6.3571.0**	KIT oil separator cartridge Ø2	**1**	**PC**
1600	**9.6771.00050**	SIGMA FLUID S-570 10 l	**4**	**PC**
2022	**400711.10021**	KIT maintenance MP check valve	**1**	**PC**
2042	**400892.0**	KIT maintenance inlet valve	**1**	**SE**
2102	**400905.0**	KIT mainten. control and venti	**1**	**SE**
2112	**404128.1**	KIT mainten. oil temperature r	**1**	**PC**
2122	**403756.0**	KIT maintenance venting valve	**1**	**PC**
2182	**222958E10010**	KIT overflow valve	**1**	**PC**
9602	**8.2474.01510**	KIT Service-UNIT ECO-DRAIN 31/	**1**	**PC**

D


———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—0550—**	Use up part - see bill of mate	**1**	**PC**
———	**—1260—**	Use up part - see bill of mate	**1**	**PC**
1100	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1102	**7.4519.0**	Filter mat 170x170x10	**1**	**PC**
1200	**6.4493.0**	Oil filter insert 298mm	**1**	**PC**

1250	**4E0301.00010**	KIT air filter cartridge Ø420x	**1**	**PC**
1450	**6.3571.0**	KIT oil separator cartridge Ø2	**1**	**PC**
1600	**9.6771.00050**	SIGMA FLUID S-570 10 l	**4**	**PC**
2024	**202127.20021**	KIT revision MP check valve	**1**	**PC**
2044	**400893.1**	KIT revision inlet valve	**1**	**SE**
2104	**400707.00020**	KIT revision control and venti	**1**	**SE**
2114	**404128.10001**	KIT revision oil temperature r	**1**	**PC**
2122	**403756.0**	KIT maintenance venting valve	**1**	**PC**
2182	**222958E10010**	KIT overflow valve	**1**	**PC**
4400	**5.3129E3**	KIT drive coupling Ø138/Ø138	**1**	**SE**
4451	**401845.0**	KIT revision roller bearings 6	**1**	**PC**
4701	**404255.0**	KIT revision roller bearings 6	**1**	**PC**
4930	**7.2751.00171**	Wall-mounted fan LV 300 230V B	**1**	**PC**
5420	**7.7457.0**	Actuator	**1**	**PC**
7180	**8.2313.10020**	Hose line DN10x780 PN16	**1**	**PC**
7190	**8.2314E10100**	KIT hose line DN12x750	**1**	**PC**
7255	**8.2629E0**	KIT hose line DN25x1036	**1**	**PC**
7350	**403839.0**	KIT control lines DN4	**1**	**PC**
7366	**8.1813.0**	Hose line DN10x660	**1**	**PC**
7563	**8.1928.1**	Hose line DN9x1500	**1**	**PC**
9602	**8.2474.01510**	KIT Service-UNIT ECO-DRAIN 31/	**1**	**PC**


29.09.2026


WWW.KAESER.COM
SIGMA 290 16BAR
MAT 1.6970E1
SER 4768 BJ 2026
EQU 8316381



SIEMENS
NEMA Premium IE3
CE
CC 032A
1803/77128731-008
60Hz: SF 1.15
-20°C <=TAMB<=70°C
Bearing
UNIREX-N3
DE 6206-ZC3/5g
NE 6206-ZC3/5g
Interval: 6000h
60Hz:CONT
NEMA MG1 12-12 TEFC Design A 2.0HP
V Hz A kW PF NOM.EFF rpm IE-CL CL
60 5.6 1.5 0.73 88.5 1175 MG1 L
60 2.9 1.5 0.73 88.5 1175 MG1 L


SIEMENS
IE4
Made in Czech Rep.
D-90441 Nürnberg
3~MOT 1CV4256A 1PC30052CA600MJ0
UC 1803/217702801
IEC/EN 60034 250M IMB35 IP55
50 Hz – SF 1,36
60 Hz – SF 1,36
500kg Th.Cl. 155(F) -20°C <=TAMB<=45°C
Un+-10%
Bearing
UNIREX-N3
DE 6215-C4 20g Interval: 2000h
NE 6215-C4 20g
V Hz A kW cos φ NOM.EFF 1/min IE-CL
400Δ 50 95 55 0.88 95.3% 2980 IE4
460Δ 60 84 55 0.87 94.5% 3582 IE4
Q 7.7636.10330



KAESER KOMPRESSOREN SE
SC2MCS SIGMA CONTROL 2
c UL us
LISTED
IND.CONT.EQ. 3YB7
CoDeSys included
MAC: 80:6C:8B:01:5A:54
PN : 6309.1500.3903
SN : 18.07.006.920
MFGDT : 2018/03
Kaeser PN: 7.7601P0
Kaeser SN: 100069
Prodrive B.V. (E324573)
FCC ID:
MCS,
ual
ove X2, X3
s applied
RS485-FC
X3
2, 320mA
us
2



DIx.04
DIx.05
DIx.06
DIx.07
X=1
X8
DI_P[B]
DI_P[B]
DI_P[B]
DI_P[B]
DI_P[B]
DI_P[B]
DIx.08
DIx.09
DIx.10
DIx.11
DIx.12
DIx.13
KAESER KOMPRESSOREN SE
SC21OM – 1 Input Output Module 1
LISTED
IND.CONT.EQ. 3YB7
PN : 6309.1500.1701
SN : 18.05.017.391
MFGDT : 2018/03
Kaeser PN: 7.7602P1
Kaeser SN: 099310
Prodrive B.V. (E324573)
X4
DOT
x.01
M24
DOT
x.02
M24
FE
L+
L–
FE
Use Class 2
Power supply
Max. total load for
DORx.00-DORx.07: 2000VA
*see instruction manual
DORx.00...03*
C300, R300
1/8hp 120VAC 50/60Hz
1/3hp 240VAC 50/60Hz
DORx.04...07*
B300, R300
1/3hp 120VAC 50/60Hz
1/2hp 240VAC 50/60Hz
X5
DORx.00
DORx.01
DORx.02
X9
DORx.05
DORx.06


3RT 1956-4EA2
SIEMENS
SIRIUS
3RT 1956-4EA2
SIEMENS
SIRIUS


3RT 1956-4EA2
1/L1
-Q3
-Q2
2/T1


3RT 1956-4EA2
SIEMENS
SIRIUS
1/L1
3/L2
5/L3
3RT1054-1..6
-Q2
2/T1
4/T2
6/T3
3RT 1956-4EA2
SIEMENS
SIRIUS
1/L1
3/L2
5/L3
3RT1054-1..6
-Q1
2/T1
4/T2
6/T3
SIEMENS
SIRIUS
-B25


PSDC24/2.5 Class 2 Power Supply
PRODRIVE
CAUTION:
RISK OF ELECTRIC SHOCK
DO NOT EXPOSE TO LIQUID, VAPOR OR RAIN
-T21
24V OK
100-240VAC
3 min
100-240VAC
24V OK
24VDC 2.5A
100 - 240VAC 1.25 - 0.65A
60/50Hz
- - - + +
24V OK
N
L1
OUTPUT
INPUT


SIEMENS
SIRIUS
18/09/20


SIEMENS
SIRIUS
TRIPPED
ON
OFF
TEST
CLASS 10
65A
-F4
3RV2021-1FA10
SIEMENS
SIRIUS
TRIPPED
ON
OFF
TEST
CLASS 10
21A
-F11
3RV2021-1AA10
1/L1
3/L2
5/L3
2/T1
4/T2
6/T3


Pri.:
0
380V
0,74A
400V
0,70A
420V
0,67A
BLOCK
B 0001090
250/850VA
Sach.-Nr.:7.0772.2
STE 250/x
FA-NR.:732984
ta 40°C
CL.B
50-60Hz
www.block.eu
c US
Type
EI 96/59/B
EN 61558
Sec.:
0
230V
1,09A
1,0A
ETA Typ 5700
-T11
KON9
5314

Max working pressure	8.5 bar
Amb. temp	3/45 deg. cel

KAESER COMPRESSORS

KAESER COMPRESSORS (India) Pvt. Ltd.
Plot No. 1&2 Survey No. 297, 298, 299,
Indo-German Technology Park, Urawade,
Taluka Mulshi, Dist PUNE - 412 115, INDIA
Tel.: +912066769240 Fax: +912066769238

Model	CSD 120
Part number	CSD.4C
Serial number	1456
Year of manufacture	2018
Rated power	55.0 kw
Rated motor speed	2980 rpm
Max working pressure	8.5 bar
Amb. temp	3/45 deg. cel