

ArcelorMittal Nippon Steel India Pvt Ltd AM/NS SAGASAH I MINES OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON ORE BLOCK,KOIRA,770048,Odisha,India CIN U27100GJ1976FTC013787 PAN AAACE1741P GSTIN 21AAACE1741P1ZT				Request for Quotation Number 6000138920 Date 28.07.2025 Submission Date 04.08.2025 Coll Req No				AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.				Contact for this RFQ Mr. Abhishek Kumar Contact Email ABHISHEK.KUMAR8@AMNS.IN MATERIALS / SERVICES Please acknowledge receipt of the RFQ And provide your best quote for below given RFQ details.			
Header Text															
Header Text :				Header Text :				Header Text :				Header Text :			
SR. No	PR No.	PR Item	RFQ Item	Material / Service No.		Quantity	UOM	Detail Description				Other Details			
1	28041149	0001	0001	300159466		18	NO	CIRCUIT BREAKER,MINIATURE MAKE:MDS				Item Details : CIRCUIT BREAKER, MINIATURE, POLE: 2 P, CURRENT RATING: 6 A, FREQUENCY: 50 HZ MAKE: Siemens/Havells WARRANTY- 1 YEAR Item Note :			
				6 amps , 2 Pole MCB'S											
	Technical Details	Name :		Rudra Sahoo											
		Contact :													
		Email :		RUDRA.SAHOO@AMNS.IN											
2	28041149	0002	0002	300008895		12	NO	CIRCUIT BREAKER,MINIATURE, POLE: 2 P, CURRENT RATING: 10 A, FREQUENCY: 50 HZ				Item Details : CIRCUIT BREAKER, MINIATURE, POLE: 2 P, CURRENT RATING: 10 A FREQUENCY: 50 HZ MAKE: Siemens/Havells WARRANTY- 1 YEAR Item Note :			
				MCB,2P,10A											
	Technical Details	Name :		Rudra Sahoo											
		Contact :													
		Email :		RUDRA.SAHOO@AMNS.IN											
3	28041149	0003	0003	300695247		180	NO	BLOCK,TERMINAL VOLTAGE : 1000 V , CURRENT : 85 A , CIRCUIT : 1 P TERMINAL : SCREWLESS				Item Details : BLOCK,TERMINAL VOLTAGE : 1000 V CURRENT : 85 A CIRCUIT : 1 P TERMINAL : SCREWLESS Size- 2.5 sqmm Make: Connectwell Industries Pvt. Ltd WARRANTY- 1 YEAR Item Note :			
				BLOCK,TERMINAL,,1000V,85A,1P											
	Technical Details	Name :		Rudra Sahoo											
		Contact :													
		Email :		RUDRA.SAHOO@AMNS.IN											
4	28041149	0004	0004	300862339		10	NO	BLOCK,TERMINAL CONDUCTOR SIZE:0.2 - 4 MM2 , VOLTAGE:690 V , CURRENT:24 A TERMINAL TYPE:SCREW ADDITIONAL INFORMATION:CONTROL TERMINAL FEED-THROUGH MAKE PART NO:3001035 , MAKE NAME:PHOENIX				Item Details : Terminal block mouting patti for TB (1 Mtr) C - Channel Make: Connectwell Industries Pvt. Ltd WARRANTY- 1 YEAR Item Note :			
				BLOK,TERMINAL,PN:3001035,0.2-4MM2,690V,											
	Technical Details	Name :		Rudra Sahoo											
		Contact :													
		Email :		RUDRA.SAHOO@AMNS.IN											
5	28041149	0005	0005	300155677		270	NO	FASTENER,BOLT TYPE : ANCHOR , ADDITIONAL INFORMATION : ##### ANCHOR FASTNERS 10MM				Item Details : FASTENER,BOLT TYPE : ANCHOR ADDITIONAL INFORMATION : ##### ANCHOR FASTNERS 10MM X 150MM Length Make: Hilti / Fischer WARRANTY- 1 YEAR Item Note :			
				ANCHOR FASTNERS 10MM											
	Technical Details	Name :		Rudra Sahoo											
		Contact :													
		Email :		RUDRA.SAHOO@AMNS.IN											

ArcelorMittal Nippon Steel India Pvt Ltd

AM/NS SAGASAH I MINES

OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON

ORE BLOCK,KOIRA,770048,Odisha,India

CIN

U27100GJ1976FTC013787

PAN

AAACE1741P

GSTIN

21AAACE1741P1ZT

Request for Quotation

Number

6000138920

Date

28.07.2025

Submission Date

04.08.2025

Coll Req No

AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.

Contact for this RFQ

Mr. Abhishek Kumar

Contact

Email ABHISHEK.KUMAR8@AMNS.IN

AM/NS INDIA

MATERIALS / SERVICES

Please acknowledge receipt of the RFQ

And provide your best quote for below given RFQ details.

SR. No	PR No.	PR Item	RFQ Item	Material / Service No.	Quantity	UOM	Detail Description	Other Details
6	28041149	0006	0006	300876257	115	NO	GLAND,ELECTRICAL CABLE TYPE:DOUBLE COMPRESSION , GLAND SIZE:19 MM , THREAD TYPE:ET BODY MATERIAL:BRASS , END CONNECTION STANDARD DETAILS:CHECK NUT PROTECTION CLASS:IP 66 AS PER IS 12063 ADDITIONAL INFORMATION:BRASS (IS-319) STANDARD	Item Details : GLAND,ELECTRICAL CABLE TYPE:DOUBLE COMPRESSION GLAND SIZE:19 MM (PN-1619) Make: Havells / Connectwell WARRANTY- 1 YEAR
				Name : Rudra Sahoo				Item Note :
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
7	28041149	0007	0007	300911989	35	NO	BOARD,DISTRIBUTION TYPE:LDB , INPUT VOLTAGE:415 VAC , INPUT ISOLATOR:4P 63 AMP MCCB OUTPUT VOLTAGE:415 VAC , OUTPUT ISOLATOR:4P 16 AMP RCBO OUTPUT FEEDER:4P 16 AMP RCBO- 35 NOS SHORT CIRCUIT THERMAL CURRENT:16 KA FOR 1 SEC , BUS BAR/CABLE:BUS BAR PROTECTION CLASS:IP-65 MOUNTING:FLOOR MOUNTING. FREE STANDING WITH ISMC 75 STAND ADDITIONAL INFORMATION:WITH CANOPY , WITH ANTI-CORROSIVE PAINTING	Item Details : 1 Switch with 1 Socket(16Amp) , With Mounting Box Make: Havells / CONA /ANCHOR WARRANTY- 1 YEAR
				Name : Rudra Sahoo				Item Note :
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
8	28041149	0008	0008	200034783	160	M	CONDUIT TYPE : CABLE , SIZE : 1 INCH , MATERIAL : MILD STEEL,GALVANISED CONNECTION : NPT MALE	Item Details : CONDUIT TYPE : CABLE SIZE : 1 INCH MATERIAL : MILD STEEL,GALVANISED CONNECTION : NPT MALE Make: BEC / Precision Pipes WARRANTY- 1 YEAR
				Name : Rudra Sahoo				Item Note :
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
9	28041149	0009	0009	300865129	90	M	CABLE,ELECTRIC CONTROL TYPE:INSTRUMENT , NO OF CORE:19C , SIZE:1.0 MM2 VOLTAGE:1100 V , CONDUCTOR TYPE:MULTISTRANDED CONDUCTOR MATERIAL:ANNEALED COPPER , INSULATION MATERIAL:EPR ARMOURED MATERIAL:UNARMOURED , INNER SHEATH MATERIAL:PVC SCREEN MATERIAL:COPPER , OUTER SHEATH MATERIAL:PVC	Item Details : CABLE,ELECTRIC CONTROL (RED) TYPE:INSTRUMENT , PVC NO OF CORE:1C SIZE:1.0 MM2 , 1 Core VOLTAGE:500 V CONDUCTOR TYPE:MULTISTRANDED CONDUCTOR MATERIAL:ANNEALED COPPER INSULATION MATERIAL:EPR ARMOURED MATERIAL:UNARMOURED INNER SHEATH MATERIAL:PVC SCREEN MATERIAL:COPPER OUTER SHEATH MATERIAL:PVC COLOR-RED Make:Polycab / Finolex / KEI / Havells WARRANTY- 1 YEAR
				Name : Rudra Sahoo				Item Note :
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				

Page 2 of 6

ArcelorMittal Nippon Steel India Pvt Ltd AM/NS SAGASAH I MINES OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON ORE BLOCK,KOIRA,770048,Odisha,India CIN U27100GJ1976FTC013787 PAN AAACE1741P GSTIN 21AAACE1741P1ZT				Request for Quotation Number 6000138920 Date 28.07.2025 Submission Date 04.08.2025 Coll Req No			AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.	Contact for this RFQ Mr. Abhishek Kumar Contact Email ABHISHEK.KUMAR8@AMNS.IN MATERIALS / SERVICES Please acknowledge receipt of the RFQ And provide your best quote for below given RFQ details.
SR. No	PR No.	PR Item	RFQ Item	Material / Service No.	Quantity	UOM	Detail Description	Other Details
10	28041149	0010	0010	300860627 CABLE,EL-CTRL,PN:0011018,3C,1.0MM2,CU	100	M	CABLE,ELECTRIC CONTROL TYPE:PVC , NO OF CORE:3C , SIZE:1.0 MM2 , VOLTAGE:500 V CONDUCTOR TYPE:MULTISTRANDED , CONDUCTOR MATERIAL:COPPER INSULATION MATERIAL:PVC , MAKE NAME:LAPP OR EQUIVALENT MAKE PART NO:0011018	Item Details : CABLE,ELECTRIC CONTROL (BLACK) TYPE:INSTRUMENT , PVC NO OF CORE:1C SIZE:1.0 MM2 , 1 Core VOLTAGE:500 V CONDUCTOR TYPE:MULTISTRANDED CONDUCTOR MATERIAL:ANNEALED COPPER INSULATION MATERIAL:EPR ARMOURED MATERIAL:UNARMOURED INNER SHEATH MATERIAL:PVC SCREEN MATERIAL:COPPER OUTER SHEATH MATERIAL:PVC COLOR-BLACK Make:Polycab / Finolex / KEI / Havells WARRANTY- 1 YEAR Item Note :
		Technical Details		Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
11	28041149	0011	0011	300053465 TRAY,CABLE,50X25X2,HOTDIP GI	280	M	TRAY,CABLE TYPE : PERFORATED , SIZE : 50 X 25 X 2 MM , MATERIAL : HOTDIP GI	Item Details : TRAY,CABLE TYPE : PERFORATED SIZE : 50 X 25 X 2 MM MATERIAL : HOTDIP GI Make: Legrand / Superfab WARRANTY- 1 YEAR Item Note :
		Technical Details		Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
12	28041149	0012	0012	300892677 TRAY,CABLE,PRFTD,STRAIGHT,100X50X2MM,MS	140	M	TRAY,CABLE TYPE:PERFORATED , DESIGN:STRAIGHT SIZE (WIDTH X SIDE X THICKNESS):100 X 50 X 2 MM MATERIAL:MILD STEEL, HOT DIP GALVANIZED , STANDARD DETAILS:IS 2629 ADDITIONAL INFORMATION:CABLE TRAY WITH COUPLER PLATES,NUT AND BOLTS	Item Details : TRAY,CABLE TYPE:PERFORATED DESIGN:STRAIGHT SIZE (WIDTH X SIDE X THICKNESS):100 X 50 X 2 MM Make: Legrand / Superfab WARRANTY- 1 YEAR Item Note :
		Technical Details		Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
13	28041149	0013	0013	300323161 BOX,ELE,JUNCTION,400X 400X210MM,MS	15	NO	BOX,ELECTRICAL TYPE : JUNCTION , SIZE : 400W X 400H X 210D MM SHAPE : RECTANGULAR , KNOCKOUTS : FRONT CABLE SIZE : 4X16,4X25,4X6 SQ MM , MATERIAL : MS WITH VINYLESTER D470	Item Details : BOX,ELECTRICAL TYPE : JUNCTION SIZE : 400W X 400H X 200D MM SHAPE : RECTANGULAR Metal Body Make: Siemens / L<(>&<)>T Enclosures WARRANTY- 1 YEAR Item Note :
		Technical Details		Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
14	28041149	0014	0014	300027720 BOX,ELECTRICAL,JUNCTION,500X500X300MM,SS	10	NO	BOX,ELECTRICAL TYPE : JUNCTION , SIZE : 500X500X300 MM , SHAPE : RECTANGULAR KNOCKOUTS : I/C 1NO 285SQ.MM O/G 1NO SQ.MM , MATERIAL : STAINLESS STEEL PROTECTION CLASS : IP 55 , MOUNT : WALL ADDITIONAL INFORMATION : WATER PROOF AND DUST PROOF DESIGN,WITH GLASS WINDOW	Item Details : BOX,ELECTRICAL TYPE : JUNCTION SIZE : 500X500X200 MM SHAPE : RECTANGULAR Metal Body Make: Siemens / L<(>&<)>T Enclosures WARRANTY- 1 YEAR Item Note :
		Technical Details		Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				

**AM/NS
INDIA**

ArcelorMittal Nippon Steel India Pvt Ltd AM/NS SAGASAH I MINES OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON ORE BLOCK,KOIRA,770048,Odisha,India CIN U27100GJ1976FTC013787 PAN AAACE1741P GSTIN 21AAACE1741P1ZT				Request for Quotation Number 6000138920 Date 28.07.2025 Submission Date 04.08.2025 Coll Req No			AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.	Contact for this RFQ Mr. Abhishek Kumar Contact Email ABHISHEK.KUMAR8@AMNS.IN MATERIALS / SERVICES Please acknowledge receipt of the RFQ And provide your best quote for below given RFQ details.
SR. No	PR No.	PR Item	RFQ Item	Material / Service No.	Quantity	UOM	Detail Description	Other Details
15	28041149	0016	0015	300156487	1.2	TO	ANGLE,STRUCTURAL WIDTH A:25 MM , WIDTH B:25 MM , LENGTH:6 M THICKNESS:6 MM , MATERIAL:MILD STEEL MATERIAL SPECIFICATION:IS 2062 , GRADE:A	Item Details : ANGLE,STRUCTURAL WIDTH A:25 MM WIDTH B:25 MM LENGTH:6 M THICKNESS:6 MM MATERIAL:MILD STEEL Make: TATA / SAIL / JINDAL WARRANTY- 1 YEAR Item Note :
				ANGLE,STRUCTURAL,25X25MM,6MM,MS,IS2062				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
16	28041149	0017	0016	300911506	1.1	TO	CHANNEL,STRUCTURAL TYPE:ISMC , DEPTH:100 MM , FLANGE WIDTH:50 MM FLANGE THICKNESS:7.70 MM , WEB THICKNESS:5 MM MATERIAL:MILD STEEL MATERIAL DETAILS (STANDARD AND GRADE):IS 2062, E350BR	Item Details : CHANNEL,STRUCTURAL TYPE:ISMC DEPTH:100 MM FLANGE WIDTH:50 MM FLANGE THICKNESS:7.70 MM WEB THICKNESS:5 MM MATERIAL:MILD STEEL Make: TATA / SAIL / JINDAL WARRANTY- 1 YEAR Item Note :
				CHANNEL,STR,100MM,50MM,7.70MM,5MM,MS				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
17	28041149	0019	0017	200007815	0.25	TO	PLATE,METAL, SIZE: 3 MM, MATERIAL: MILD STEEL, SPECIFICATION: IS2062 B, GRADE: B	Item Details : PLATE,METAL, SIZE: 3 MM, MATERIAL: MILD STEEL, SPECIFICATION: IS2062 B, GRADE: B Make: TATA / SAIL / JINDAL WARRANTY- 1 YEAR Item Note :
				PLATE,METAL,3 MM,MS				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
18	28041149	0021	0018	300341345	20	M	PIPE, SIZE : 2-1/2 INCH, SCHEDULE 80 MATERIAL - STAINLESS STEEL ASTM 316 , ENDS : PLAIN	Item Details : MS/GI Round 2.5inch Pipe 4Mtr(round) Make:TATA / SAIL / JINDAL WARRANTY- 1 YEAR Item Note :
				PIPE, SIZE 2.5 INCH, SS 316, SCH 80				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
19	28041149	0022	0019	300921288	1,525	M	CABLE,COMM,CAT6,4,23AWG CABLE : COMMUNICATION , TYPE : CAT6 , NO. OF CORES :4 CONDUCTOR SIZE : 23 AWG , CONDUCTOR MATERIAL : COPPER CLAD ALUMINIUM. INSULATION MATERIAL : PVC , OUTER JACKET MATERIAL : POLYTHLENE SHIELDING : METAL FOIL,WIRE MESH , SIZE OF CABLE WITH CORE : 1.5 MM OPERATING VOLTAGE : 48 VDC , OPERATING TEMP. RANGE : -20 NOMINAL CHARECTERSTIC IMPEDENCE : 100 OHM	Item Details : CABLE,COMM,CAT6, CABLE : COMMUNICATION TYPE : CAT6 UTP Make: Commscope Length: 305 Mtr (1 Drum) WARRANTY- 1 YEAR Item Note :
				CABLE,COMM,CAT6,4,23AWG				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				
20	28041149	0023	0020	300081535	400	M	PIPE,LINE SIZE : 50X6 MM , INSIDE DIAMETER : 38 MM OUTSIDE DIAMETER : 50 MM , THICKNESS : 6 MM , SCHEDULE : LONG ENDS : OPEN , RATING : 4 , PROCESS : NORMAL MATERIAL : HDPE , SPECIFICATION : PIPE , HDPE ADDITIONAL INFORMATION : DUTRON MAKE, SWG	Item Details : HDPE Pipe 32mm Make: Supreme / Prince / Astral WARRANTY- 1 YEAR Item Note :
				PIPE,LINE,50X6MM,38MMX50MMX6MM,LONG,OPEN				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				

**AM/NS
INDIA**

ArcelorMittal Nippon Steel India Pvt Ltd AM/NS SAGASAH I MINES OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON ORE BLOCK,KOIRA,770048,Odisha,India CIN U27100GJ1976FTC013787 PAN AAACE1741P GSTIN 21AAACE1741P1ZT				Request for Quotation Number 6000138920 Date 28.07.2025 Submission Date 04.08.2025 Coll Req No		AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.		Contact for this RFQ Mr. Abhishek Kumar Contact Email ABHISHEK.KUMAR8@AMNS.IN MATERIALS / SERVICES Please acknowledge receipt of the RFQ And provide your best quote for below given RFQ details.
SR. No	PR No.	PR Item	RFQ Item	Material / Service No.	Quantity	UOM	Detail Description	Other Details
21	28041149	0024	0021	300887643	250	M	CABLE,ELECTRIC CONTROL TYPE:ARMOURED , NO OF CORE:16C , SIZE:1.5 MM2 VOLTAGE:1100 V , FREQUENCY:50 HZ , CONDUCTOR TYPE:MULTISTRANDED CONDUCTOR MATERIAL:COPPER , INSULATION MATERIAL:XLPE ARMOURED MATERIAL:GI INNER SHEATH MATERIAL:ST-2 PVC EXTRUDED/WAPPED INNER SHEATH SCREEN MATERIAL:UNSCREENED OUTER SHEATH MATERIAL:ST-2 PVC EXTRUDED FRLS OUTER SHEATH	Item Details : CABLE,ELECTRIC CONTROL TYPE:ARMOURED NO OF CORE:16C SIZE:1.5 MM2(Sqmm) VOLTAGE:1100 V FREQUENCY:50 HZ CONDUCTOR TYPE:MULTISTRANDED CONDUCTOR MATERIAL:COPPER INSULATION MATERIAL:XLPE ARMOURED MATERIAL:GI MAKE: Polycab / KEI / RR Kabel / Havells / Finolex WARRANTY- 1 YEAR Item Note :
				CABLE,EL-CTRL,ARM,16C,1.5MM2,CU,UNSCRN				
				Name : Rudra Sahoo				
				Contact :				
22	28041149	0025	0022	300385093	1,400	M	CABLE,POWER TYPE : ARMOURED , NO OF CORE : 3 , SIZE : 1.5 SQMM VOLTAGE : 1100 V , FREQUENCY : 50 HZ , CONDUCTOR TYPE : STRANDED CONDUCTOR MATERIAL : COPPER , INSULATION MATERIAL : PVC ARMOURED MATERIAL : GALVANISED STEEL	Item Details : CABLE,POWER TYPE : ARMOURED NO OF CORE : 3 SIZE : 1.5 SQMM VOLTAGE : 1100 V FREQUENCY : 50 HZ CONDUCTOR TYPE : STRANDED CONDUCTOR MATERIAL : COPPER INSULATION MATERIAL : PVC ARMOURED MATERIAL : GALVANISED STEEL MAKE: Polycab / KEI / RR Kabel WARRANTY- 1 YEAR Item Note :
				CABLE,POWER,ARM,3C,1.5SQMM,1100V,STRAND				
				Name : Rudra Sahoo				
				Contact :				
23	28041149	0026	0023	200029342	0.26	KM	CABLE,EARTHING CORE : 7 , SIZE : 2.22 SQMM , CONDUCTOR MATERIAL : ALUMINIUM INSULATION MATERIAL : WITHOUT INSULATION SHEATH MATERIAL : WITHOUT SHEATH , CURRENT RATING : 780 A	Item Details : STRIP TYPE : EARTHING SIZE : 25X3 MM MATERIAL : COPPER (COATED WITH GREEN COLOUR SLEEVES) Make: Hindalco / NALCO / Jindal WARRANTY- 1 YEAR Item Note :
				CABLE,EARTHING,7,2.22SQMM,ALUMINIUM,780A				
				Name : Rudra Sahoo				
				Contact :				
24	28041149	0027	0024	300013091	60	M	GI PIPE 'C'CLASS DIA 40MM	Item Details : MS/GI Square 2inch Pipe Length-2.5Mtr (Square) Make: TATA / SAIL / JINDAL WARRANTY- 1 YEAR Item Note :
				GI PIPE 'C'CLASS DIA 40MM				
				Name : Rudra Sahoo				
				Contact :				
25	28041149	0028	0025	300150553	12	NO	PROTECTOR TYPE : SURGE , SIZE : 2.25X4.00 INCH , MATERIAL : STEEL ADDITIONAL INFORMATION : OPERATING TEMP -15 TO 45 DEG.C,	Item Details : SPD (Surge Protection Device) Type -3 MAKE: Schneider / Siemens / Citel WARRANTY- 1 YEAR Item Note :
				PROTECTOR,SURGE,2.25X4.00 INCH				
				Name : Rudra Sahoo				
				Contact :				
				Email : RUDRA.SAHOO@AMNS.IN				

**AM/NS
INDIA**

ArcelorMittal Nippon Steel India Pvt Ltd AM/NS SAGASAH I MINES OVER AR-139, 165 HA,GHORABURHANI-SAGASAH I IRON ORE BLOCK,KOIRA,770048,Odisha,India CIN U27100GJ1976FTC013787 PAN AAACE1741P GSTIN 21AAACE1741P1ZT				Request for Quotation Number 6000138920 Date 28.07.2025 Submission Date 04.08.2025 Coll Req No				AMNS deals with OEMs directly. We are very well equipped in every way to import / buy our goods directly from OEMs from any part of the world in a professional manner. We also use the vast global networks of our parent companies where necessary. We do not welcome any contact from intermediaries or Indian Agents of vendors. We assure all OEMs that you do not need to engage anyone to manage your transactions with us.Kindly respond to our RFQs and deal with our officials directly without involving any agents or intermediaries. Offers of vendors who insist on involving intermediaries in dealings with us could be disqualified.				Contact for this RFQ Mr. Abhishek Kumar Contact Email ABHISHEK.KUMAR8@AMNS.IN MATERIALS / SERVICES Please acknowledge receipt of the RFQ And provide your best quote for below given RFQ details.					
SR. No		PR No.		PR Item	RFQ Item	Material / Service No.		Quantity	UOM	Detail Description				Other Details			
26		28041149		0030	0026	300554485 RCCB,2P,230V,16A,30MA,200A		12	NO	CIRCUIT BREAKER,RESIDUAL CURRENT POLE : 2 , VOLTAGE RATING : 230 V , CURRENT RATING : 16 A FREQUENCY : 50 HZ , SENSITIVITY : 30 mA BREAKING CAPACITY : 200 A				Item Details : 16 A RCBO RCBOs (100 mA) Pole: Double Pole MAKE: HAVELLS / SIEMENS / Legrad WARRANTY- 1 YEAR Item Note :			
				Technical Details		Name : Rudra Sahoo											
						Contact :											
						Email : RUDRA.SAHOO@AMNS.IN											

