



# Link-Belt™ B22400 Series Roller Bearing

OVERVIEW







We don't simply understand bearings.  
**We understand your business.**





## Link-Belt™ B22400 Series Roller Bearing

When equipment goes down you lose money — plain and simple. The Link-Belt B22400 Series Roller Bearing was designed to maximize uptime and minimize changeover time so you can keep your equipment — and your profits — going strong.

B22400 Series Collar Mounted Spherical Roller Bearing Units provide economic and versatile arrangements for supporting shafts carrying substantial radial or combination radial and thrust loads. These units are especially adaptable for conveyors, elevators, general industrial machinery, heavier duty fans and blowers, power transmission applications, ditchers, trenchers, pavers and other such applications. B22400 Series units are easy to mount, sealed, shaft ready, pre-lubricated and do not require bearing adjustment during mounting.



# Proven PERFORMER

## SPHERICAL ROLLER BEARINGS

The unique design of the Link-Belt™ B22400 Series Roller Bearing incorporates a two-piece outer race that allows for greater load capacity capabilities and industry-leading misalignment capabilities. Self-aligning double row spherical roller bearings are designed to distribute the load over the symmetrical rollers, assuring positive tracking and smooth operation. The large roller complement provides high capacity for radial or combined radial-thrust loads. These precision bearings with double contoured retainer pockets are designed to meet a broad range of application requirements.

## SPRING LOCKING COLLAR

The spring locking collar design provides a secure grip of the wide inner ring bearing to the shaft. The two set screws extend through the inner ring of the bearing and lock firmly onto the shaft. Installation is fast and simple. Correctly tightening the two set screws produces elastic strain in the spring locking collar, resulting in continuous pressure on the set screw threads and providing a positive lock.

## SEALS

Three standard sealing systems are available... each offering maximum protection for the bearing. Type H floating labyrinth seals have multiple self-centering rings held securely in a steel carrier. Type E spring-loaded lip seals utilize a spring to provide uniform pressure for keeping the sealing lip in contact with the inner ring. Type E7 triple-lip seals are for heavy contact and offer greatest protection for the harshest environments.

Secured by a snap ring, seals are interchangeable and designed for grease lubrication which is purgeable and will not blow-out during relubrication cycle.

## ONE-PIECE POWDER COATED CAST IRON HOUSING

Compact one-piece housing provides strength and local support. The contoured housing design provides superior rigidity. Powder coated cast iron pillow blocks have two or four slotted bolt holes with ample space provided for drilling dowel pin holes. Flanged cartridge blocks have standard jack screw holes for easy installation and removal; flange units have drilled mounting holes and machined mounting surfaces for maximum stability. Cartridge units have cast iron housings and are finished to precision tolerances. Take-up units have machined slots for smooth, precise operation. Pillow blocks, flanged, and cartridge units are available for fixed and expansion operation.



### Housing Options:

- 2- and 4-bolt pillow blocks
- Flange blocks
- Flanged cartridge blocks
- Cartridge blocks
- Take-ups
- Fixed
- Float (3/8 inch)

### Shaft Size:

1–4 inches

### Shaft Tolerance Recommendations:

1–2 inches nominal to -0.0005 inch tolerance  
2 1/16–4 inches nominal to -0.001 inch tolerance

### Mounting Type:

Single-set collar



## INDUSTRIES SERVED

- Air Handling
- Cement/Aggregate
- Forest Products
- Mining
- Package Handling
- Steel



### Features and Benefits:

- Spring locking collar locks inner ring securely to shaft
- Choice of three seals, floating labyrinth Type H and Spring-loaded Type E and triple lip Type E7
- Heavy-contact seal available for harsh environments
- Long inner ring for high stability and load support
- Self-aligning double row spherical roller bearing adjusts  $\pm 2^\circ$  to allow for alignment variations between shaft and supporting structure
- Double contoured retainer pockets assure accurate roller guidance and positive roller control
- Sturdy, compact one-piece cast iron housing unit
- Slotted bolt holes in pillow block bases facilitate mounting; bottom of base machined






### Bearing Dimensions

| Size Code | Shaft Dia. | Expansion   |           |        | Fixed       |         |        | A<br>Base to Centerline Height | B<br>Distance Between Bolt Holes | C       | D       | E       | F     | H      | M       | P      | U       | W       | Approx. Weight |       |           |        |       |       |        |        |       |       |       |       |       |
|-----------|------------|-------------|-----------|--------|-------------|---------|--------|--------------------------------|----------------------------------|---------|---------|---------|-------|--------|---------|--------|---------|---------|----------------|-------|-----------|--------|-------|-------|--------|--------|-------|-------|-------|-------|-------|
|           |            | Part Number | L         | S      | Part Number | L       | S      |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
| B416      | 1          | PEB22416H   | 3 5/16    | 5/8    | PB22416H    | 3 1/8   | 5/8    | 1 9/16                         | 4 3/8                            | 5 15/16 | 2 9/16  | 2 1/16  | 3/8   | 7/8    | 1 3/4   | 17/32  | 1 9/16  | 1 29/32 | 5.00           |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 25.00      | PEB224M25H  | 84.10     | 15.90  | PB224M25H   | 79.40   | 15.90  | 39.67                          | 111.10                           | 150.80  | 65.09   | 52.40   | 10.00 | 22.20  | 44.40   | 13.50  | 39.70   | 48.40   | 2.10           |       |           |        |       |       |        |        |       |       |       |       |       |
| B420      | 1 3/16     | PEB22419H   | 3 5/8     | 5/8    | PB22419H    | 3 1/2   | 5/8    | 1 3/4                          | 4 3/4                            | 6 5/16  | 2 11/16 | 2 3/16  | 3/8   | 1 1/16 | 1 31/32 | 17/32  | 1 5/8   | 1 31/32 | 6.00           |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 1 1/4      | PEB22420H   |           |        | PB22420H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 30.00      | PEB224M30H  | 92.10     | 15.90  | PB224M30H   | 88.90   | 15.90  | 44.45                          | 120.60                           | 160.30  | 68.26   | 55.60   | 10.00 | 27.00  | 50.00   | 13.50  | 41.30   | 50.00   | 2.90           |       |           |        |       |       |        |        |       |       |       |       |       |
| B424      | 1 7/16     | PEB22423H   | 3 7/8     | 7/8    | PB22423H    | 3 11/16 | 13/16  | 1 7/8                          | 5                                | 6 9/16  | 2 7/8   | 2 1/4   | 1/2   | 1 3/16 | 2 5/16  | 21/32  | 1 25/32 | 2 3/16  | 7.00           |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 1 1/2      | PEB22424H   |           |        | PB22424H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 35.00      | PEB224M35H  | 98.40     | 22.22  | PB224M35H   | 93.70   | 20.60  | 47.62                          | 127.00                           | 166.69  | 73.02   | 57.20   | 12.00 | 30.20  | 58.70   | 16.70  | 45.20   | 55.60   | 3.20           |       |           |        |       |       |        |        |       |       |       |       |       |
| B428      | 1 5/8      | PEB22426H   | 4 3/8     | 7/8    | PB22426H    | 4 1/4   | 13/16  | 2 1/8                          | 5 1/2                            | 7 1/8   | 3 1/8   | 2 1/2   | 1/2   | 1 5/16 | 2 19/32 | 21/32  | 1 29/32 | 2 1/4   | 10.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 1 11/16    | PEB22427H   |           |        | PB22427H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 1 3/4      | PEB22428H   |           |        | PB22428H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 40.00      | PEB224M40H  | 111.10    | 22.22  | PB224M40H   | 108.00  | 20.60  | 53.98                          | 139.70                           | 180.98  | 79.38   | 63.50   | 12.00 | 33.30  | 65.90   | 16.70  | 48.40   | 57.20   | 4.70           |       |           |        |       |       |        |        |       |       |       |       |       |
| B432      | 1 15/16    | PEB22431H   | 4 9/16    | 15/16  | PB22431H    | 4 9/16  | 15/16  | 2 1/4                          | 6 1/4                            | 8 1/8   | 3 1/8   | 2 1/2   | 5/8   | 1 3/8  | 2 7/8   | 21/32  | 1 29/32 | 2 9/32  | 12.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 2          | PEB22432H   |           |        | PB22432H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 45.00      | PEB224M45H  |           |        | 115.90      |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                | 23.80 | PB224M45H | 115.90 | 23.80 | 57.15 | 158.80 | 206.38 | 79.38 | 63.50 | 16.00 | 34.90 | 73.00 |
|           | 50.00      | PEB224M50H  | PB224M50H |        |             |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                | 5.20  |           |        |       |       |        |        |       |       |       |       |       |
| B436      | 2 3/16     | PEB22435H   | 5         | 15/16  | PB22435H    | 5       | 15/16  | 2 1/2                          | 6 3/4                            | 8 5/8   | 3 5/16  | 2 9/16  | 5/8   | 1 5/8  | 3 1/4   | 25/32  | 2 1/16  | 2 7/16  | 14.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 2 1/4      | PEB22436H   |           |        | PB22436H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 55.00      | PEB224M55H  | 127.00    | 23.80  | PB224M55H   | 127.00  | 23.80  | 63.50                          | 171.40                           | 219.08  | 84.14   | 65.10   | 16.00 | 41.30  | 82.60   | 19.80  | 52.40   | 61.90   | 6.50           |       |           |        |       |       |        |        |       |       |       |       |       |
| B440      | 2 7/16     | PEB22439H   | 5 1/2     | 15/16  | PB22439H    | 5 1/2   | 15/16  | 2 3/4                          | 7 1/8                            | 9 1/8   | 3 1/2   | 2 11/16 | 5/8   | 1 5/8  | 3 9/16  | 27/32  | 2 3/16  | 2 9/16  | 17.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 2 1/2      | PEB22440H   |           |        | PB22440H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 60.00      | PEB224M60H  | 139.70    | 23.80  | PB224M60H   | 139.70  | 23.80  | 69.85                          | 181.00                           | 231.78  | 88.90   | 68.30   | 16.00 | 41.30  | 90.50   | 21.40  | 55.60   | 65.10   | 8.00           |       |           |        |       |       |        |        |       |       |       |       |       |
| B448      | 2 11/16    | PEB22443H   | 6 7/16    | 1 1/16 | PB22443H    | 6 7/16  | 1 1/16 | 3 1/4                          | 8 1/8                            | 10 7/16 | 4       | 3 3/16  | 3/4   | 2      | 4 1/16  | 27/32  | 2 7/16  | 2 25/32 | 29.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 2 3/4      | PEB22444H   |           |        | PB22444H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 2 15/16    | PEB22447H   |           |        | PB22447H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 3          | PEB22448H   |           |        | PB22448H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                | 27.00 |           |        |       |       |        |        |       |       |       |       |       |
|           | 65.00      | PEB224M65H  |           |        | PB224M65H   |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                | 13.20 |           |        |       |       |        |        |       |       |       |       |       |
|           | 70.00      | PEB224M70H  | 163.50    | 27.00  | PB224M70H   | 163.50  | 27.00  | 82.55                          | 206.40                           | 265.10  | 101.60  | 81.00   | 20.00 | 57.20  | 103.20  | 21.40  | 61.90   | 70.60   | 13.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 75.00      | PEB224M75H  | PB224M75H |        |             |         |        |                                |                                  |         |         |         |       |        | 12.50   |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
| B456      | 3 3/16     | PEB22451H   | 7 1/2     | 1 5/8  | PB22451H    | 7 1/2   | 1 5/8  | 3 3/4                          | 10                               | 13      | 4 3/8   | 3 7/16  | 7/8   | 2 1/4  | 4 29/32 | 15/16  | 2 21/32 | 3       | 43.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 3 7/16     | PEB22455H   |           |        | PB22455H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 3 1/2      | PEB22456H   |           |        | PB22456H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 80.00      | PEB224M80H  |           |        | PB224M80H   |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 85.00      | PEB224M85H  | 190.50    | 41.30  | PB224M85H   | 190.50  | 41.30  | 95.25                          | 254.00                           | 330.20  | 111.12  | 87.30   | 24.00 | 57.20  | 124.60  | 23.80  | 67.50   | 76.20   | 19.10          |       |           |        |       |       |        |        |       |       |       |       |       |
| B464      | 3 11/16    | PEB22459H   | 8 1/2     | 2 1/4  | PB22459H    | 8 1/2   | 2 1/4  | 4 1/4                          | 11 3/4                           | 15 1/4  | 5 1/16  | 4 3/16  | 1     | 2 5/8  | 5 5/8   | 1 1/16 | 3 1/16  | 3 7/16  | 61.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 3 15/16    | PEB22463H   |           |        | PB22463H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 4          | PEB22464H   |           |        | PB22464H    |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 90.00      | PEB224M90H  |           |        | PB224M90H   |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 100.00     | PEB224M100H | 215.90    | 57.20  | PB224M100H  | 215.90  | 57.20  | 107.95                         | 298.40                           | 387.40  | 128.59  | 106.40  | 24.00 | 66.70  | 142.90  | 27.00  | 77.80   | 87.30   | 26.90          |       |           |        |       |       |        |        |       |       |       |       |       |
| B464L     | 3 15/16    | -           | -         | -      | PLB22463H   | 8 3/8   | 1 7/8  | 4 1/8                          | 10 7/8                           | 14 1/4  | 5 1/16  | 4 3/16  | 1     | 2 1/2  | 5 5/8   | 1 1/16 | 3 1/16  | 3 7/16  | 58.00          |       |           |        |       |       |        |        |       |       |       |       |       |
|           | 4          | -           | -         | -      | PLB22464H   |         |        |                                |                                  |         |         |         |       |        |         |        |         |         |                |       |           |        |       |       |        |        |       |       |       |       |       |

## B22400 SERIES INTERCHANGES



| Shaft Size<br>(inches) | # of Bolts | Link-Belt™ B22400 SERIES |            | Dodge® S-2000 |            | SKF® SYR SERIES |           |
|------------------------|------------|--------------------------|------------|---------------|------------|-----------------|-----------|
|                        |            | Fixed                    | Expansion  | Fixed         | Expansion  | Fixed           | Expansion |
| 1                      | 2          | PB22416H                 | PEB22416H  | NONE          | NONE       | NONE            | NONE      |
| 1-3/16                 | 2          | PB22419H                 | PEB22419H  | P2BS2103R     | P2BS2103RE | NONE            | NONE      |
| 1-1/4                  | 2          | PB22420H                 | PEB22420H  | P2BS2104R     | P2BS2104RE | NONE            | NONE      |
| 1-7/16                 | 2          | PB22423H                 | PEB22423H  | P2BS2107R     | P2BS2107RE | SYR1716H        | SYR1716   |
| 1-1/2                  | 2          | PB22424H                 | PEB22424H  | P2BS2108R     | P2BS2108RE | SYR112H         | SYR112    |
| 1-5/8                  | 2          | PB22426H                 | PEB22426H  | P2BS2110R     | P2BS2110RE | NONE            | NONE      |
| 1-11/16                | 2          | PB22427H                 | PEB22427H  | P2BS2111R     | P2BS2111RE | SYR11116H       | SYR11116  |
| 1-3/4                  | 2          | PB22428H                 | PEB22428H  | P2BS2112R     | P2BS2112RE | SYR134H         | SYR134    |
| 1-15/16                | 2          | PB22431H                 | PEB22431H  | P2BS2115R     | P2BS2115RE | SYR11516H       | SYR11516  |
| 1-15/16                | 4          | PB22431FH                | PEB22431FH | P4BS2115R     | P4BS2115RE | NONE            | NONE      |
| 2                      | 2          | PB22432H                 | PEB22432H  | P2BS2200R     | P2BS2200RE | SYR2H           | SYR2      |
| 2                      | 4          | PB22432FH                | PEB22432FH | P4BS2200R     | P4BS2200RE | NONE            | NONE      |
| 2-3/16                 | 2          | PB22435H                 | PEB22435H  | P2BS2203R     | P2BS2203RE | SYR2316H        | SYR2316   |
| 2-3/16                 | 4          | PB22435FH                | PEB22435FH | P4BS2203R     | P4BS2203RE | NONE            | NONE      |
| 2-1/4                  | 2          | PB22436H                 | PEB22436H  | P2BS2204R     | P2BS2204RE | SYR214H         | SYR214    |
| 2-1/4                  | 4          | PB22436FH                | PEB22436FH | P4BS2204R     | P4BS2204RE | NONE            | NONE      |
| 2-7/16                 | 2          | PB22439H                 | PEB22439H  | P2BS2207R     | P2BS2207RE | SYR2716H        | SYR2716   |
| 2-7/16                 | 4          | PB22439FH                | PEB22439FH | P4BS2207R     | P4BS2207RE | NONE            | NONE      |
| 2-1/2                  | 2          | PB22440H                 | PEB22440H  | P2BS2208R     | P2BS2208RE | SYR212H         | SYR212    |
| 2-1/2                  | 4          | PB22440FH                | PEB22440FH | P4BS2208R     | P4BS2208RE | NONE            | NONE      |
| 2-11/16                | 2          | PB22443H                 | PEB22443H  | P2BS2211R     | P2BS2211RE | SYR21116H       | SYR21116  |
| 2-11/16                | 4          | PB22443FH                | PEB22443FH | P4BS2211R     | P4BS2211RE | NONE            | NONE      |
| 2-3/4                  | 2          | PB22444H                 | PEB22444H  | P2BS2212R     | P2BS2212RE | SYR234H         | SYR234    |
| 2-3/4                  | 4          | PB22444FH                | PEB22444FH | P4BS2212R     | P4BS2212RE | NONE            | NONE      |
| 2-15/16                | 2          | PB22447H                 | PEB22447H  | P2BS2215R     | P2BS2215RE | SYR21516H       | SYR21516  |
| 2-15/16                | 4          | PB22447FH                | PEB22447FH | P4BS2215R     | P4BS2215RE | NONE            | NONE      |
| 3                      | 2          | PB22448H                 | PEB22448H  | P2BS2300R     | P2BS2300RE | SYR3H           | SYR3      |
| 3                      | 4          | PB22448FH                | PEB22448FH | P4BS2300R     | P4BS2300RE | NONE            | NONE      |
| 3-3/16                 | 2          | PB22451H                 | PEB22451H  | P2BS2303R     | P2BS2303RE | NONE            | NONE      |
| 3-3/16                 | 4          | PB22451FH                | PEB22451FH | P4BS2303R     | P4BS2303RE | NONE            | NONE      |
| 3-7/16                 | 2          | PB22455H                 | PEB22455H  | P2BS2307R     | P2BS2307RE | SYR3716H        | SYR3716   |
| 3-7/16                 | 4          | PB22455FH                | PEB22455FH | P4BS2307R     | P4BS2307RE | NONE            | NONE      |
| 3-1/2                  | 2          | PB22456H                 | PEB22456H  | P2BS2308R     | P2BS2308RE | SYR312H         | SYR312    |
| 3-1/2                  | 4          | PB22456FH                | PEB22456FH | P4BS2308R     | P4BS2308RE | NONE            | NONE      |
| 3-11/16                | 2          | PB22459H                 | PEB22459H  | P2BS2311R     | P2BS2311RE | SYR31116H       | SYR31116  |
| 3-11/16                | 4          | PB22459FH                | PEB22459FH | P4BS2311R     | P4BS2311RE | NONE            | NONE      |
| 3-15/16                | 2          | PB22463H                 | PEB22463H  | P2BS2315R     | P2BS2315RE | SYR31516H       | SYR31516  |
| 3-15/16                | 4          | PB22463FH                | PEB22463FH | P4BS2315R     | P4BS2315RE | NONE            | NONE      |
| 4                      | 2          | PB22464H                 | PEB22464H  | P2BS2400R     | P2BS2400RE | SYR4H           | SYR4      |
| 4                      | 4          | PB22464FH                | PEB22464FH | P4BS2400R     | P4BS2400RE | NONE            | NONE      |

\* The following trademarks or trade names are owned by or under the control of a third party and are not owned by or under the control of Regal Rexnord Corporation or its affiliates. Dodge: RBC Bearings, Inc.; SKF: SKF Group.



# LINK-BELT™

## Regal Rexnord

Contact us: [rexnord.com/contact](https://www.rexnord.com/contact)  
[regalrexnord.com](https://www.regalrexnord.com)

The proper selection and application of products and components, including assuring that the product is safe for its intended use, are the responsibility of the customer. To view our Application Considerations, please visit <https://www.regalrexnord.com/Application-Considerations>.

To view our Standard Terms and Conditions of Sale, please visit <https://www.regalrexnord.com/Terms-and-Conditions-of-Sale> (which may redirect to other website locations based on product family).

"Regal Rexnord" is not indicative of legal entity. Refer to product purchase documentation for the applicable legal entity.  
Regal Rexnord and Link-Belt are trademarks of Regal Rexnord Corporation or one of its affiliated companies.  
© 2015, 2025 Regal Rexnord Corporation, All Rights Reserved. MCB-081-039-LB-EN-US 02/25

 **RegalRexnord™**