

Battery report

COMPUTER NAME	ANSHU
SYSTEM PRODUCT NAME	HP Victus by HP Gaming Laptop 16-s0xxx
BIOS	F.29 03/26/2025
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2026-05-17 11:13:29

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	PABAS0241231
MANUFACTURER	Hewlett-Packard
SERIAL NUMBER	41167
CHEMISTRY	LION
DESIGN CAPACITY	70,070 mWh
FULL CHARGE CAPACITY	55,200 mWh
CYCLE COUNT	-

Recent usage

Power states over the last 7 days

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-05-10	11:26:13	Connected standby	Battery	100 % 50,700 mWh
	11:26:13	Suspended		100 % 50,700 mWh
	11:26:49	Connected standby	Battery	100 % 50,700 mWh
	11:27:24	Active	Battery	100 % 50,700 mWh
	11:40:56	Connected standby	Battery	92 % 46,540 mWh
	11:53:02	Active	Battery	91 % 46,230 mWh
	12:56:18	Connected standby	Battery	69 % 34,890 mWh
	12:58:55	Active	Battery	69 % 34,800 mWh
	13:17:45	Connected standby	Battery	57 % 28,990 mWh
	13:17:45	Suspended		57 % 28,990 mWh
	15:08:31	Connected standby	AC	57 % 28,950 mWh
	15:09:06	Active	AC	58 % 29,160 mWh
	16:55:35	Connected standby	AC	100 % 55,720 mWh
	16:55:35	Suspended		100 % 55,720 mWh
	18:56:23	Connected standby	Battery	100 % 55,720 mWh
	18:56:58	Active	Battery	100 % 55,720 mWh
	19:31:34	Active	AC	86 % 48,090 mWh
	20:40:13	Connected standby	AC	100 % 55,790 mWh
	20:40:16	Active	AC	100 % 55,790 mWh
2026-05-11	00:48:22	Connected standby	AC	100 % 55,790 mWh
	00:48:22	Suspended		100 % 55,790 mWh


	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	10:19:45	Connected standby	Battery	100 %	55,790 mWh
	10:20:20	Active	Battery	100 %	55,790 mWh
	12:42:15	Connected standby	Battery	53 %	29,480 mWh
	12:52:48	Suspended		52 %	29,200 mWh
	13:42:17	Connected standby	Battery	51 %	28,410 mWh
	13:42:52	Active	Battery	51 %	28,310 mWh
	14:13:28	Connected standby	Battery	41 %	23,130 mWh
	14:13:29	Suspended		41 %	23,130 mWh
	19:09:20	Connected standby	AC	41 %	23,100 mWh
	19:09:55	Active	AC	42 %	23,570 mWh
	20:34:54	Connected standby	AC	99 %	54,970 mWh
	21:39:04	Active	AC	102 %	57,110 mWh
	21:50:20	Active	Battery	102 %	57,110 mWh
	21:50:30	Connected standby	Battery	102 %	57,110 mWh
	21:52:24	Active	Battery	102 %	57,110 mWh
2026-05-12	00:04:55	Connected standby	Battery	48 %	26,790 mWh
	00:06:41	Active	Battery	48 %	26,680 mWh
	01:41:22	Connected standby	Battery	23 %	13,030 mWh
	01:41:22	Suspended		23 %	13,030 mWh
	11:50:20	Connected standby	Battery	22 %	12,570 mWh
	11:50:20	Suspended		22 %	12,570 mWh
	11:50:57	Connected standby	AC	22 %	12,790 mWh
	11:51:32	Active	AC	23 %	13,140 mWh
	13:20:31	Connected standby	AC	97 %	55,460 mWh
	13:21:10	Active	AC	97 %	55,520 mWh
	13:28:10	Connected standby	AC	98 %	56,130 mWh
	14:46:08	Active	AC	97 %	55,620 mWh
	14:46:18	Active	Battery	97 %	55,620 mWh
	14:46:22	Active	AC	97 %	55,620 mWh
	16:47:23	Active	Battery	97 %	55,620 mWh
	17:10:56	Connected standby	Battery	90 %	51,680 mWh
	17:10:57	Suspended		90 %	51,680 mWh
	18:54:17	Connected standby	Battery	93 %	51,470 mWh
	18:54:17	Suspended		93 %	51,470 mWh
	18:54:53	Connected standby	Battery	92 %	51,090 mWh
	18:55:28	Active	Battery	91 %	50,780 mWh
	20:24:36	Active	AC	61 %	33,840 mWh
	20:53:20	Connected standby	AC	86 %	47,960 mWh
	20:53:20	Suspended		86 %	47,960 mWh
	21:31:59	Connected standby	AC	98 %	54,620 mWh
	21:32:34	Active	AC	98 %	54,670 mWh
2026-05-13	00:52:31	Connected standby	AC	100 %	55,520 mWh
	00:52:31	Suspended		100 %	55,520 mWh
	10:24:47	Connected standby	Battery	100 %	55,520 mWh
	10:25:22	Active	Battery	100 %	55,520 mWh
	12:15:57	Connected standby	Battery	59 %	33,000 mWh
	12:16:02	Active	Battery	59 %	32,940 mWh
	14:06:35	Connected standby	Battery	21 %	11,540 mWh
	14:06:46	Suspended		21 %	11,450 mWh
	19:03:09	Connected standby	Battery	100 %	55,310 mWh
	19:03:09	Suspended		100 %	55,310 mWh
	19:03:44	Connected standby	Battery	100 %	55,310 mWh
	19:04:19	Active	Battery	100 %	55,310 mWh
	19:28:43	Active	AC	90 %	49,860 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	20:44:10	Connected standby	AC	100 %	55,040 mWh
	20:50:42	Active	AC	100 %	55,040 mWh
	20:58:08	Connected standby	AC	100 %	55,040 mWh
	21:44:17	Active	AC	100 %	55,040 mWh
2026-05-14	00:31:25	Active	Battery	100 %	55,040 mWh
	00:31:26	Suspended		100 %	54,990 mWh
	00:33:39	Active	Battery	100 %	54,990 mWh
	00:33:39	Suspended		100 %	54,990 mWh
	00:37:54	Active	Battery	100 %	54,990 mWh
	00:37:54	Suspended		100 %	54,990 mWh
	14:33:07	Active	Battery	94 %	51,520 mWh
	14:35:17	Active	AC	92 %	50,540 mWh
	16:01:18	Connected standby	AC	100 %	54,950 mWh
	16:01:19	Suspended		100 %	54,950 mWh
	18:46:25	Connected standby	Battery	100 %	54,920 mWh
	18:46:25	Suspended		100 %	54,920 mWh
	18:47:01	Connected standby	Battery	100 %	54,920 mWh
	18:47:36	Active	Battery	100 %	54,920 mWh
	20:35:01	Connected standby	Battery	53 %	29,010 mWh
	20:35:02	Connected standby	AC	53 %	28,980 mWh
	21:19:11	Active	AC	90 %	49,480 mWh
2026-05-15	01:48:57	Connected standby	AC	100 %	54,460 mWh
	01:48:57	Suspended		100 %	54,460 mWh
	08:27:13	Connected standby	Battery	100 %	54,460 mWh
	08:27:48	Active	Battery	100 %	54,460 mWh
	08:37:48	Connected standby	Battery	93 %	50,790 mWh
	08:37:49	Suspended		93 %	50,790 mWh
	09:23:39	Connected standby	Battery	92 %	50,270 mWh
	09:24:14	Active	Battery	92 %	49,990 mWh
	09:30:08	Active	AC	89 %	48,550 mWh
	09:38:39	Connected standby	AC	93 %	50,540 mWh
	09:56:43	Connected standby	Battery	97 %	52,980 mWh
	09:56:51	Active	Battery	97 %	52,950 mWh
	09:57:04	Connected standby	Battery	97 %	52,850 mWh
	10:11:27	Active	Battery	97 %	52,640 mWh
	12:19:02	Connected standby	Battery	67 %	36,680 mWh
	12:24:22	Active	Battery	67 %	36,550 mWh
	13:45:01	Connected standby	Battery	41 %	22,350 mWh
	13:45:01	Suspended		41 %	22,350 mWh
	14:27:51	Connected standby	Battery	40 %	21,830 mWh
	14:28:26	Active	Battery	40 %	21,520 mWh
	14:32:49	Connected standby	Battery	37 %	20,040 mWh
	14:32:50	Suspended		37 %	20,040 mWh
	19:49:05	Connected standby	AC	48 %	25,890 mWh
	19:49:40	Active	AC	49 %	26,510 mWh
	20:53:48	Active	Battery	96 %	52,370 mWh
	21:17:14	Suspended		89 %	48,730 mWh
	21:17:47	Active	Battery	89 %	48,460 mWh
	21:19:51	Connected standby	Battery	87 %	47,460 mWh
	21:20:47	Active	Battery	87 %	47,350 mWh
	21:24:36	Connected standby	Battery	85 %	46,380 mWh
	21:26:00	Active	Battery	85 %	46,280 mWh
	21:31:59	Connected standby	Battery	82 %	44,870 mWh
	21:32:00	Suspended		82 %	44,870 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	21:34:18	Connected standby	Battery	81 %	44,370 mWh
	21:34:53	Active	Battery	81 %	44,130 mWh
	21:37:13	Connected standby	Battery	80 %	43,440 mWh
	21:39:16	Suspended		79 %	43,240 mWh
	21:39:52	Connected standby	Battery	79 %	43,090 mWh
	21:40:27	Active	Battery	79 %	42,950 mWh
2026-05-16	00:31:49	Connected standby	Battery	25 %	13,450 mWh
	00:34:47	Connected standby	AC	25 %	13,370 mWh
	00:34:49	Active	AC	25 %	13,370 mWh
	03:01:41	Active	Battery	100 %	55,460 mWh
	03:06:57	Connected standby	Battery	100 %	55,360 mWh
	03:06:58	Suspended		100 %	55,360 mWh
	08:59:13	Connected standby	Battery	100 %	55,360 mWh
	08:59:48	Active	Battery	100 %	55,360 mWh
	09:42:53	Active	AC	83 %	45,990 mWh
	09:50:45	Connected standby	AC	88 %	48,590 mWh
	09:50:47	Active	AC	88 %	48,610 mWh
	09:54:19	Active	Battery	90 %	49,570 mWh
	10:11:16	Connected standby	Battery	84 %	46,280 mWh
	10:11:16	Active	Battery	84 %	46,280 mWh
	11:15:11	Connected standby	Battery	58 %	31,840 mWh
	11:17:19	Active	Battery	57 %	31,750 mWh
	11:42:18	Connected standby	Battery	44 %	24,360 mWh
	11:42:28	Active	Battery	44 %	24,280 mWh
	11:49:39	Connected standby	Battery	40 %	22,360 mWh
	11:49:58	Active	Battery	40 %	22,290 mWh
	13:21:33	Connected standby	Battery	5 %	3,040 mWh
	13:21:34	Suspended		5 %	3,040 mWh
	13:37:43	Connected standby	AC	6 %	3,150 mWh
	13:38:18	Active	AC	6 %	3,440 mWh
	16:55:26	Connected standby	AC	100 %	55,200 mWh
	16:56:50	Active	AC	100 %	55,200 mWh
	16:57:44	Connected standby	AC	100 %	55,200 mWh
	16:57:50	Connected standby	Battery	100 %	55,200 mWh
	16:58:05	Active	Battery	100 %	55,200 mWh
	17:10:57	Connected standby	Battery	100 %	55,200 mWh
	17:10:57	Suspended		100 %	55,200 mWh
2026-05-17	11:07:43	Connected standby	Battery	94 %	52,160 mWh
	11:08:20	Active	Battery	94 %	51,820 mWh
	11:13:28	Report generated	Battery	90 %	49,780 mWh

Battery usage

Battery drains over the last 7 days



START TIME	STATE	DURATION	ENERGY DRAINED	
2026-05-10 11:26:13	Connected standby	0:00:00	-	-
11:26:49	Connected standby	0:00:35	-	-
11:27:24	Active	0:13:31	8 %	4,160 mWh
11:40:56	Connected standby	0:12:06	1 %	310 mWh
11:53:02	Active	1:03:15	22 %	11,340 mWh
12:56:18	Connected standby	0:02:37	-	90 mWh
12:58:55	Active	0:18:49	11 %	5,810 mWh
13:17:45	Connected standby	0:00:00	-	-
18:56:23	Connected standby	0:00:35	-	-
18:56:58	Active	0:34:35	14 %	7,630 mWh
10:19:45	Connected standby	0:00:35	-	-
10:20:20	Active	2:21:55	47 %	26,310 mWh
12:42:15	Connected standby	0:10:32	1 %	280 mWh
13:42:17	Connected standby	0:00:35	-	100 mWh
13:42:52	Active	0:30:36	9 %	5,180 mWh
14:13:28	Connected standby	0:00:00	-	-
21:50:20	Active	0:00:09	-	-
21:50:30	Connected standby	0:01:53	-	-
21:52:24	Active	2:12:30	54 %	30,320 mWh
2026-05-12 00:04:55	Connected standby	0:01:46	-	110 mWh
00:06:41	Active	1:34:40	24 %	13,650 mWh
01:41:22	Connected standby	0:00:00	-	-
11:50:20	Connected standby	0:00:00	-	-
14:46:18	Active	0:00:04	-	-
16:47:23	Active	0:23:33	7 %	3,940 mWh
17:10:56	Connected standby	0:00:00	-	-
18:54:17	Connected standby	0:00:00	-	-
18:54:53	Connected standby	0:00:35	1 %	310 mWh
18:55:28	Active	1:29:07	30 %	16,940 mWh
10:24:47	Connected standby	0:00:35	-	-
10:25:22	Active	1:50:34	41 %	22,520 mWh
12:15:57	Connected standby	0:00:05	-	60 mWh
12:16:02	Active	1:50:32	39 %	21,400 mWh
14:06:35	Connected standby	0:00:10	-	90 mWh
19:03:09	Connected standby	0:00:00	-	-

	START TIME	STATE	DURATION	ENERGY DRAINED	
2026-05-14	19:03:44	Connected standby	0:00:35	-	-
	19:04:19	Active	0:24:24	10 %	5,450 mWh
	00:31:25	Active	0:00:01	-	50 mWh
	00:33:39	Active	0:00:00	-	-
	00:37:54	Active	0:00:00	-	-
	14:33:07	Active	0:02:10	2 %	980 mWh
	18:46:25	Connected standby	0:00:00	-	-
	18:47:01	Connected standby	0:00:35	-	-
	18:47:36	Active	1:47:24	47 %	25,910 mWh
	20:35:01	Connected standby	0:00:01	-	30 mWh
	08:27:13	Connected standby	0:00:35	-	-
	08:27:48	Active	0:09:59	7 %	3,670 mWh
	08:37:48	Connected standby	0:00:00	-	-
	09:23:39	Connected standby	0:00:35	1 %	280 mWh
	09:24:14	Active	0:05:54	3 %	1,440 mWh
	09:56:43	Connected standby	0:00:08	-	30 mWh
	09:56:51	Active	0:00:13	-	100 mWh
	09:57:04	Connected standby	0:14:22	-	210 mWh
	10:11:27	Active	2:07:34	29 %	15,960 mWh
	12:19:02	Connected standby	0:05:20	-	130 mWh
	12:24:22	Active	1:20:38	26 %	14,200 mWh
	13:45:01	Connected standby	0:00:00	-	-
	14:27:51	Connected standby	0:00:35	1 %	310 mWh
	14:28:26	Active	0:04:22	3 %	1,480 mWh
	14:32:49	Connected standby	0:00:00	-	-
	20:53:48	Active	0:23:26	7 %	3,640 mWh
	21:17:47	Active	0:02:04	2 %	1,000 mWh
	21:19:51	Connected standby	0:00:55	-	110 mWh
	21:20:47	Active	0:03:49	2 %	970 mWh
	21:24:36	Connected standby	0:01:23	-	100 mWh
	21:26:00	Active	0:05:58	3 %	1,410 mWh
	21:31:59	Connected standby	0:00:00	-	-
	21:34:18	Connected standby	0:00:35	-	240 mWh
	21:34:53	Active	0:02:20	1 %	690 mWh
	21:37:13	Connected standby	0:02:02	-	200 mWh
	21:39:52	Connected standby	0:00:35	-	140 mWh
	21:40:27	Active	2:51:21	54 %	29,500 mWh
2026-05-16	00:31:49	Connected standby	0:02:58	-	80 mWh
	03:01:41	Active	0:05:16	-	100 mWh
	03:06:57	Connected standby	0:00:00	-	-
	08:59:13	Connected standby	0:00:35	-	-
	08:59:48	Active	0:43:04	17 %	9,370 mWh
	09:54:19	Active	0:16:57	6 %	3,290 mWh
	10:11:16	Connected standby	0:00:00	-	-
	10:11:16	Active	1:03:55	26 %	14,440 mWh
	11:15:11	Connected standby	0:02:07	-	90 mWh
	11:17:19	Active	0:24:58	13 %	7,390 mWh
	11:42:18	Connected standby	0:00:10	-	80 mWh
	11:42:28	Active	0:07:10	3 %	1,920 mWh
	11:49:39	Connected standby	0:00:18	-	70 mWh

	START TIME	STATE	DURATION	ENERGY DRAINED	
	11:49:58	Active	1:31:35	35 %	19,250 mWh
	13:21:33	Connected standby	0:00:00	-	-
	16:57:50	Connected standby	0:00:14	-	-
	16:58:05	Active	0:12:51	-	-
	17:10:57	Connected standby	0:00:00	-	-
	2026-05-17 11:07:43	Connected standby	0:00:36	1 %	340 mWh
	11:08:20	Active	0:05:08	4 %	2,040 mWh

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-04-07 - 2025-04-14	29:33:56	19:43:31	7:28:35	3:20:13
2025-04-14 - 2025-04-21	16:58:25	11:29:29	2:45:47	0:44:57
2025-04-21 - 2025-04-28	10:09:13	3:42:50	62:48:13	0:31:13
2025-04-28 - 2025-05-05	24:44:19	7:38:16	3:37:02	2:04:53
2025-05-05 - 2025-05-12	13:04:52	19:03:31	-	4:55:38
2025-05-12 - 2025-05-19	25:46:33	8:43:30	4:35:35	0:49:10
2025-05-19 - 2025-05-26	18:35:19	14:42:37	2:45:28	2:38:01
2025-05-26 - 2025-06-02	20:41:54	13:07:19	5:47:55	1:36:14
2025-06-02 - 2025-06-09	27:50:22	8:16:00	4:37:38	2:21:37
2025-06-09 - 2025-06-16	28:12:20	5:33:17	3:02:53	2:20:11
2025-06-16 - 2025-06-24	45:26:24	5:26:31	0:48:49	0:01:11
2025-06-24 - 2025-06-30	10:57:42	27:53:00	2:53:02	1:45:02
2025-06-30 - 2025-07-07	8:11:03	3:35:04	-	0:31:04
2025-07-07 - 2025-07-14	14:40:56	3:54:28	3:18:49	1:11:45
2025-07-14 - 2025-07-21	25:44:55	3:27:58	5:57:40	0:28:50
2025-07-21 - 2025-07-28	20:50:37	4:41:04	10:57:05	2:06:07
2025-07-28 - 2025-08-04	18:16:55	21:39:02	5:01:47	2:48:55
2025-08-04 - 2025-08-11	6:21:39	2:48:00	2:19:57	1:46:07
2025-08-11 - 2025-08-18	1:07:41	2:33:27	0:39:51	0:34:25
2025-08-18 - 2025-08-25	1:19:28	0:29:28	-	-
2025-08-25 - 2025-09-01	5:01:10	9:29:42	1:26:12	1:51:46
2025-09-01 - 2025-09-08	19:38:09	3:38:48	4:28:20	6:11:09
2025-09-08 - 2025-09-15	27:09:54	2:27:05	9:57:55	0:52:22
2025-09-15 - 2025-09-22	113:08:35	50:40:01	38:06:14	19:00:09
2025-09-22 - 2025-09-29	31:50:23	5:27:16	17:22:20	2:54:00
2025-09-29 - 2025-10-06	21:45:57	3:47:00	11:18:21	4:06:32
2025-10-06 - 2025-10-13	29:23:01	8:09:46	13:40:11	1:54:34
2025-10-13 - 2025-10-21	190:20:35	44:44:38	82:16:14	23:02:54
2025-10-21 - 2025-10-27	12:03:43	1:14:22	5:14:19	0:01:11
2025-10-27 - 2025-11-03	23:36:05	3:55:19	13:07:32	2:14:45
2025-11-03 - 2025-11-10	28:00:20	15:43:15	12:03:37	0:45:42
2025-11-10 - 2025-11-17	19:39:32	25:38:32	12:37:58	1:45:52
2025-11-17 - 2025-11-24	30:41:35	9:05:58	16:19:05	6:46:26
2025-11-24 - 2025-12-01	25:46:51	12:05:26	12:23:33	1:27:51
2025-12-01 - 2025-12-08	34:14:25	14:25:57	15:05:32	5:46:50
2025-12-08 - 2025-12-15	75:58:57	19:04:16	45:10:50	6:10:36
2025-12-15 - 2025-12-22	47:53:14	6:32:53	13:44:17	1:24:15
2025-12-22 - 2025-12-29	34:19:19	1:58:36	14:28:00	2:05:07
2025-12-29 - 2026-01-05	39:55:03	2:42:20	22:36:13	0:00:40
2026-01-05 - 2026-01-12	31:16:12	21:28:10	22:30:54	2:09:53

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-01-12 - 2026-01-19	32:14:42	29:42:21	22:21:24	1:23:12
2026-01-19 - 2026-01-26	25:35:44	7:29:46	29:39:40	2:13:40
2026-01-26 - 2026-02-02	18:32:26	2:43:26	22:25:15	2:49:10
2026-02-02 - 2026-02-09	17:55:39	1:23:01	28:48:06	3:01:58
2026-02-09 - 2026-02-16	22:15:23	2:30:29	47:31:02	3:55:50
2026-02-16 - 2026-02-23	17:46:34	0:56:52	44:08:29	7:51:51
2026-02-23 - 2026-03-05	17:54:11	1:47:44	30:45:58	3:54:44
2026-03-05 - 2026-03-09	17:35:45	2:04:04	12:53:12	1:18:56
2026-03-09 - 2026-03-16	23:23:52	0:27:01	40:17:50	2:12:27
2026-03-16 - 2026-03-23	3:17:58	0:39:40	26:35:22	0:44:52
2026-03-23 - 2026-03-30	4:55:42	1:42:31	51:24:15	4:52:56
2026-03-30 - 2026-04-06	4:22:00	0:20:21	33:29:37	4:10:06
2026-04-06 - 2026-04-13	15:12:17	1:54:33	35:10:24	4:04:55
2026-04-13 - 2026-04-20	19:34:58	1:03:20	37:28:58	5:06:47
2026-04-20 - 2026-04-27	6:46:23	0:56:41	24:07:11	4:07:27
2026-04-27 - 2026-05-04	13:48:20	1:49:08	29:58:40	6:19:55
2026-05-04	4:51:59	0:42:30	4:29:47	0:01:09
2026-05-05	4:11:06	0:01:10	4:15:52	0:47:31
2026-05-06	2:09:49	0:01:58	4:42:48	-
2026-05-07	3:04:09	0:33:55	3:35:48	1:22:06
2026-05-08	1:36:58	0:20:35	0:09:22	-
2026-05-09	2:23:48	0:00:35	11:05:53	-
2026-05-10	2:10:09	0:15:53	7:21:15	0:00:37
2026-05-11	5:00:09	0:13:34	2:24:33	1:04:43
2026-05-12	3:32:17	0:02:19	6:33:08	1:19:45
2026-05-13	4:05:27	0:01:25	4:31:01	0:52:39
2026-05-14	1:49:33	0:00:36	4:38:09	0:44:05
2026-05-15	6:45:37	0:27:04	3:01:32	0:18:36
2026-05-16	4:57:26	0:06:21	5:56:07	0:02:08

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-04-07 - 2025-04-14	57,570 mWh	70,070 mWh
2025-04-14 - 2025-04-21	59,186 mWh	70,070 mWh
2025-04-21 - 2025-04-28	58,997 mWh	70,070 mWh
2025-04-28 - 2025-05-05	57,264 mWh	70,070 mWh
2025-05-05 - 2025-05-12	58,069 mWh	70,070 mWh
2025-05-12 - 2025-05-19	58,322 mWh	70,070 mWh
2025-05-19 - 2025-05-26	56,429 mWh	70,070 mWh
2025-05-26 - 2025-06-02	55,349 mWh	70,070 mWh
2025-06-02 - 2025-06-09	56,508 mWh	70,070 mWh
2025-06-09 - 2025-06-16	56,114 mWh	70,070 mWh
2025-06-16 - 2025-06-24	54,709 mWh	70,070 mWh
2025-06-24 - 2025-06-30	54,638 mWh	70,070 mWh
2025-06-30 - 2025-07-07	52,900 mWh	70,070 mWh
2025-07-07 - 2025-07-14	54,503 mWh	70,070 mWh
2025-07-14 - 2025-07-21	55,402 mWh	70,070 mWh
2025-07-21 - 2025-07-28	55,010 mWh	70,070 mWh
2025-07-28 - 2025-08-04	55,835 mWh	70,070 mWh
2025-08-04 - 2025-08-11	57,279 mWh	70,070 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-08-11 - 2025-08-18	57,310 mWh	70,070 mWh
2025-08-18 - 2025-08-25	57,310 mWh	70,070 mWh
2025-08-25 - 2025-09-01	57,074 mWh	70,070 mWh
2025-09-01 - 2025-09-08	55,786 mWh	70,070 mWh
2025-09-08 - 2025-09-15	56,124 mWh	70,070 mWh
2025-09-15 - 2025-09-22	56,594 mWh	70,070 mWh
2025-09-22 - 2025-09-29	56,871 mWh	70,070 mWh
2025-09-29 - 2025-10-06	56,952 mWh	70,070 mWh
2025-10-06 - 2025-10-13	56,566 mWh	70,070 mWh
2025-10-13 - 2025-10-21	56,592 mWh	70,070 mWh
2025-10-21 - 2025-10-27	55,341 mWh	70,070 mWh
2025-10-27 - 2025-11-03	55,195 mWh	70,070 mWh
2025-11-03 - 2025-11-10	55,555 mWh	70,070 mWh
2025-11-10 - 2025-11-17	55,353 mWh	70,070 mWh
2025-11-17 - 2025-11-24	54,662 mWh	70,070 mWh
2025-11-24 - 2025-12-01	55,927 mWh	70,070 mWh
2025-12-01 - 2025-12-08	54,885 mWh	70,070 mWh
2025-12-08 - 2025-12-15	54,981 mWh	70,070 mWh
2025-12-15 - 2025-12-22	55,679 mWh	70,070 mWh
2025-12-22 - 2025-12-29	55,144 mWh	70,070 mWh
2025-12-29 - 2026-01-05	54,954 mWh	70,070 mWh
2026-01-05 - 2026-01-12	53,402 mWh	70,070 mWh
2026-01-12 - 2026-01-19	54,773 mWh	70,070 mWh
2026-01-19 - 2026-01-26	55,793 mWh	70,070 mWh
2026-01-26 - 2026-02-02	55,816 mWh	70,070 mWh
2026-02-02 - 2026-02-09	55,894 mWh	70,070 mWh
2026-02-09 - 2026-02-16	56,161 mWh	70,070 mWh
2026-02-16 - 2026-02-23	56,143 mWh	70,070 mWh
2026-02-23 - 2026-03-05	56,943 mWh	70,070 mWh
2026-03-05 - 2026-03-09	56,322 mWh	70,070 mWh
2026-03-09 - 2026-03-16	55,805 mWh	70,070 mWh
2026-03-16 - 2026-03-23	56,676 mWh	70,070 mWh
2026-03-23 - 2026-03-30	55,818 mWh	70,070 mWh
2026-03-30 - 2026-04-06	56,005 mWh	70,070 mWh
2026-04-06 - 2026-04-13	57,417 mWh	70,070 mWh
2026-04-13 - 2026-04-20	57,045 mWh	70,070 mWh
2026-04-20 - 2026-04-27	56,315 mWh	70,070 mWh
2026-04-27 - 2026-05-04	56,306 mWh	70,070 mWh
2026-05-04	56,275 mWh	70,070 mWh
2026-05-05	56,417 mWh	70,070 mWh
2026-05-06	55,437 mWh	70,070 mWh
2026-05-07	56,730 mWh	70,070 mWh
2026-05-08	56,346 mWh	70,070 mWh
2026-05-09	54,488 mWh	70,070 mWh
2026-05-10	52,279 mWh	70,070 mWh
2026-05-11	55,790 mWh	70,070 mWh
2026-05-12	56,133 mWh	70,070 mWh
2026-05-13	55,432 mWh	70,070 mWh
2026-05-14	54,932 mWh	70,070 mWh
2026-05-15	54,460 mWh	70,070 mWh
2026-05-16	55,219 mWh	70,070 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-04-07 - 2025-04-14	5:30:38	59:08:42 27 % / 16 h	6:42:25	71:59:13 22 % / 16 h
2025-04-14 - 2025-04-21	4:52:25	-	5:46:11	-
2025-04-21 - 2025-04-28	3:39:48	37:00:41 43 % / 16 h	4:21:03	43:57:29 36 % / 16 h
2025-04-28 - 2025-05-05	4:23:12	65:05:05 25 % / 16 h	5:22:03	79:38:23 20 % / 16 h
2025-05-05 - 2025-05-12	4:58:05	73:35:05 22 % / 16 h	5:59:42	88:47:32 18 % / 16 h
2025-05-12 - 2025-05-19	4:37:09	41:14:11 39 % / 16 h	5:32:59	49:32:34 32 % / 16 h
2025-05-19 - 2025-05-26	4:31:58	66:27:36 24 % / 16 h	5:37:42	82:31:33 19 % / 16 h
2025-05-26 - 2025-06-02	4:49:30	54:53:48 29 % / 16 h	6:06:30	69:29:51 23 % / 16 h
2025-06-02 - 2025-06-09	4:50:31	36:55:38 43 % / 16 h	6:00:14	45:47:24 35 % / 16 h
2025-06-09 - 2025-06-16	5:04:42	31:12:03 51 % / 16 h	6:20:29	38:57:39 41 % / 16 h
2025-06-16 - 2025-06-24	33:46:03	36:29:08 44 % / 16 h	43:14:55	46:43:48 34 % / 16 h
2025-06-24 - 2025-06-30	5:20:09	0:00:01 5760000 % / 16 h	6:50:35	0:00:01 5760000 % / 16 h
2025-06-30 - 2025-07-07	4:55:45	24:37:32 65 % / 16 h	6:31:45	32:37:06 49 % / 16 h
2025-07-07 - 2025-07-14	5:26:45	12:55:25 124 % / 16 h	7:00:04	16:36:54 96 % / 16 h
2025-07-14 - 2025-07-21	5:27:56	18:57:23 84 % / 16 h	6:54:46	23:58:31 67 % / 16 h
2025-07-21 - 2025-07-28	2:47:06	18:34:44 86 % / 16 h	3:32:51	23:39:55 68 % / 16 h
2025-07-28 - 2025-08-04	5:14:21	73:02:34 22 % / 16 h	6:34:30	91:39:53 17 % / 16 h
2025-08-04 - 2025-08-11	4:40:56	43:06:47 37 % / 16 h	5:43:41	52:44:27 30 % / 16 h
2025-08-11 - 2025-08-18	3:17:06	55:56:34 29 % / 16 h	4:00:59	68:23:54 23 % / 16 h
2025-08-18 - 2025-08-25	4:07:22	16:04:59 99 % / 16 h	5:02:27	19:39:50 81 % / 16 h
2025-08-25 - 2025-09-01	4:51:52	78:39:09 20 % / 16 h	5:58:20	96:33:44 17 % / 16 h
2025-09-01 - 2025-09-08	5:03:16	35:56:31 45 % / 16 h	6:20:56	45:08:42 35 % / 16 h
2025-09-08 - 2025-09-15	4:53:35	24:05:41 66 % / 16 h	6:06:33	30:04:55 53 % / 16 h
2025-09-15 - 2025-09-22	4:48:01	45:22:15 35 % / 16 h	5:56:37	56:10:28 28 % / 16 h
2025-09-22 - 2025-09-29	4:38:54	15:03:03 106 % / 16 h	5:43:38	18:32:38 86 % / 16 h
2025-09-29 - 2025-10-06	4:48:20	25:08:31 64 % / 16 h	5:54:45	30:55:59 52 % / 16 h
2025-10-06 - 2025-10-13	4:36:35	24:55:05 64 % / 16 h	5:42:37	30:52:01 52 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-10-13 - 2025-10-21	4:43:03	31:11:44 51 % / 16 h	5:50:27	38:37:30 41 % / 16 h
2025-10-21 - 2025-10-27	5:02:30	-	6:23:00	-
2025-10-27 - 2025-11-03	4:46:21	32:47:55 49 % / 16 h	6:03:32	41:38:16 38 % / 16 h
2025-11-03 - 2025-11-10	5:07:11	118:59:16 13 % / 16 h	6:27:27	150:04:34 11 % / 16 h
2025-11-10 - 2025-11-17	4:31:15	136:52:23 12 % / 16 h	5:43:23	173:15:51 9 % / 16 h
2025-11-17 - 2025-11-24	4:22:16	35:10:34 45 % / 16 h	5:36:11	45:05:30 35 % / 16 h
2025-11-24 - 2025-12-01	4:40:45	54:45:07 29 % / 16 h	5:51:44	68:35:52 23 % / 16 h
2025-12-01 - 2025-12-08	4:32:14	54:08:38 30 % / 16 h	5:47:33	69:07:26 23 % / 16 h
2025-12-08 - 2025-12-15	4:35:11	51:25:28 31 % / 16 h	5:50:42	65:32:15 24 % / 16 h
2025-12-15 - 2025-12-22	7:29:47	45:07:20 35 % / 16 h	9:26:03	56:47:05 28 % / 16 h
2025-12-22 - 2025-12-29	4:40:49	24:10:07 66 % / 16 h	5:56:50	30:42:38 52 % / 16 h
2025-12-29 - 2026-01-05	4:43:19	34:20:14 47 % / 16 h	6:01:15	43:46:57 37 % / 16 h
2026-01-05 - 2026-01-12	4:43:31	80:00:27 20 % / 16 h	6:12:00	104:58:48 15 % / 16 h
2026-01-12 - 2026-01-19	5:27:08	116:03:14 14 % / 16 h	6:58:30	148:27:56 11 % / 16 h
2026-01-19 - 2026-01-26	4:44:14	97:02:14 16 % / 16 h	5:56:58	121:52:05 13 % / 16 h
2026-01-26 - 2026-02-02	5:06:03	34:42:41 46 % / 16 h	6:24:13	43:34:33 37 % / 16 h
2026-02-02 - 2026-02-09	4:37:43	12:45:41 125 % / 16 h	5:48:09	15:59:53 100 % / 16 h
2026-02-09 - 2026-02-16	5:07:55	72:36:20 22 % / 16 h	6:24:11	90:35:14 18 % / 16 h
2026-02-16 - 2026-02-23	5:04:30	25:20:19 63 % / 16 h	6:20:02	31:37:27 51 % / 16 h
2026-02-23 - 2026-03-05	5:30:40	120:17:14 13 % / 16 h	6:46:53	148:01:01 11 % / 16 h
2026-03-05 - 2026-03-09	6:37:44	92:25:46 17 % / 16 h	8:14:49	114:59:29 14 % / 16 h
2026-03-09 - 2026-03-16	4:58:28	86:38:50 18 % / 16 h	6:14:46	108:47:47 15 % / 16 h
2026-03-16 - 2026-03-23	4:20:33	10:05:58 158 % / 16 h	5:22:08	12:29:10 128 % / 16 h
2026-03-23 - 2026-03-30	5:13:47	77:32:15 21 % / 16 h	6:33:54	97:20:06 16 % / 16 h
2026-03-30 - 2026-04-06	4:36:32	21:35:06 74 % / 16 h	5:45:59	27:00:22 59 % / 16 h
2026-04-06 - 2026-04-13	4:40:36	18:44:17 85 % / 16 h	5:42:26	22:52:03 70 % / 16 h
2026-04-13 - 2026-04-20	5:29:09	26:45:42 60 % / 16 h	6:44:18	32:52:20 49 % / 16 h
2026-04-20 - 2026-04-27	4:23:24	73:53:30 22 % / 16 h	5:27:45	91:56:23 17 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-04-27 - 2026-05-04	4:04:32	-	5:04:19	-
2026-05-04	5:21:48	34:21:47 47 % / 16 h	6:40:41	42:47:13 37 % / 16 h
2026-05-05	4:23:27	-	5:27:13	-
2026-05-06	5:11:32	13:58:39 114 % / 16 h	6:33:46	17:40:02 91 % / 16 h
2026-05-07	5:27:16	47:09:32 34 % / 16 h	6:44:14	58:14:54 27 % / 16 h
2026-05-08	5:09:22	33:54:43 47 % / 16 h	6:24:44	42:10:18 38 % / 16 h
2026-05-09	1:30:55	1:23:38 1148 % / 16 h	1:56:55	1:47:33 893 % / 16 h
2026-05-10	3:55:06	34:35:54 46 % / 16 h	5:15:07	46:22:21 35 % / 16 h
2026-05-11	4:44:02	33:11:48 48 % / 16 h	5:56:45	41:41:37 38 % / 16 h
2026-05-12	5:18:43	5:09:37 310 % / 16 h	6:37:51	6:26:29 248 % / 16 h
2026-05-13	4:35:35	8:43:31 183 % / 16 h	5:48:21	11:01:46 145 % / 16 h
2026-05-14	3:43:22	18:18:38 87 % / 16 h	4:44:56	23:21:24 69 % / 16 h
2026-05-15	5:33:57	14:02:18 114 % / 16 h	7:09:41	18:03:44 89 % / 16 h
2026-05-16	4:17:55	18:15:45 88 % / 16 h	5:27:17	23:10:27 69 % / 16 h

Current estimate of battery life based on all observed drains since OS install

Since OS install	4:51:38	53:40:41 30 % / 16 h	6:10:12	68:08:17 23 % / 16 h
------------------	---------	-------------------------	---------	-------------------------