

Assignment -IV

Develop a website on “Name of Website” using Flask, CSS, Php & Mysql. which include the following.

1. A minimum of 5 connected web pages
2. At least one registration page which has been properly validated.
3. Only the administrator is able to insert, update, and delete data on that registration page.
4. The user or client can perform a search.
5. Appropriate formatting

User Side

Register page

```
<?php
include 'config.php';

if(isset($_POST['submit'])){

    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $pass = mysqli_real_escape_string($conn, md5($_POST['password']));
    $cpass = mysqli_real_escape_string($conn, md5($_POST['cpassword']));
    $user_type = $_POST['user_type'];

    $select_users = mysqli_query($conn, "SELECT * FROM `users` WHERE email = '$email'
AND password = '$pass'") or die('query failed');

    if(mysqli_num_rows($select_users) > 0){

        $message[] = 'user already exist!';

    }else{

        if($pass != $cpass){
```

```

        $message[] = 'confirm password not matched!';

    }else{

        mysqli_query($conn, "INSERT INTO `users`(name, email, password, user_type)
VALUES('$name', '$email', '$cpass', '$user_type')") or die('query failed');

        $message[] = 'registered successfully!';

        header('location:login.php');

    }

}

?>

```

```

<!DOCTYPE html>

```

```

.....

```

```

<?php

```

```

if(isset($message)){

```

```

    foreach($message as $message){

```

```

        echo '

```

```

        <div class="message">

```

```

            <span>' . $message . '</span>

```

```

            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>

```

```

        </div>

```

```

    ';

```

```

}

```

```

}

```

```

?>


```

```

.....

```

</html>



The screenshot shows a web browser window with the address bar displaying 'localhost/php%20website/register.php'. The page contains a registration form with the following fields and elements:

- REGISTER NOW** (Form Title)
- enter your name (Text input)
- enter your email (Text input)
- enter your password (Text input)
- confirm your password (Text input)
- user (Dropdown menu)
- Register Now** (Submit button)
- already have an account? [login now](#) (Link)

Login Page

<?php

```
include 'config.php';
```

```
session_start();
```

```
if(isset($_POST['submit'])){
```

```
    $email = mysqli_real_escape_string($conn, $_POST['email']);
```

```
    $pass = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
    $select_users = mysqli_query($conn, "SELECT * FROM `users` WHERE email = '$email'
AND password = '$pass'") or die('query failed');
```

```
    if(mysqli_num_rows($select_users) > 0){
```

```
        $row = mysqli_fetch_assoc($select_users);
```

```
        if($row['user_type'] == 'admin'){
```

```
            $_SESSION['admin_name'] = $row['name'];
```

```
            $_SESSION['admin_email'] = $row['email'];
```

```

        $_SESSION['admin_id'] = $row['id'];

        header('location:admin_page.php');
    }elseif($row['user_type'] == 'user'){

        $_SESSION['user_name'] = $row['name'];

        $_SESSION['user_email'] = $row['email'];

        $_SESSION['user_id'] = $row['id'];

        header('location:home.php');

    }

    }else{

        $message[] = 'incorrect email or password!';

    }

}

?>

```

<!DOCTYPE html>

.....

<?php

```

if(isset($message)){

```

```

    foreach($message as $message){

```

```

        echo '

```

```

        <div class="message">

```

```

            <span>'.$message.'</span>

```

```

            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>

```

```

        </div>

```

```

    ';

```

```


}

```

```
}  
?>
```

.....

```
</html>
```



Header

```
<?php  
if(isset($message)){  
    foreach($message as $message){  
        echo '  
        <div class="message">  
            <span>'.$message.'</span>  
            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>  
        </div>  
        '  
    }  
}
```

```
}  
?>  
  
<header class="header">  
  
.....  
  
</header>
```

Home

```
<?php  
  
include 'config.php';  
  
session_start();  
  
$user_id = $_SESSION['user_id'];  
  
if(!isset($user_id)){  
    header('location:login.php');  
}  
  
if(isset($_POST['add_to_cart'])){  
    $product_name = $_POST['product_name'];  
    $product_price = $_POST['product_price'];  
    $product_image = $_POST['product_image'];  
    $product_quantity = $_POST['product_quantity'];  
  
    $check_cart_numbers = mysqli_query($conn, "SELECT * FROM `cart` WHERE name =  
'$product_name' AND user_id = '$user_id'") or die('query failed');  
  
    if(mysqli_num_rows($check_cart_numbers) > 0){  
        $message[] = 'already added to cart!';  
    }else{  
        mysqli_query($conn, "INSERT INTO `cart`(user_id, name, price, quantity, image)  
VALUES('$user_id', '$product_name', '$product_price', '$product_quantity',  
'$product_image'") or die('query failed');
```

```

    $message[] = 'product added to cart!';

}

}


?>

```



```
<!DOCTYPE html>
```


```
.....
```

```
</html>
```



LATEST PRODUCTS





About

```
<?php
```

```
include 'config.php';
```

```
session_start();
```

```
$user_id = $_SESSION['user_id'];
```

```
if(!isset($user_id)){
```

```
    header('location:login.php');
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>about</title>

<!-- font awesome cdn link -->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">

<!-- custom css file link -->

<link rel="stylesheet" href="css/style.css">

</head>

<body>

<?php include 'header.php'; ?>

<div class="heading">

    <h3>about us</h3>

    <p> <a href="home.php">home</a> / about </p>

</div>

<section class="about">

    <div class="flex">

        <div class="image">

        </div>

        <div class="content">

            <h3>why choose us?</h3>

            <p>It is very important for the customer to pay attention to the adipiscing process. It
will happen to the pleasures or here the troubles, by rejecting the birth of the flight, as
soon as we receive the pardon by reason of right. Is it acceptable to run away from doing
just that?</p>

            <p>Thank you very much. For those who are hindered by the smallest of the so-called
responsibilities of the body, but often get?</p>

            <a href="contact.php" class="btn">contact us</a>

        </div>

    </div>

</section>

</body>

</html>
```

</div>

</section>

<section class="reviews">

<h1 class="title">customer's reviews</h1>

<div class="box-container">

<div class="box">

<p>WOW!, "Wings Of Fire" is a great book in my life. Thank You to prefer me this
awsome book!!! </p>

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

</div>

<h3>Darshan Balar</h3>

</div>

<div class="box">

<p>The alchemist book was amazing i recently finished the book and it's give such a
peaceful to the mind. And book story was amazing i really like to read this book. This is
the book written by paulo coelho.</p>

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

<h3>Sanket Beladiya</h3>

</div>

<div class="box">

<p>this book is amazing !! I love this book Chetan bhagat books are always amazing and interesting... 🍷 </p>

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

</div>

<h3>Meet Barvaliya</h3>

</div>

<div class="box">

<p>I am very happy with this book, the packaging was great , the book is a best gift for a culture and history lover ..</p>

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

<h3>Tejas Devani</h3>

</div>

<div class="box">

**<p>Perfect!! Good HardBounded Book, and Shashi Tharoor is just Great!!
Masterpiece for intellectuals..</p>**

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

<h3>Milan Bhakhar</h3>

</div>

<div class="box">

**<p>The book is an excellent read for those people who have a good idea about the
Mahabharata and the history of modern Indian politics till the late 1980s.</p>**

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

</div>

<h3>Navdeep Chothani</h3>

</div>

</div>

</section>

<section class="authors">

<h1 class="title">greate authors</h1>

<div class="box-container">

<div class="box">

<div class="share">

</div>

<h3>R. K. Narayan</h3>

</div>

<div class="box">

<div class="share">

</div>

<h3>Chetan Bhagat</h3>

</div>

<div class="box">

<div class="share">

</div>

<h3>Shashi Tharoor</h3>

</div>

<div class="box">

<div class="share">

</div>

<h3>Jhumpa Lahiri</h3>

</div>

<div class="box">

<div class="share">

``

``

`</div>`

`<h3>Vikram Seth</h3>`

`</div>`

`<div class="box">`

``

`<div class="share">`

``

``

``

``

`</div>`

`<h3>Amish Tripathi</h3>`

`</div>`

`</div>`

`</section>`



`<?php include 'footer.php'; ?>`



`<!-- custom js file link -->`

`<script src="js/script.js"></script>`

`</body>`

`</html>`





Shop

```
<?php
```

```
include 'config.php';
```

```
session_start();
```

```
$user_id = $_SESSION['user_id'];
```

```

if(!isset($user_id)){
    header('location:login.php');
}

if(isset($_POST['add_to_cart'])){

    $product_name = $_POST['product_name'];
    $product_price = $_POST['product_price'];
    $product_image = $_POST['product_image'];
    $product_quantity = $_POST['product_quantity'];

    $check_cart_numbers = mysqli_query($conn, "SELECT * FROM `cart` WHERE name = '$product_name' AND user_id = '$user_id'") or die('query failed');

    if(mysqli_num_rows($check_cart_numbers) > 0){

        $message[] = 'already added to cart!';

    }else{

        mysqli_query($conn, "INSERT INTO `cart`(user_id, name, price, quantity, image)
VALUES('$user_id', '$product_name', '$product_price', '$product_quantity', '$product_image')") or die('query failed');

        $message[] = 'product added to cart!';

    }

}



?>

```

<!DOCTYPE html>

.....

</html>



Contact

<?php

include 'config.php';

session_start();

\$user_id = \$_SESSION['user_id'];

```

if(!isset($user_id)){
    header('location:login.php');
}

if(isset($_POST['send'])){

    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $number = $_POST['number'];
    $msg = mysqli_real_escape_string($conn, $_POST['message']);


    $select_message = mysqli_query($conn, "SELECT * FROM `message` WHERE name =
'$name' AND email = '$email' AND number = '$number' AND message = '$msg'" ) or
die('query failed');

    if(mysqli_num_rows($select_message) > 0){

        $message[] = 'message sent already!';

    }else{

        mysqli_query($conn, "INSERT INTO `message`(user_id, name, email, number, message)
VALUES('$user_id', '$name', '$email', '$number', '$msg')") or die('query failed');

        $message[] = 'message sent successfully!';

    }
}


?>


<!DOCTYPE html>

.....

</html>

```



Orders

```
<?php
```

```
include 'config.php';
```

```
session_start();
```

```
$user_id = $_SESSION['user_id'];
```

```
if(!isset($user_id)){
```

```
    header('location:login.php');
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
.....
```

```
<?php
```

```
    $order_query = mysqli_query($conn, "SELECT * FROM `orders` WHERE user_id =  
'$user_id'") or die('query failed');
```

```

if(mysqli_num_rows($order_query) > 0){

    while($fetch_orders = mysqli_fetch_assoc($order_query)){

        ?>

<?php
    }

}else{


    echo '<p class="empty">no orders placed yet!</p>';

}

?>

</html>

```



Search

```

<?php

include 'config.php';

session_start();

```

```

$user_id = $_SESSION['user_id'];

if(!isset($user_id)){

    header('location:login.php');

};

if(isset($_POST['add_to_cart'])){

    $product_name = $_POST['product_name'];

    $product_price = $_POST['product_price'];

    $product_image = $_POST['product_image'];

    $product_quantity = $_POST['product_quantity'];

    $check_cart_numbers = mysqli_query($conn, "SELECT * FROM `cart` WHERE name = '$product_name' AND user_id = '$user_id'" ) or die('query failed');

    if(mysqli_num_rows($check_cart_numbers) > 0){

        $message[] = 'already added to cart!';

    }else{

        mysqli_query($conn, "INSERT INTO `cart`(user_id, name, price, quantity, image)
VALUES('$user_id', '$product_name', '$product_price', '$product_quantity', '$product_image')") or die('query failed');

        $message[] = 'product added to cart!';

    }

};

?>

```

<!DOCTYPE html>

.....

<?php

```

if(isset($_POST['submit'])){

    $search_item = $_POST['search'];

```



```
$select_products = mysqli_query($conn, "SELECT * FROM `products` WHERE name  
LIKE '%{$search_item}%'") or die('query failed');
```

```
if(mysqli_num_rows($select_products) > 0){
```

```
while($fetch_product = mysqli_fetch_assoc($select_products)){
```

```
?>
```

```
<?php
```

```
}
```

```
}else{
```

```
echo '<p class="empty">no result found!</p>';
```

```
}
```


```
}else{
```

```
echo '<p class="empty">search something!</p>';
```

```
}
```

```
?>
```

```
</html>
```



Add To Cart

```
<?php

include 'config.php';

session_start();

$user_id = $_SESSION['user_id'];

if(!isset($user_id)){
    header('location:login.php');
};

if(isset($_POST['add_to_cart'])){

    $product_name = $_POST['product_name'];
    $product_price = $_POST['product_price'];
    $product_image = $_POST['product_image'];
    $product_quantity = $_POST['product_quantity'];

    $check_cart_numbers = mysqli_query($conn, "SELECT * FROM `cart` WHERE name = '$product_name' AND user_id = '$user_id'") or die('query failed');

    if(mysqli_num_rows($check_cart_numbers) > 0){
        $message[] = 'already added to cart!';
    }else{
        mysqli_query($conn, "INSERT INTO `cart`(user_id, name, price, quantity, image)
VALUES('$user_id', '$product_name', '$product_price', '$product_quantity', '$product_image')") or die('query failed');

        $message[] = 'product added to cart!';
    }
};

?>

<!DOCTYPE html>
```

.....

```

<?php

if(isset($_POST['submit'])){

    $search_item = $_POST['search'];

    $select_products = mysqli_query($conn, "SELECT * FROM `products` WHERE name
LIKE '%{$search_item}%'") or die('query failed');

    if(mysqli_num_rows($select_products) > 0){

        while($fetch_product = mysqli_fetch_assoc($select_products)){

?>

<form action="" method="post" class="box">

    <div class="name"><?php echo $fetch_product['name']; ?></div>

    <div class="price">$<?php echo $fetch_product['price']; ?>/-</div>

    <input type="number" class="qty" name="product_quantity" min="1" value="1">

    <input type="hidden" name="product_name" value="<?php echo
$fetch_product['name']; ?>">

    <input type="hidden" name="product_price" value="<?php echo
$fetch_product['price']; ?>">

    <input type="hidden" name="product_image" value="<?php echo
$fetch_product['image']; ?>">

    <input type="submit" class="btn" value="add to cart" name="add_to_cart">

</form>

<?php

    }

    }else{

        echo '<p class="empty">no result found!</p>';

    }

}

}


```

```
echo '<p class="empty">search something!</p>';
```

```
}
```

```
?>
```

```
</html>
```



CheckOut

```

<?php

include 'config.php';

session_start();

$user_id = $_SESSION['user_id'];

if(!isset($user_id)){
    header('location:login.php');
}

if(isset($_POST['order_btn'])){

    $name = mysqli_real_escape_string($conn, $_POST['name']);

    $number = $_POST['number'];

    $email = mysqli_real_escape_string($conn, $_POST['email']);

    $method = mysqli_real_escape_string($conn, $_POST['method']);

    $address = mysqli_real_escape_string($conn, 'flat no. ' . $_POST['flat'] . ', ' .
    $_POST['street'] . ', ' . $_POST['city'] . ', ' . $_POST['country'] . ' - ' . $_POST['pin_code']);

    $placed_on = date('d-M-Y');

    $cart_total = 0;

    $cart_products[] = "";

    $cart_query = mysqli_query($conn, "SELECT * FROM `cart` WHERE user_id = '$user_id'")
    or die('query failed');

    if(mysqli_num_rows($cart_query) > 0){

        while($cart_item = mysqli_fetch_assoc($cart_query)){

            $cart_products[] = $cart_item['name'] . ' (' . $cart_item['quantity'] . ') ';

            $sub_total = ($cart_item['price'] * $cart_item['quantity']);

            $cart_total += $sub_total;

        }

    }

    $total_products = implode(' ', $cart_products);

```

```
$order_query = mysqli_query($conn, "SELECT * FROM `orders` WHERE name = '$name'
AND number = '$number' AND email = '$email' AND method = '$method' AND address =
'$address' AND total_products = '$total_products' AND total_price = '$cart_total'") or
die('query failed');
```

```
if($cart_total == 0){
```

```
    $message[] = 'your cart is empty';
```

```
}else{
```

```
    if(mysqli_num_rows($order_query) > 0){
```

```
        $message[] = 'order already placed!';
```

```
    }else{
```

```
        mysqli_query($conn, "INSERT INTO `orders`(user_id, name, number, email, method,
address, total_products, total_price, placed_on) VALUES('$user_id', '$name', '$number',
'$email', '$method', '$address', '$total_products', '$cart_total', '$placed_on'") or
die('query failed');
```

```
        $message[] = 'order placed successfully!';
```

```
        mysqli_query($conn, "DELETE FROM `cart` WHERE user_id = '$user_id'") or die('query
failed');
```

```
    }
```

```
}
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
.....
```

```
<?php
```

```
    $grand_total = 0;
```

```
    $select_cart = mysqli_query($conn, "SELECT * FROM `cart` WHERE user_id =
'$user_id'") or die('query failed');
```

```
    if(mysqli_num_rows($select_cart) > 0){
```

```

while($fetch_cart = mysqli_fetch_assoc($select_cart)){

    $total_price = ($fetch_cart['price'] * $fetch_cart['quantity']);

    $grand_total += $total_price;

?>

<p> <?php echo $fetch_cart['name']; ?> <span>(<?php echo '₹'.$fetch_cart['price'].'/'.' x
'. $fetch_cart['quantity']; ?>)</span> </p>

<?php

    }

}else{

    echo '<p class="empty">your cart is empty</p>';

}

?>

</html>

```

checkout

localhost/php%20website/checkout.php

Bookly.

home about shop contact orders

grand total : ₹314/-

PLACE YOUR ORDER

your name :

your number :

your email :

payment method :

address line 01 :

address line 01 :

city :

state :

country :

pin code :

QUICK LINKS

home

EXTRA LINKS

login

CONTACT INFO

+91 9023150639

FOLLOW US

facebook

Admin Side

Dashboard

```
<?php
include 'config.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:login.php');
}
?>

<!DOCTYPE html>

.....

<?php include 'admin_header.php'; ?>

<!-- admin dashboard section starts -->

<?php

$total_pendings = 0;

$select_pending = mysqli_query($conn, "SELECT total_price FROM `orders` WHERE
payment_status = 'pending'") or die('query failed');
```



```

if(mysqli_num_rows($select_pending) > 0){
    while($fetch_pendings = mysqli_fetch_assoc($select_pending)){
        $total_price = $fetch_pendings['total_price'];
        $total_pendings += $total_price;
    };
};
?>
<h3>₹<?php echo $total_pendings; ?>/></h3>

```

```

<?php
    $total_completed = 0;

    $select_completed = mysqli_query($conn, "SELECT total_price FROM `orders`
WHERE payment_status = 'completed'") or die('query failed');

    if(mysqli_num_rows($select_completed) > 0){
        while($fetch_completed = mysqli_fetch_assoc($select_completed)){
            $total_price = $fetch_completed['total_price'];
            $total_completed += $total_price;
        };
    };
?>
<h3>₹<?php echo $total_completed; ?>/></h3>

```

```

<?php
    $select_orders = mysqli_query($conn, "SELECT * FROM `orders`") or die('query
failed');

    $number_of_orders = mysqli_num_rows($select_orders);
?>

```

```
<h3><?php echo $number_of_orders; ?></h3>
```

```
<?php
```

```
    $select_products = mysqli_query($conn, "SELECT * FROM `products`") or die('query failed');
```

```
    $number_of_products = mysqli_num_rows($select_products);
```

```
?>
```

```
<h3><?php echo $number_of_products; ?></h3>
```

```
<?php
```

```
    $select_users = mysqli_query($conn, "SELECT * FROM `users` WHERE user_type = 'user'") or die('query failed');
```

```
    $number_of_users = mysqli_num_rows($select_users);
```

```
?>
```

```
<h3><?php echo $number_of_users; ?></h3>
```

```
<?php
```

```
    $select_admins = mysqli_query($conn, "SELECT * FROM `users` WHERE user_type = 'admin'") or die('query failed');
```

```
    $number_of_admins = mysqli_num_rows($select_admins);
```

```
?>
```

```
<h3><?php echo $number_of_admins; ?></h3>
```

```
<?php
```

```
    $select_account = mysqli_query($conn, "SELECT * FROM `users`") or die('query failed');
```

```
    $number_of_account = mysqli_num_rows($select_account);
```

?>

<?php


```
$select_messages = mysqli_query($conn, "SELECT * FROM `message`") or  
die('query failed');
```

```
$number_of_messages = mysqli_num_rows($select_messages);
```

?>

<!-- admin dashboard section ends -->

</html>



Products

<?php

```
include 'config.php';
```

```
session_start();
```

```
$admin_id = $_SESSION['admin_id'];
```

```
if(!isset($admin_id)){
```

```
header('location:login.php');

};

if(isset($_POST['add_product'])){

    $name = mysqli_real_escape_string($conn, $_POST['name']);

    $price = $_POST['price'];

    $image = $_FILES['image']['name'];

    $image_size = $_FILES['image']['size'];

    $image_tmp_name = $_FILES['image']['tmp_name'];

    $image_folder = 'uploaded_img/'.$image;

    $select_product_name = mysqli_query($conn, "SELECT name FROM `products` WHERE
name = '$name'" ) or die('query failed');

    if(mysqli_num_rows($select_product_name) > 0){

        $message[] = 'product name already added';

    }else{

        $add_product_query = mysqli_query($conn, "INSERT INTO `products`(name, price,
image) VALUES('$name', '$price', '$image')") or die('query failed');

        if($add_product_query){

            if($image_size > 2000000){

                $message[] = 'image size is too large';

            }else{

                move_uploaded_file($image_tmp_name, $image_folder);

                $message[] = 'product added successfully!';

            }

        }else{

            $message[] = 'product could not be added!';

        }

    }

}
```

```

}

if(isset($_GET['delete'])){

    $delete_id = $_GET['delete'];

    $delete_image_query = mysqli_query($conn, "SELECT image FROM `products` WHERE id = '$delete_id'" ) or die('query failed');

    $fetch_delete_image = mysqli_fetch_assoc($delete_image_query);

    unlink('uploaded_img/'.$fetch_delete_image['image']);

    mysqli_query($conn, "DELETE FROM `products` WHERE id = '$delete_id'" ) or die('query failed');

    header('location:admin_products.php');

}

if(isset($_POST['update_product'])){

    $update_p_id = $_POST['update_p_id'];

    $update_name = $_POST['update_name'];

    $update_price = $_POST['update_price'];

    mysqli_query($conn, "UPDATE `products` SET name = '$update_name', price = '$update_price' WHERE id = '$update_p_id'" ) or die('query failed');

    $update_image = $_FILES['update_image']['name'];

    $update_image_tmp_name = $_FILES['update_image']['tmp_name'];

    $update_image_size = $_FILES['update_image']['size'];

    $update_folder = 'uploaded_img/'.$update_image;

    $update_old_image = $_POST['update_old_image'];

    if(!empty($update_image)){

        if($update_image_size > 2000000){

            $message[] = 'image file size is too large';

        }else{

```

```
mysql_query($conn, "UPDATE `products` SET image = '$update_image' WHERE id = '$update_p_id'" ) or die('query failed');
```

```
move_uploaded_file($update_image_tmp_name, $update_folder);
```

```
unlink('uploaded_img/'.$update_old_image);
```

```
}
```

```
}
```

```
header('location:admin_products.php');
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
.....
```

```
<?php
```

```
$select_products = mysql_query($conn, "SELECT * FROM `products`") or die('query failed');
```

```
if(mysql_num_rows($select_products) > 0){
```

```
while($fetch_products = mysql_fetch_assoc($select_products)){
```

```
?>
```

```
<?php
```

```
}
```

```
}else{
```

```
echo '<p class="empty">no products added yet!</p>';
```

```
}
```

```
?>
```

```
<?php
```

```

if(isset($_GET['update'])){

    $update_id = $_GET['update'];

    $update_query = mysqli_query($conn, "SELECT * FROM `products` WHERE id =
$update_id") or die('query failed');

    if(mysqli_num_rows($update_query) > 0){

        while($fetch_update = mysqli_fetch_assoc($update_query)){

            ?>

            <input type="hidden" name="update_p_id" value="<?php echo $fetch_update['id'];
            ?>">

            <input type="hidden" name="update_old_image" value="<?php echo
            $fetch_update['image']; ?>">

            <input type="text" name="update_name" value="<?php echo $fetch_update['name'];
            ?>" class="box" required placeholder="enter product name">

            <input type="number" name="update_price" value="<?php echo
            $fetch_update['price']; ?>" min="0" class="box" required placeholder="enter product
            price">

            <input type="file" class="box" name="update_image" accept="image/jpg, image/jpeg,
            image/png">

            <input type="submit" value="update" name="update_product" class="btn">

            <input type="reset" value="cancel" id="close-update" class="option-btn">

            </form>

            <?php
            }

            }

            }else{

```



```
echo '<script>document.querySelector(".edit-product-form").style.display =  
"none";</script>';
```

```
}
```

```
?>
```

.....

```
</html>
```



Orders

```
<?php

include 'config.php';

session_start();

$admin_id = $_SESSION['admin_id'];

if(!isset($admin_id)){
    header('location:login.php');
}

if(isset($_POST['update_order'])){

    $order_update_id = $_POST['order_id'];

    $update_payment = $_POST['update_payment'];

    mysqli_query($conn, "UPDATE `orders` SET payment_status = '$update_payment'
WHERE id = '$order_update_id'") or die('query failed');

    $message[] = 'payment status has been updated!';
}

if(isset($_GET['delete'])){

    $delete_id = $_GET['delete'];

    mysqli_query($conn, "DELETE FROM `orders` WHERE id = '$delete_id'") or die('query
failed');

    header('location:admin_orders.php');
}

?>

<!DOCTYPE html>
```

.....

```
<?php
```

```
$select_orders = mysqli_query($conn, "SELECT * FROM `orders`") or die('query failed');
```

```
if(mysqli_num_rows($select_orders) > 0){
```

```
    while($fetch_orders = mysqli_fetch_assoc($select_orders)){
```

```
    ?>
```

```
<div class="box">
```

```
    <p> user id : <span><?php echo $fetch_orders['user_id']; ?></span> </p>
```

```
    <p> placed on : <span><?php echo $fetch_orders['placed_on']; ?></span> </p>
```

```
    <p> name : <span><?php echo $fetch_orders['name']; ?></span> </p>
```

```
    <p> number : <span><?php echo $fetch_orders['number']; ?></span> </p>
```

```
    <p> email : <span><?php echo $fetch_orders['email']; ?></span> </p>
```

```
    <p> address : <span><?php echo $fetch_orders['address']; ?></span> </p>
```

```
    <p> total products : <span><?php echo $fetch_orders['total_products']; ?></span>
```

```
</p>
```

```
    <p> total price : <span>₹<?php echo $fetch_orders['total_price']; ?>/-</span> </p>
```

```
    <p> payment method : <span><?php echo $fetch_orders['method']; ?></span> </p>
```

```
    <form action="" method="post">
```

```
        <input type="hidden" name="order_id" value="<?php echo $fetch_orders['id'];
```

```
?>">
```

```
        <select name="update_payment">
```

```
            <option value="" selected disabled><?php echo $fetch_orders['payment_status'];
?></option>
```

```
            <option value="pending">pending</option>
```

```
            <option value="completed">completed</option>
```

```
        </select>
```

```
        <input type="submit" value="update" name="update_order" class="option-btn">
```

```
<a href="admin_orders.php?delete=?php echo $fetch_orders['id']; ?>"
onclick="return confirm('delete this order?');" class="delete-btn">delete</a>
```

```
</form>
```

```
</div>
```

```
<?php
```

```
}
```

```
}else{
```


```
    echo '<p class="empty">no orders placed yet!</p>';
```

```
}
```

```
?>
```

```
.....
```

```
</html>
```



Users

```
<?php
```

```
include 'config.php';
```

```

session_start();

$admin_id = $_SESSION['admin_id'];

if(!isset($admin_id)){
    header('location:login.php');
}

if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];

    mysqli_query($conn, "DELETE FROM `users` WHERE id = '$delete_id'" ) or die('query
failed');

    header('location:admin_users.php');
}

?>

<!DOCTYPE html>

.....

<?php

$select_users = mysqli_query($conn, "SELECT * FROM `users`") or die('query failed');

while($fetch_users = mysqli_fetch_assoc($select_users)){

?>

<div class="box">

    <p> user id : <span><?php echo $fetch_users['id']; ?></span> </p>

    <p> username : <span><?php echo $fetch_users['name']; ?></span> </p>

    <p> email : <span><?php echo $fetch_users['email']; ?></span> </p>

    <p> user type : <span style="color:<?php if($fetch_users['user_type'] == 'admin'){
echo 'var(--orange)'; } ?>"><?php echo $fetch_users['user_type']; ?></span> </p>

    <a href="admin_users.php?delete=<?php echo $fetch_users['id']; ?>" onclick="return
confirm('delete this user?');" class="delete-btn">delete user</a>


</div>

```

?>

.....

</html>



Messages

```
<?php
```

```
include 'config.php';
```

```
session_start();
```

```
$admin_id = $_SESSION['admin_id'];
```

```
if(!isset($admin_id)){
```

```
    header('location:login.php');
```

```
};
```

```
if(isset($_GET['delete'])){
```

```
    $delete_id = $_GET['delete'];
```

```
mysqli_query($conn, "DELETE FROM `message` WHERE id = '$delete_id'") or die('query failed');
```

```
header('location:admin_contacts.php');
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
.....
```

```
<?php
```

```
$select_message = mysqli_query($conn, "SELECT * FROM `message`") or die('query failed');
```

```
if(mysqli_num_rows($select_message) > 0){
```

```
    while($fetch_message = mysqli_fetch_assoc($select_message)){
```

```
?>
```

```
<div class="box">
```

```
    <p> user id : <span><?php echo $fetch_message['user_id']; ?></span> </p>
```

```
    <p> name : <span><?php echo $fetch_message['name']; ?></span> </p>
```

```
    <p> number : <span><?php echo $fetch_message['number']; ?></span> </p>
```

```
    <p> email : <span><?php echo $fetch_message['email']; ?></span> </p>
```

```
    <p> message : <span><?php echo $fetch_message['message']; ?></span> </p>
```

```
    <a href="admin_contacts.php?delete=<?php echo $fetch_message['id']; ?>"
onclick="return confirm('delete this message?');" class="delete-btn">delete message</a>
```

```
</div>
```

```
<?php
```

```
    );
```

```
}else{
```


```
    echo '<p class="empty">you have no messages!</p>';
```

```
}
```

?>

.....

</html>



THE END...