1 Section Title

1.1 Subsection title

My Paragraph. The `\pptext{<title>}` command is used to create a custom paragraph, which starts with an italic title followed by a dot.

Lemma 1.1. *My lemma.*

Cleveref

`\cref{lem:my-lemma}` to refer to Lemma 1.1.
`\cref{sec:section-title}` to refer to Section 1.
`\cref*{sec:section-title}` to avoid creating hyperlinks ⟶ Section 1.

Code

`\texttt{file\_name}` uses the monospaced font; special characters need escaping ⟶ `file_name`.
`\verb!file_name!` prints special characters literally ⟶ `file_name`.
`\cd{code}` to use the inconsolata ⟶ `code`.
`\fncd{code}` to use the inconsolata in footnotes ⟶ `code`.

Diamond

Use `\diam` to add a diamond symbol at the end of a line:
(used for examples sections) ◇

Colored/Framed box

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce tempor tincidunt commodo. Nulla suscipit molestie faucibus. Phasellus metus ante, consectetur sit amet tincidunt a, vehicula sit amet nulla. In euismod tempor sem in dictum. Praesent odio lorem, laoreet tincidunt varius nec, blandit vitae tortor. In accumsan a libero sed aliquam. Aenean quis commodo nisi. Pellentesque ut eros a orci tristique pharetra in non nunc.

To color the box, pass the options `box-border=<color>` and `box-background=<color>` to the package. The colours must be defined in xcolor or with `\definecolor`. Default colours are `box-border=black` and `box-background=white`.

SIUnit

Use the `siunitx` package to typeset SI units and numbers.
The following examples demonstrate the usage:

`\SI{10}{\meter}` $\longrightarrow 10\,\mathrm{m}$.
`\num{10}` $\longrightarrow 10$.
`\unit{\kilo\gram\metre\per\square\second}` $\longrightarrow \mathrm{kg\,m/s^2}$.