

MAISON NOIR

Fine Dining Restaurant Website

Project Report

CSCI390 - Web Programming
Spring 2025-2026

Phase 2: ReactJS Frontend Application

Abstract

Maison Noir is a fine dining restaurant website developed as a ReactJS single-page application. The project converts a static HTML/CSS website into a modern, component-based React application with client-side routing, responsive design, and interactive features. The website showcases the restaurant story, menu, gallery, and provides an online reservation form, demonstrating proficiency in modern web development technologies including React 19, React Router v7, and Tailwind CSS 4.

System Design

Architecture

The application follows a single-page application (SPA) architecture using React Router for client-side routing. The component tree is structured as follows:

App (BrowserRouter)

- +-- Navbar (fixed, responsive with hamburger menu)
- +-- Routes
 - | +-- / -> Home (hero, signature dishes, hours)
 - | +-- /menu -> Menu (starters, mains, desserts, wine)
 - | +-- /about -> About (story, awards, chef, philosophy)
 - | +-- /gallery -> Gallery (dishes, restaurant, behind-the-scenes)
 - | +-- /contact -> Contact (info + reservation form)
- +-- Footer (links + copyright)

Component Structure

src/

- +-- App.jsx (Root component with routing)
- +-- main.jsx (Entry point, renders App)
- +-- index.css (Tailwind CSS + custom theme)
- +-- components/
 - | +-- Navbar.jsx (Navigation with mobile toggle)
 - | +-- Footer.jsx (Footer with links)
- +-- pages/
 - +-- Home.jsx (Landing page)
 - +-- Menu.jsx (Menu listings)
 - +-- About.jsx (Restaurant information)
 - +-- Gallery.jsx (Photo gallery)
 - +-- Contact.jsx (Reservation form)

Technologies Used

- React 19 - Frontend library
- Vite 8 - Build tool and dev server
- React Router DOM 7 - Client-side routing
- Tailwind CSS 4 - Utility-first CSS framework

- Git - Version control
- GitHub Pages - Deployment platform

Code Snippets

1. App.jsx - Routing Setup

```
function App() {
  return (
    <BrowserRouter>
      <Navbar />
      <Routes>
        <Route path="/" element={<Home />} />
        <Route path="/menu" element={<Menu />} />
        <Route path="/about" element={<About />} />
        <Route path="/gallery" element={<Gallery />} />
        <Route path="/contact" element={<Contact />} />
      </Routes>
      <Footer />
    </BrowserRouter>
  )
}
```

2. Contact.jsx - Reservation Form

```
function Contact() {
  const [submitted, setSubmitted] = useState(false)
  const handleSubmit = (e) => {
    e.preventDefault()
    setSubmitted(true)
  }
  return submitted ? (
    <div>Reservation Requested</div>
  ) : (
    <form onSubmit={handleSubmit}>
      <input type="text" placeholder="Name" />
      <input type="email" placeholder="Email" />
      <input type="date" />
      <button type="submit">Reserve</button>
    </form>
  )
}
```

3. Navbar.jsx - Responsive Navigation

```
function Navbar() {
  const [isOpen, setIsOpen] = useState(false)
  return (
    <nav className="fixed w-full z-50 bg-primary/95">
      <Link to="/">MAISON NOIR</Link>
      <button onClick={() => setIsOpen(!isOpen)}>#9776;</button>
      <ul className={isOpen ? "flex" : "hidden"}>
        <li><Link to="/">Home</Link></li>
        <li><Link to="/menu">Menu</Link></li>
        <li><Link to="/about">About</Link></li>
        <li><Link to="/gallery">Gallery</Link></li>
        <li><Link to="/contact">Contact</Link></li>
      </ul>
    </nav>
  )
}
```

4. Tailwind Theme (index.css)

```
@import "tailwindcss";
@theme {
  --font-cinzel: "Cinzel", serif;
  --font-cormorant: "Cormorant Garamond", serif;
  --font-jost: "Jost", sans-serif;
  --color-primary: #1a1a1a;
  --color-secondary: #d4af37;
  --color-accent: #f5f5f5;
}
```

Deployment

The application is deployed and accessible at:

<https://diaahamdan112006.github.io/-maison-noir-react/>

Deployment platform: GitHub Pages

Source code repository:

<https://github.com/diaahamdan112006/-maison-noir-react>

The project is managed with Git version control, featuring multiple commits showing incremental development from Phase 1 static HTML to Phase 2 React application.