1.1


docker build -t diabol2dockerhub/frontend:latest .

```
diabol@DESKTOP-581EQ76:~/my-docker-project$ docker build -t diabol2dockerhub/frontend:latest .
[+] Building 0.4s (8/8) FINISHED                                                                                docker:default
 => [internal] load build definition from Dockerfile                                                                      0.0s
 => => transferring dockerfile: 151B                                                                                      0.0s
 => [internal] load metadata for docker.io/library/nginx:alpine                                                           0.0s
 => [internal] load .dockerignore                                                                                         0.0s
 => => transferring context: 2B                                                                                           0.0s
 => CACHED [1/3] FROM docker.io/library/nginx:alpine@sha256:a9ae6f6d078d477e21323310498e5196cb2b7c0aedd9e07b73066         0.0s
 => => resolve docker.io/library/nginx:alpine@sha256:a9ae6f6d078d477e21323310498e5196cb2b7c0aedd9e07b730661207722         0.0s
 => [internal] load build context                                                                                         0.0s
 => => transferring context: 645B                                                                                         0.0s
 => [2/3] COPY nginx.conf /etc/nginx/conf.d/default.conf                                                                  0.0s
 => [3/3] COPY index.html /usr/share/nginx/html/index.html                                                                0.0s
 => exporting to image                                                                                                    0.2s
 => => exporting layers                                                                                                   0.1s
 => => exporting manifest sha256:8432d5787124873O8af82c2967101e8cb412c19bb8e1f6eb29adc06ff2f9ea75                         0.0s
 => => exporting config sha256:02965d684ebf00febb9b0b0c969ab91959e8488cc819e867f2bdb427289a5d29                           0.0s
 => => exporting attestation manifest sha256:1c3031980c45dc5c54da9d923795eb5e73359dcfbc721a75c0d0839f023577e2             0.0s
 => => exporting manifest list sha256:22db0292fe7cd261e01f8963104caa424bb9113cf78d91c3d5e16dda2017bb62                    0.0s
 => => naming to docker.io/diabol2dockerhub/frontend:latest                                                               0.0s
 => => unpacking to docker.io/diabol2dockerhub/frontend:latest                                                            0.0s
diabol@DESKTOP-581EQ76:~/my-docker-project$
```

1.2

docker run -d -p 8080:80 --name test-front diabol2dockerhub/frontend:latest

curl http://localhost:8080



1.3

docker login -u diabol2

docker push diabol2/frontend:latest

```
docker login -u diabol2
Removing login credentials for https://index.docker.io/v1/

i Info → A Personal Access Token (PAT) can be used instead.
         To create a PAT, visit https://app.docker.com/settings



Password:

WARNING! Your credentials are stored unencrypted in '/home/diabol/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded
diabol@DESKTOP-581EQ76:~/my-docker-project$ docker push diabol2/frontend:latest
The push refers to repository [docker.io/diabol2/frontend]
850bf2dcecff: Mounted from library/nginx
55afa1ecc21d: Mounted from library/nginx
555d0136fadd: Pushed
44136fa355b3: Pushed
af7dd138f459: Mounted from library/nginx
58c524ea09ce: Mounted from library/nginx
bc98d7675616: Mounted from library/nginx
51900e10fb9c: Mounted from library/nginx
8f924cf5086c: Mounted from library/nginx
6636b9fc203c: Mounted from library/nginx
9053e0aa26a4: Pushed
e065bef62d2b: Pushed
latest: digest: sha256:22db0292fe7cd261e01f8963104caa424bb9113cf78d91c3d5e16dda2017bb62 size: 856
diabol@DESKTOP-581EQ76:~/my-docker-project$
```


1.4

(Репозиторий после пуша)




1.5

docker rmi diabol2/frontend:latest && docker pull diabol2/frontend:latest



2.1

Содержание файла docker-compose



2.2

docker compose up -d

docker compose ps




2.3

docker compose exec frontend sh -c "curl http://api"




2.4

docker volume ls | grep logger




2.5

docker compose exec logger sh -c "cat /data/log.txt"



3.1 и 3.2

docker compose down
docker compose up -d
docker compose exec logger sh -c "cat /data/log.txt"



3.3

docker compose down -v
docker compose up -d
docker compose exec logger sh -c "cat /data/log.txt"

