Facebook Results Memo

ddd

8/27/2020


Executive Summary

Artificial intelligence has become an important component of how social media platforms try to achieve the goal of bringing people together, by helping prioritize what we see and consume online. These algorithms have the potential to expand people's social networks, but – given evidence of bias with algorithms in other settings – also have the risk of narrowing the breadth of those with whom we interact online, and reinforcing or potentially even exacerbating the high levels of segregation that characterize 'normal' (real-life) interactions. To explore this possibility, we conduct an audit study in which each subject (along with an RA) records their first 60 news feed posts (NF) and the first 60 users recommended by the 'People You May Know' algorithm (PYMK).


We find evidence of significant discrimination in the NF sorting. When the author and subject are of the same race, the post receives a boost equivalent to 20 percentile points of stated preference; a same-race post in the 50th percentile of stated preference is ranked the same on average as an opposite-race post in the 70th percentile. We find no evidence of discrimination in the PYMK recommendations. We reconcile these findings by distinguishing between behaviors dominated by System 1 (driven by implicit/subconscious attitudes) vs System 2 (driven by explicit/conscious attitudes).


Paper Figures

Ranking group errors



Ranking group errors





% Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu

Table 1:

	$Dependent\ variable:$						
		new.rank					
	(1)	(2)	(3)	(4)	(5)	(6)	
religion.in.group	-1.006296^{***} (0.339386)			-1.007704^{***} (0.338416)	$-0.931093^{***} \\ (0.330125)$		
I(100 *norm.pctle)		$-0.038949^{***} \\ (0.005737)$		$-0.038960^{***} \\ (0.005735)$		$-0.040080^{***} \\ (0.005579)$	
time_rank			$0.232724^{***} \\ (0.010967)$		$0.232392^{***} \\ (0.010963)$	0.233469*** (0.010932)	
Constant	23.903490*** (0.263650)	25.246370*** (0.331596)	17.874620*** (0.302280)	25.855030*** (0.389394)	18.444260*** (0.363434)	19.864020*** (0.409220)	
Observations R^2 Adjusted R^2	7,866 0.001117 0.000990	7,866 0.005826 0.005700	7,866 0.054160 0.054040	7,866 0.006946 0.006693	7,866 0.055116 0.054876	7,866 0.060329 0.060090	

Note:

% Date and time: Sun, Jan 17, 2021 - 13:34:30

Table 2:

	Dependent variable:						
	new.rank						
	(1)	(2)	(3)	(4)	(5)	(6)	
religion.in.group	$-0.320043 \\ (0.351422)$			$-0.173920 \\ (0.348483)$	-0.260766 (0.351182)		
I(100 *norm.pctle)		$-0.079599^{***} \\ (0.005687)$		$-0.079514^{***} \\ (0.005690)$		$-0.077353^{***} \\ (0.005939)$	
friend_rank			$0.050286^{***} \\ (0.009575)$		$0.050057^{***} \\ (0.009580)$	$0.013012 \\ (0.009923)$	
Constant	30.368040*** (0.287258)	34.141870*** (0.328728)	28.637850*** (0.332681)	34.253810*** (0.397966)	28.819020*** (0.412562)	33.636990*** (0.506265)	
Observations R^2 Adjusted R^2	$ \begin{array}{r} 10,882 \\ 0.000076 \\ -0.000016 \end{array} $	$ \begin{array}{c} 10,882 \\ 0.017689 \\ 0.017599 \end{array} $	10,882 0.002529 0.002437	$ \begin{array}{c} 10,882 \\ 0.017711 \\ 0.017531 \end{array} $	10,882 0.002579 0.002396	10,882 0.017844 0.017664	

Note:

^{*}p<0.1; **p<0

[%] Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu

^{*}p<0.1; **p<0.

[%] Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu

Table 3:

	Dependent variable:						
	new.rank						
	(1)	(2)	(3)	(4)	(5)	(6)	
religion.in.group	$-0.320043 \\ (0.351422)$			$-0.173920 \\ (0.348483)$	$-0.251979 \\ (0.350972)$		
I(100 * norm.pctle)		-0.079599^{***} (0.005687)		$-0.079514^{***} \\ (0.005690)$		$-0.075465^{***} \\ (0.005937)$	
pct_friend_rank			$0.060297^{***} \\ (0.009570)$		$0.060085^{***} \\ (0.009574)$	0.023990** (0.009920)	
Constant	30.368040*** (0.287258)	34.141870*** (0.328728)	28.335990*** (0.332496)	34.253810*** (0.397966)	28.510760*** (0.412088)	33.211360*** (0.506023)	
Observations R^2 Adjusted R^2	10,882 0.000076 -0.000016	10,882 0.017689 0.017599	10,882 0.003636 0.003544	$ \begin{array}{c} 10,882 \\ 0.017711 \\ 0.017531 \end{array} $	10,882 0.003683 0.003500	10,882 0.018217 0.018036	

Note:

*p<0.1; **p<0.

control correlations

% Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu

% Date and time: Sun, Jan 17, 2021 - 13:34:34

Table 4: Correlations 1

	Pearson	Spearman	Kendall
NF Rank, Time	0.233	0.238	0.165
PYMK Rank, Pct Friends	0.060	0.060	0.041

Correlation matrix for benchmarks

preference correlations

% Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu

% Date and time: Sun, Jan 17, 2021 - 13:34:37


Table 5: Correlations 2


	Pearson	Spearman	Kendall
NF Rank, Preference	-0.078	-0.079	-0.053
PYMK Rank, Familiarity	-0.140	-0.134	-0.090


Correlation matrix for preferences


Ranking group errors Very puel 10 Poster Identity Outgroup Ingroup PYMK Mutual Friend Ranking


`stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
















Ranking group errors


















geom_path: Each group consists of only one observation. Do you need to adjust ## the group aesthetic?

Newsfeed preference for user's religion (India)

Same-religion posts get sorted closer to the top





Newsfeed preference for user's religion (India) Same-religion posts get sorted closer to the top





geom_path: Each group consists of only one observation. Do you need to adjust
the group aesthetic?


Newsfeed preference for user's religion (India) Same-religion posts get sorted closer to the top






















Newsfeed Ranking by Preference (India)




User self–reported preferences about posts (7=most preferred)

Newsfeed Top 5 by Preference (India)




Newsfeed Top 10 by Preference (India)




User self–reported preferences about posts (7=most preferred)

Newsfeed Top 15 by Preference (India)




Newsfeed Ranking by Preference (India)




User self–reported normalized preference quartile (4=most preferred)

Newsfeed Top 5 by Preference (India)





Newsfeed Top 10 by Preference (India)





User self–reported normalized preference quartile (4=most preferred)


Newsfeed Top 15 by Preference (India)

























geom_path: Each group consists of only one observation. Do you need to adjust
the group aesthetic?


NF Chronological Ranking


Newsfeed Ranking by Preference (India)




geom_path: Each group consists of only one observation. Do you need to adjust
the group aesthetic?








Raw Reported Preference by Race Group Same-religion posts are slightly more preferred




Adding missing grouping variables: `dedupid`

Distribution of normalized preference by religion

Same-religion posts are not rated as more preferred by the user



Cumulative distribution of normalized preference by religion Same-religion posts are not rated as more preferred by the user



- ## Adding missing grouping variables: `dedupid`
 ## Adding missing grouping variables: `dedupid`
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:35:46
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:35:47
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:35:47

Table 6: Time Results - Rank

	$Dependent\ variable:$				
	nf.order				
	$(1) \qquad \qquad (2) \qquad \qquad (3)$				
	all	all2	base		
I(100 * norm.pctle)	-0.048^{***} (0.007)	-0.048^{***} (0.007)	-0.047^{***} (0.007)		
	(0.007)	(0.007)	(0.007)		
time_rank	0.164^{***}	0.150***			
	(0.021)	(0.013)			
religion.in.group	-0.510	-1.078***	-1.126***		
	(0.736)	(0.394)	(0.397)		
time_rank:religion.in.group	-0.024				
	(0.027)				
Constant	27.529***	27.864***	31.340***		
	(0.657)	(0.545)	(0.457)		
Observations	7,866	7,866	7,866		
\mathbb{R}^2	0.024	0.023	0.007		
Adjusted R ²	0.023	0.023	0.007		
Note:	*p-	<0.1; **p<0.05	5; ***p<0.01		

Table 7: Time Results - Top 10

	Dependent variable:			
	nf.order			
	(1)	(2)	(3)	(4)
	all	days	hours	mins
religion.in.group	-1.078^{***} (0.394)	-1.106^{***} (0.397)	-0.520 (0.617)	0.061 (1.635)
I(100 * norm.pctle)	-0.048^{***} (0.007)	-0.049^{***} (0.007)	-0.039^{***} (0.011)	-0.005 (0.028)
time_rank	0.150*** (0.013)	$0.147^{***} \\ (0.013)$	$0.147^{***} (0.034)$	0.168 (0.225)
Constant	27.864*** (0.545)	28.015*** (0.550)	27.484*** (0.830)	27.718*** (2.090)
Observations R^2	7,866 0.023	7,758 0.023	3,512 0.010	542 0.001
Adjusted R ²	0.023	0.023	0.009	-0.004

Note: *p<0.1; **p<0.05; ***p<0.01

Table 8: Time Results - Top 10


Dependent variable: nf.order			
all	recent10	recent20	recent30
-1.078^{***} (0.394)	-1.476^* (0.847)	-0.605 (0.598)	-0.615 (0.491)
-0.048^{***} (0.007)	-0.047^{***} (0.014)	-0.043^{***} (0.010)	-0.044^{***} (0.008)
0.150*** (0.013)	0.096 (0.144)	0.176*** (0.051)	0.187*** (0.028)
27.864*** (0.545)	27.974*** (1.246)	26.779*** (0.863)	26.796*** (0.704)
7,866 0.023	1,922 0.008	3,721 0.008	5,317 0.014
	all -1.078*** (0.394) -0.048*** (0.007) 0.150*** (0.013) 27.864*** (0.545)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Note:

*p<0.1; **p<0.05; ***p<0.01


PYMK preference for user's religion (India)

Same-religion recommendations are not sorted closer to the top




Raw Reported Preference by Race Group


Same-religion posts are slightly more preferred




religion.in.group Distribution of normalized preference by religion




Cumulative distribution of normalized preference by religion



PYMK Ranking by Preference (India)









User self-reported familiarity with recommended user (7=most familiar)

PYMK Top 10 by Preference (India)



User self-reported familiarity with recommended user (7=most familiar)


PYMK Top 15 by Preference (India)




geom_path: Each group consists of only one observation. Do you need to adjust
the group aesthetic?


PYMK Ranking by Identity

No evidence of differential treatments by religion





PYMK Ranking by Familiarity (India)





`geom_smooth()` using formula 'y ~ x'





Regression Tables

- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:36:09
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:36:09
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:36:10
- % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard.edu
- % Date and time: Sun, Jan 17, 2021 13:36:10

Table 9: Primary NF Rank Results

	Dependent variable:				
		nf.order			
	(1)	(2)	(3)	(4)	
	all.mdl	hindu.mdl	muslim.mdl	other.mdl	
religion.in.group	1.126***	1.492***	0.958	2.420	
	(0.397)	(0.538)	(0.692)	(2.156)	
I(100 *norm.pctle)	0.047***	0.046***	0.043***	0.107***	
	(0.007)	(0.009)	(0.012)	(0.033)	
Constant	-31.340***	-31.614***	-30.949***	-34.107***	
	(0.457)	(0.627)	(0.745)	(2.003)	
Observations	7,866	4,912	2,521	319	
\mathbb{R}^2	0.007	0.007	0.006	0.036	
Adjusted R ²	0.007	0.007	0.005	0.030	

Note:

*p<0.1; **p<0.05; ***p<0.01

Table 10: Primary NF Top 10 Results

	<u> </u>				
	Dependent variable:				
	top10				
	(1)	(2)	(3)	(4)	
	all.mdl	hindu.mdl	muslim.mdl	other.mdl	
I(100 *norm.pctle)	0.001*** (0.0002)	0.001^{***} (0.0002)	0.001^{***} (0.0003)	0.002*** (0.001)	
religion.in.group	$0.005 \\ (0.009)$	$0.002 \\ (0.012)$	$0.015 \\ (0.015)$	$0.060 \\ (0.049)$	
Constant	0.134*** (0.010)	0.136*** (0.014)	0.138*** (0.017)	$0.076* \\ (0.046)$	
Observations	7,866	4,912	2,521	319	
\mathbb{R}^2	0.004	0.004	0.004	0.030	
Adjusted \mathbb{R}^2	0.004	0.003	0.003	0.023	

Note:

*p<0.1; **p<0.05; ***p<0.01

Table 11: Primary PYMK Rank Results

	Dependent variable: pymk.order			
	(1)	(2)	(3)	(4)
	all.mdl	hindu.mdl	muslim.mdl	other.mdl
religion.in.group	0.186	0.200	0.561	-2.191
	(0.349)	(0.540)	(0.584)	(2.241)
I(100 *norm.pctle)	0.080***	0.077***	0.089***	0.041
,	(0.006)	(0.007)	(0.010)	(0.028)
Constant	-33.272***	-33.282***	-33.639***	-31.209***
	(0.398)	(0.592)	(0.647)	(1.639)
Observations	10,882	6,833	3,449	480
\mathbb{R}^2	0.018	0.017	0.022	0.007
Adjusted R ²	0.018	0.017	0.021	0.003

Note:

*p<0.1; **p<0.05; ***p<0.01

Table 12: Primary PYMK Top 10 Results

	Dependent variable: top10			
	(1)	(2)	(3)	(4)
	all.mdl	hindu.mdl	muslim.mdl	other.mdl
I(100 *norm.pctle)	0.002***	0.001***	0.002***	0.001
,	(0.0001)	(0.0002)	(0.0002)	(0.001)
religion.in.group	0.003	0.015	-0.007	-0.027
	(0.008)	(0.012)	(0.013)	(0.050)
Constant	0.107***	0.100***	0.103***	0.139***
	(0.009)	(0.013)	(0.015)	(0.037)
Observations	10,882	6,833	3,449	480
\mathbb{R}^2	0.013	0.012	0.017	0.006
Adjusted R ²	0.013	0.012	0.016	0.002

Note:

*p<0.1; **p<0.05; ***p<0.01