

## Coronavirus Disease 2019 (COVID-19) Daily Situation Report of the Robert Koch Institute

15/06/2020 - UPDATED STATUS FOR GERMANY

<b>Confirmed cases</b>	Deaths	Deaths (%)	Recovered
186,461	8,791	4.7%	ca. 172,600**
(+192*)	(+4*)		

\*Change from previous day; \*\*Estimate

COVID-19 cases are notified to the local public health department in the respective districts, in accordance with the German Protection against Infection Law (IfSG). The data are further transmitted through the respective federal state health authority to the Robert Koch Institute (RKI). This situation report presents the uniformly record nationwide data on laboratory-confirmed COVID-19 cases transmitted to RKI.

- Changes since the last report are marked blue in the text -

### Summary (as of 15/06/2020 12:00 AM)

- The number of newly transmitted COVID-19 cases to RKI continues to decrease in comparison to previous weeks. The cumulative nationwide incidence over the past 7 days was 2.5 cases per 100,000 inhabitants. A total of 158 districts transmitted zero cases.
- In total, 186,461 laboratory-confirmed COVID-19 cases and 8,791 deaths due to COVID-19 have been electronically reported to the RKI in Germany.
- COVID-19 outbreaks continue to be reported in nursing homes and hospitals.
- Outbreaks of COVID-19 have been reported in several federal states (including in institutions for asylum seekers and refugees, in meat processing plants and logistics companies, among seasonal harvest workers and in connection with religious events and family gatherings).

# **Epidemiological Situation in Germany**


### Geographical distribution of cases

Epidemiological analyses are based on validated cases notified electronically to the RKI in line with the Protection Against Infection Law (Data closure: 12:00 AM daily). Since January 2020, a total of 186,461 (+192) laboratory-confirmed cases of coronavirus disease 2019 (COVID-19) have been electronically reported to and validated by the RKI (see Table 1). A total of 158 districts reported no cases in the past 7 days. Information on laboratory-confirmed cases is also available on the RKI website at <a href="https://www.rki.de/DE/Content/InfAZ/N/Neuartiges\_Coronavirus/Fallzahlen.html">https://www.rki.de/DE/Content/InfAZ/N/Neuartiges\_Coronavirus/Fallzahlen.html</a> and <a href="https://corona.rki.de">https://corona.rki.de</a>.

**Table 1:** Number and cumulative incidence (per 100,000 population) of laboratory-confirmed COVID-19 cases and deaths for each federal state electronically reported to RKI, Germany (15/06/2020, 12:00 AM).

			21111d11y (13) 00) 201		7-day		
Federal State	Total number of cases	Number of new cases	Cases/ 100,000 pop.	Cases in the last 7 days	incidence per 100,000 pop.	Number of deaths	Number of deaths/
Baden- Wuerttemberg*	35,090	0	317	110	1.0	1,805	16.3
Bavaria	47,642	16	364	249	1.9	2,541	19.4
Berlin	7,322	40	195	301	8.0	208	5.5
Brandenburg	3,329	3	133	31	1.2	163	6.5
Bremen	1,592	3	233	60	8.8	48	7.0
Hamburg	5,144	5	279	25	1.4	255	13.8
Hesse*	10,324	0	165	107	1.7	491	7.8
Mecklenburg-Western Pomerania	782	0	49	8	0.5	20	1.2
Lower Saxony	12,909	35	162	336	4.2	614	7.7
North Rhine- Westphalia	39,307	74	219	634	3.5	1,646	9.2
Rhineland-Palatinate	6,841	1	167	50	1.2	231	5.7
Saarland	2,772	0	280	23	2.3	168	17.0
Saxony	5,347	1	131	18	0.4	219	5.4
Saxony-Anhalt	1,768	12	80	48	2.2	57	2.6
Schleswig-Holstein	3,121	0	108	9	0.3	151	5.2
Thuringia	3,171	2	148	74	3.5	174	8.1
Total	186,461	192	224	2,083	2.5	8,791	10.6

<sup>\*</sup> Baden-Wuerttemberg and Hesse did not transmit data yesterday.



**Figure 1:** Number and cumulative incidence (per 100,000 population) of the 186,461 electronically reported COVID-19 cases in Germany by county and federal state (15/06/2020, 12:00 AM). Please see the COVID-19 dashboard (https://corona.rki.de/) for information on number of COVID-19 cases by county (local health authority).

#### Distribution of cases over time

The first COVID-19 cases in Germany were notified in January 2020. Figure 2 shows COVID-19 cases transmitted to RKI according to date of illness onset from 01.03.2020 onwards. With regard to all cases reported from 01.03.2020 onwards, the onset of symptoms is unknown in 55,447 cases (30%). When the the onset of symptoms is unknown, the date of reporting is provided in Figure 2.





Figure 2: Number of COVID-19 cases in Germany electronically reported to the RKI by date of symptom onset or alternatively by date of reporting from 01/03/2020 (15/06/2020, 12:00 AM).

Note: The report is a snapshot and is continuously updated.

#### **Demographic distribution of cases**

Of all reported cases, 52% are female and 48% are male. Among notified cases with data on gender, 4,161 were children under 10 years of age (2.2%), 8,594 children and teenagers aged 10 to 19 years (4.6%), 80,978 persons aged 20 to 49 years (43%), 57,641 persons aged 50 to 69 years (31%), 29,697 persons aged 70 to 89 years (16%) and 5,288 persons aged 90 years and older (2.8%). The age is unknown in 102 notified cases. The mean age of cases is 49 years (median age 49 years). The highest incidences are seen in persons aged 90 years and older (Figure 3).



**Figure 3:** Electronically reported COVID-19 cases/100,000 population in Germany by age group and gender (n=186,059) for cases with information available (15/06/2020, 12:00 AM).

#### **Clinical aspects**

Information on symptoms is available for 159, 324 (85%) of the notified cases. Common symptoms are cough (49%), fever (41%) and rhinorrhoea (21%). Pneumonia was reported in 4,816 cases (3.0%). Since calendar week 17, cases are reported to the RKI as a distinct COVID-19 surveillance category. Since then, ageusia and anosmia can also be entered as symptoms. At least one of these two symptoms was reported in 2,614 of 17,477 cases (15%).

Hospitalisation was reported for 28,377 (18%) of 160,932 COVID-19 cases with information on hospitalisation status.

Approximately 172,600 people have recovered from their COVID-19 infection. Since the exact date of recovery is unknown in most cases, an algorithm was developed to estimate the number of recovered cases.

Table 2: Number of notified COVID-19 deaths by age group and gender electronically reported to RKI (Data available for 8,786 of notified deaths; 15/06/2020, 12:00 AM)

Gender	Age group (in years)										
	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100+
Male		2	6	17	49	225	614	1,329	2,065	555	5
Female	1		3	6	20	81	217	651	1,855	1,040	45
Total	1	2	9	23	69	306	831	1,980	3,920	1,595	50

In total, 8,791 COVID-19-related deaths have been reported in Germany (4.7% of all confirmed cases). Of these, 4,867 (55%) are men and 3,919 (45%) are women (see Table 2), the gender was unknown in five cases). The median age was 82 years. Of all deaths, 7,548 (86%) were in people aged 70 years or older, but only 19% of all cases were in this age group. So far, three deaths among COVID-19 cases under 20 years of age have been reported to the RKI. Pre-existing medical conditions were reported for all three.

### Occupation, accommodation or care in facilities

In accordance with the Protection Against Infection Law, the RKI receives information on occupation, accommodation or care in a facility relevant for infection control for reported COVID-19 cases

Since information on occupation, accommodation or care in these facilities is missing in 26% of cases, the proportion of cases working, accommodated or cared for in these facilities reported here should be considered minimum values. Among the COVID-19 cases reported from the above mentioned facilities, the proportion of cases that actually acquired their infection in these facilities is unknown.

So far, 13, 463 cases with a SARS-CoV-2 infection have been notified among staff working in medical facilities as defined by Section 23 IfSG. Among the cases reported as working in medical facilities, 73% were female and 27% male. The median age was 41 years, 20 persons died.

The low number of cases among persons who attend or work in facilities providing child care or education (Section 33 IfSG) reflects the low incidence in children observed thus far. The high number of cases among people cared for or working in various care facilities (Section 36 IfSG) is consistent with numerous reported outbreaks, especially in nursing homes.

**Table 3:** Notified COVID-19-cases according to possible occupation, accommodation or care in facilities relevant for transmission of infectious diseases electronically reported to RKI (185,463\* cases, no data available for 48,902 cases; 15/06/2020, 12:00 AM)

Facility according to		Total	Hospitalised	Deaths	Recovered (estimate)
§ 23 IfSG (e.g. hospitals, outpatient clinics and practices, dialysis clinics or	Cared for / accommodated in facility	3,170	2,264	599	2,400
outpatient nursing services)	Occupation in facility	13,463	620	20	13,300
§ 33 IfSG (e.g. day care facilities, kindergartens, facilities for after school care, schools or other educational facilities, children's	Cared for / accommodated in facility*	2,613	62	1	2,400
homes, holiday camps)	Occupation in facility	2,595	132	7	2,500
§ 36 IfSG (e.g. facilities for the care of older, disabled, or other persons in need of care, homeless shelters, community facilities for asylumseekers, repatriates and refugees as well as other mass accommodation and prisons)	Cared for / accommodated in facility	17,300	3,939	3,439	13,300
	Occupation in facility	9,664	410	48	9,500
§ 42 IfSG (e.g. kitchens in the catering trade, in inns, restaurants, canteens, cafés, or other establishments with or for communal catering)	Occupation in facility	2,589	160	4	2,400
Neither cared for, accommodated in nor working in a facility		85,167	15,300	3,355	80,100

<sup>\*</sup>for care according to § 33 IfSG only cases under 18 years of age are taken into account, as other information may be assumed to be incorrect. IfSG: Protection Against Infection Law

#### **Outbreaks**

A high 7-day incidence rate was observed in four districts, primarily due to localised outbreaks: The districts of Aichach-Friedberg (Bavaria), Greiz (Thuringia), Verden (Lower Saxony) and Guetersloh (North-Rhine-Westphalia).

In Aichach-Friedberg an outbreak was reported among seasonal harvest workers. Tracing and testing of contacts as well as implementation of hygiene and quarantine measures were rapidly implemented. Harvest activities were temporarily halted.


Once again there were major outbreaks in retirement- and nursing homes. In the districts of Greiz and Verden residents and nursing staff have been tested positive for SARS-CoV-2. The COVID-19 outbreaks in nursing homes and hospitals in the districts Sonneberg and Coburg are declining, as can be observed from the decreasing incidence.

The increase in the 7-day incidence in the district Guetersloh is due to two outbreaks in the meat processing sector. Such outbreaks have also occurred in other federal states, some of which have led to production closures. Similarly, outbreaks have been observed in various logistics centres.

Further outbreaks were reported among members of religious communities, eg. from Berlin, Hesse and Mecklenburg-Western Pomerania.

### Estimation of the reproduction number (R)

The presented case numbers do not fully reflect the temporal progression of incident COVID-19-cases, since the time intervals between actual onset of illness and diagnosis, reporting, as well as data transmission to the RKI vary greatly. Therefore, a nowcasting approach is applied to model the true temporal progression of COVID-19 cases according to illness onset. Figure 4 shows the result of this analysis.



**Figure 4:** Number of notified COVID-19 cases with known date of illness onset (dark blue), estimated date of illness onset for cases without reported date of onset (grey) and estimated number of not yet notified cases according to illness onset electronically reported to RKI (light blue) (as of 15/06/2020, 12 AM, taking into account cases up to 11/06/2020).

The reproduction number, R, is defined as the mean number of people infected by one infected person. R can only be estimated based on statistical analyses such as nowcasting and not directly extracted from the notification system.

The sensitive R-value reported can be estimated by using a 4-day moving average of the number of new cases estimated by nowcasting. This 4-day value reflects the infection situation about one to two weeks ago. This value reacts sensitively to short-term changes in case numbers, such as those caused by individual outbreaks. This can lead to relatively large fluctuations, especially if the total number of new cases is small. The current estimate of the 4-day-R-value is 1.19 (95%-prediction interval: 0.98 - 1.43) and is based on electronically notified cases as of 15/06/2020, 12:00 AM.

Similarly, the 7-day R-value is estimated by using a moving 7-day average of the nowcasting curve. This compensates for fluctuations more effectively, as this value represents a slightly later course of infection of about one to a little over two weeks ago. The 7-day R-value is estimated at 0.95 (95% predictation interval: 0.85-1.17) and is based on electronically notified cases as of 15/06/2020, 12:00 AM. In light of the still low daily case numbers, both R-values should be interpreted with caution and in their course over several days.

Sample calculations as well as an excel sheet presenting both R-values with daily updates can be found under <a href="https://www.rki.de/covid-19-nowcasting">www.rki.de/covid-19-nowcasting</a>. A detailed methodological explanation of the more stable 7day R-value is also available there. More general information and sample calculations for both R-values can also be found in our FAQs (<a href="https://www.rki.de/covid-19-faq">https://www.rki.de/covid-19-faq</a>).

A detailed description of the methodology is available at <a href="https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/17/Art\_02.html">https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/17/Art\_02.html</a> (Epid. Bull. 17 | 2020 from 23/04/2020)

## **DIVI** intensive care register

A registry of the German Interdisciplinary Association for Intensive and Emergency Medicine (DIVI), the RKI and the German Hospital Federation (DKG) was established to document intensive care capacity as well as the number of COVID-19 cases treated in participating hospitals

(<a href="https://www.intensivregister.de/#/intensivregister">https://www.intensivregister.de/#/intensivregister</a>). The DIVI intensive care register documents the number of available intensive care beds in the reporting hospitals on a daily basis. Since 16/04/2020, all hospitals with intensive care beds are required to report.

As of 15/06/2020, a total of 1,259 hospitals or departments reported to the DIVI registry. Overall, 31,354 intensive care beds were registered, of which 19,500 (62%) are occupied, and 11,854 beds (38%) are currently available. The number of COVID-19 cases treated in participating hospitals is shown in Table 4.

Table 4: COVID-19 patients requiring intensive care (ICU) recorded in the DIVI register (15/06/202015/06/2020, 12:15 AM).

	Number of patients	Percentage	Change to previous day*
Currently in ICU	425		+3
- of these: mechanically ventilated	262	62%	+6
Discharged from ICU	14,190		+141
- of these: deaths	3,614	25%	+24

<sup>\*</sup>The interpretation of these numbers must take into account the slightly changing number of reporting hospitals (with large differences in their number of beds) from day to day. This can explain the observed decrease in the cumulative number of discharged patients and deaths on some days compared to the previous day.

## **Risk Assessment by the RKI**

#### General assessment

At the global and the national level, the situation is very dynamic and must be taken seriously. The number of newly reported cases is currently decreasing. The RKI currently assesses the risk to the health of the German population overall as **high** and as **very high** for risk groups. This assessment may change at short notice based on new insights.

#### Infection risk

The risk of infection depends heavily on the regional spread, living conditions and also on individual behaviour.

### **Disease severity**

In most cases, the disease is mild. The probability of progression towards serious disease increases with increasing age and underlying illnesses.

### Burden on health system

The burden on the health care system depends on the geographical distribution of cases, health care capacity and initiation of containment measures (isolation, quarantine, physical distancing etc.). The burden is currently low in many regions, but may be high in some locations.

## Measures taken by Germany

- Regulations for persons entering Germany in connectionwith the novel coronavirus SARS-CoV-2 (15.06.2020) <a href="https://www.rki.de/DE/Content/InfAZ/N/Neuartiges">https://www.rki.de/DE/Content/InfAZ/N/Neuartiges</a> Coronavirus/Transport/BMG Me rkblatt Reisende Tab.html
- From 15 June, borders will open within Europe, making travel possible again provided the COVID-19 activity in destination countries permits this (12/06/2020) <a href="https://www.auswaertiges-amt.de/de/ReiseUndSicherheit/covid-19/2296762">https://www.auswaertiges-amt.de/de/ReiseUndSicherheit/covid-19/2296762</a>
- Information on additional regulations at the regional level regarding control measures such as physical distancing or quarantine regulations for persons entering from other countries can be accessed here: <a href="https://www.bundesregierung.de/breg-de/themen/coronavirus/corona-bundeslaender-1745198">https://www.bundesregierung.de/breg-de/themen/coronavirus/corona-bundeslaender-1745198</a> (in German)
- (Non-medical) face masks must be worn on public transport and in shops in all federal states.
- Data on current disease activity can be found in the daily situation reports and on the RKI dashboard:
  - https://corona.rki.de/
- A distance of 1.5 metres to other indivduals must be maintained in public spaces: https://www.bundesregierung.de/breg-de/themen/coronavirus/besprechung-der-bundeskanzlerin-mit-den-regierungschefinnen-und-regierungschefs-der-laender-1733248 (in German)