













**DNAp****r**Metabolite concentrations  $c^m$  (g/L)Protein concentrations  $p$  (g/L)Proteome fractions  $\phi$ Flux fractions  $f$ Turnover times  $\tau$  (h)Apparent turnover numbers  $k_{app}$  ( $\text{h}^{-1}$ )**RNA/P****rRNA/rP**


$rP/(rP + rRNA)$




Protein mass fraction in ribosome




Relative biomass composition




Predicted biomass



Proteome composition



Proteome sectors



keep\_ribosome\_kcat FALSE  
keep\_transport\_kcat FALSE  
maintenance\_fun constant





**KA**[illegible]

# kcat

	tC	FERM	RESP	ADPS	EAA	ENT	RNAp	DNAP	r
kcatf	56	125	41.66666666666667	26	7	149	6	13	19
kcatb	6	12	4	3	1	15	0	0	0



## Keq

[1,]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
	1306.66666666667	1333.33333333333	133.333333333333	4.33333333333333	18.6666666666667	2.20740740740741	Inf	Inf	Inf

## phi input

[1,]	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]	[,8]	[,9]
	0.065	0.035	0.035	0.003	0.248	0.032	0.119	0.003	0.46

**average saturation input**

3

### minimal phi constraint

[illegible]

### minimal f constraint

[illegible]