




DNAp




r




Metabolite concentrations c^m (g/L)




Protein concentrations p (g/L)




Proteome fractions ϕ




Flux fractions f




Turnover times τ (h)




Apparent turnover numbers k_{app} (h^{-1})




RNA/P




rRNA/rP




$rP/(rP + rRNA)$




Protein mass fraction in ribosome




Relative biomass composition




Predicted biomass



Proteome composition



Proteome sectors



keep_ribosome_kcat FALSE
keep_transport_kcat FALSE
maintenance_fun constant

M

[illegible]

K

[illegible]

kcat

	tC	FERM	RESP	ADPS	EAA	ENT	RNAp	DNAp	r
kcatf	56	508	254	24	7	123	6	12	17
kcatb	6	51	25	2	1	12	0	0	0

Keq

[1,]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
	1306.66666666667	159.372549019608	162.56	6	28	7.6875	Inf	Inf	Inf

phi input

[1,]	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]	[,8]	[,9]
	0.065	0.035	0.035	0.003	0.248	0.032	0.119	0.003	0.46

average saturation input

4

minimal phi constraint

[illegible]

