



Tercer avance del proyecto(capturas)



Nombre de los alumnos

Diana Isabel Aguilar Navarro

Daniel Alejandro Juárez Gaona

José Manuel Varela Hernández

Carrera

ISC

Grado y grupo

8-A

Nombre de la asignatura

Arquitectura de servicios

Nombre del Profesor

Roberto Suarez Zinzun

18-5-2023

Commits en github

Proyectos:

Consultar proyectos

```
$ git add .

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Consulta Proyectos"
[main 3518c3c] Consulta Proyectos
 4 files changed, 24 insertions(+), 16 deletions(-)

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 3.05 KiB | 3.05 MiB/s, done.
Total 10 (delta 7), reused 0 (delta 0), pack-reused 0
```

Eliminar proyectos

```
Terminal Local x + v
$ git add .

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Eliminar Proyectos"
[main 9fb6c03] Eliminar Proyectos
 4 files changed, 23 insertions(+), 2 deletions(-)

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 2.97 KiB | 1.49 MiB/s, done.
Total 10 (delta 8), reused 0 (delta 0), pack-reused 0
```

Agregar Proyectos

```
centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Agregar Proyectos"
[main 7e4b676] Agregar Proyectos
 2 files changed, 21 insertions(+)

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 1.37 KiB | 1.37 MiB/s, done.
Total 7 (delta 6), reused 0 (delta 0), pack-reused 0
```

Modificar proyectos

```
$ git add .

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Modificar Proyectos"
[main 1099752] Modificar Proyectos
 4 files changed, 33 insertions(+), 1 deletion(-)

centa@Asus-Tuf-506L MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 2.78 KiB | 1.39 MiB/s, done.
Total 10 (delta 8), reused 0 (delta 0), pack-reused 0
```

Entregables:

Agregar entregable

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git add .

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Agregar entregable"
[main ede7142] Agregar entregable
 4 files changed, 35 insertions(+), 8 deletions(-)

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 4 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 2.44 KiB | 833.00 KiB/s, done.
Total 10 (delta 6), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To https://github.com/dianaaguilar22/ProyectosRest.git
 b50e9c6..ede7142  main -> main
```

Agregar entregable



dianaaguilar22 committed 1 hour ago

Consultar entregable

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git add .

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "Consultar entregable"
[main b50e9c6] Consultar entregable
 1 file changed, 1 insertion(+), 1 deletion(-)

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 371 bytes | 185.00 KiB/s, done.
Total 4 (delta 3), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/dianaaguilar22/ProyectosRest.git
 d814ecc..b50e9c6  main -> main
```

Consultar entregable



dianaaguilar22 committed yesterday

Eliminar entregable

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git add .

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "eliminar entregable"
[main 641ef51] eliminar entregable
 2 files changed, 18 insertions(+)

diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 4 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 972 bytes | 486.00 KiB/s, done.
Total 7 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
To https://github.com/dianaaguilar22/ProyectosRest.git
   ede7142..641ef51  main -> main
```

eliminar entregable



dianaaguilar22 committed 46 minutes ago

Modificar entregable

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git add .
```

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git commit -m "modificar entregable"
[main 115ae73] modificar entregable
 2 files changed, 1 insertion(+), 1 deletion(-)
```

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 4 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 621 bytes | 310.00 KiB/s, done.
Total 7 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
To https://github.com/dianaaguilar22/ProyectosRest.git
 4bb63e0..115ae73  main -> main
```

```
diana@LAPTOP-LOLOB38P MINGW64 ~/OneDrive/Escritorio/Proyectos/ProyectosRest (main)
$
```

modificar entregable



dianaaguilar22 committed 51 minutes ago

Revisiones:

Cargas de revisiones

```
Terminal: Git_Bash × + ▾

juare@LAPTOP-TN8NMN74 MINGW64 /d/React_Native/Proyectos
$ cd ProyectosRest/


Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 4.07 KiB | 2.03 MiB/s, done.
Total 18 (delta 10), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (10/10), completed with 10 local objects.
To https://github.com/dianaaguilar22/ProyectosRest.git
  7840b80..d2b64b5  main -> main

juare@LAPTOP-TN8NMN74 MINGW64 /d/React_Native/Proyectos/ProyectosRest (main)
$
```



Pruebas en postman


Proyectos:

Método consultar Proyectos




Método Agregar Proyectos






Método actualizar Proyectos




Método Eliminar Proyectos



Entregables:

Consultar entregable



Eliminar entregable

The screenshot shows a REST client interface with a DELETE request to `http://127.0.0.1:5000/proyecto/entregables/5`. The request body is a JSON object with the following fields: `_id` (4), `idProyecto` (14), `Fecha_Programada` (02/13/2023), `Fecha_entregado` (07/13/2023), `Observaciones` (Ninguna), and `Archivo` (Vacio). The response is a 200 OK status with a response time of 1557 ms and a body size of 227 B. The response body is a JSON object with `Estatus` (OK) and `Mensaje` (Se elimino el entregable).

```
DELETE http://127.0.0.1:5000/proyecto/entregables/5
```

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   ... "_id": 4,
3   ... "idProyecto": 14,
4   ... "Fecha_Programada": "02/13/2023",
5   ... "Fecha_entregado": "07/13/2023",
6   ... "Observaciones": "Ninguna",
7   ... "Archivo": "Vacio"
8 }
```

Body Cookies Headers (5) Test Results 200 OK 1557 ms 227 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "Estatus": "OK",
3   "Mensaje": "Se elimino el entregable"
4 }
```

Actualizar entregable

The screenshot shows a REST client interface with a PUT request to `http://127.0.0.1:5000/proyecto/entregables`. The request body is a JSON object with the following fields: `_id` (1), `idProyecto` (2), `Fecha_Programada` (16/04/23), `Fecha_entregado` (18/04/23), `Observaciones` (Ninguna), and `Archivo` (Vacio). The response is a 200 OK status with a response time of 1587 ms and a body size of 244 B. The response body is a JSON object with `Estatus` (Oki) and `Mensaje` (El entregable se actualizo correctamente).

```
PUT http://127.0.0.1:5000/proyecto/entregables
```

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   ... "_id": 1,
3   ... "idProyecto": 2,
4   ... "Fecha_Programada": "16/04/23",
5   ... "Fecha_entregado": "18/04/23",
6   ... "Observaciones": "Ninguna",
7   ... "Archivo": "Vacio"
8 }
```

Body Cookies Headers (5) Test Results 200 OK 1587 ms 244 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "Estatus": "Oki",
3   "Mensaje": "El entregable se actualizo correctamente"
4 }
```

Agregar entregable válido

The screenshot shows a REST client interface with a POST request to `http://127.0.0.1:5000/proyecto/entregables`. The request body is a JSON object with the following fields:

```
{  "id": 5,  "idProyecto": 12,  "Fecha_Programada": "01/05/23",  "Fecha_entregado": "06/05/23",  "Observaciones": "Ninguna",  "Archivo": "Vacio"}
```

The response status is `200 OK` with a response time of `1477 ms` and a response size of `233 B`. The response body is a JSON object:

```
{  "Estatus": "Ok",  "Mensaje": "El entregable se ingreso bien"}
```

Agregar entregable con error

The screenshot shows a REST client interface with a POST request to `http://127.0.0.1:5000/proyecto/entregables`. The request body is a JSON object with the following fields:


```
{  "id": 4,  "idProyecto": 14,  "Fecha_Programada": "02/13/2023",  "Fecha_entregado": "07/13/2023",  "Observaciones": "Ninguna",  "Archivo": "Vacio"}
```

The response status is `200 OK` with a response time of `1394 ms` and a response size of `229 B`. The response body is a JSON object:


```
{  "Estatus": "Error",  "Mensaje": "La fecha no es correcta"}
```


Revisiones:

Captura método agregar revisión válida:




Captura método agregar revisión error:





Captura método modificar revisión válida:



Captura método modificar revisión error:

The screenshot shows the Postman interface with a PUT request to `http://127.0.0.1:5000/proyecto/revisiones`. The request body is a JSON object:

```
1 {
2   "id": 8,
3   "Fecha": "17/06/23",
4   "Observaciones": ["Inicio"],
5   "Porcentaje": 5
6 }
```

The response status is **200 OK** with a time of **9.66 s** and size of **227 B**. The response body is a JSON object:

```
1 {
2   "Estatus": "Error",
3   "Mensaje": "La revision no existe"
4 }
```

The screenshot shows the Postman interface with a PUT request to `http://127.0.0.1:5000/proyecto/revisiones`. The request body is a JSON object:

```
1 {
2   "id": 1,
3   "Fecha": "19/06/23",
4   "Observaciones": ["Inicio"],
5   "Porcentaje": 5
6 }
```

The response status is **200 OK** with a time of **9.45 s** and size of **235 B**. The response body is a JSON object:

```
1 {
2   "Estatus": "Error",
3   "Mensaje": "La fecha es mayor a la de hoy"
4 }
```


Captura método eliminar revision válida:

The screenshot shows the Postman interface with a DELETE request to `http://127.0.0.1:5000/proyecto/revisiones/2`. The request is successful, returning a 200 OK status. The response body is displayed in the 'Body' tab, showing a JSON object with the following structure:

```
1 {
2   "Estatus": "ok",
3   "Mensaje": "La revision se elimino"
4 }
```

The interface also shows the 'Query Params' table, which is currently empty.

Captura método eliminar revision error:

The screenshot shows the Postman interface with a DELETE request to `http://127.0.0.1:5000/proyecto/revisiones/5`. The request is successful, returning a 200 OK status. The response body is displayed in the 'Body' tab, showing a JSON object with the following structure:

```
1 {
2   "Estatus": "Error",
3   "Mensaje": "La revision no se encuentra o no existe"
4 }
```

The interface also shows the 'Query Params' table, which is currently empty.