#Ruby on Rails documentation 📅 📊 🗸 🔺

- Ruby on Rails documentation \$\forall \boxed{\textsit} \boxed{\textsit} \Boxed{\textsit}\$
- This is an H1
 - This is an H2 This is an H6
- hash mark
 - Components
- MathJax
- Graph

npm

This is an H1

HEADERS Es importante que al poners headers se ponga un espacio despues de #

This is an H2

This is an H1

This is an H2

This is an H6

- 1. Bird
- 2. McHale
- 3. Parish

Text ---- Text

This is **bold** and this is *italic*.

This is **bold and italic**.

This is a normal paragraph:

This is a code block.

Here is an example of AppleScript:

tell application "Foo"

beep
end tell

© 2004 Foo Corporation

A simple text

NOTE: The note content

NOTE

It works with almost all markdown flavours (the below blank line matters).

literal asterisks

\ backslash ` backtick

• asterisk _ underscore {} curly braces [] square brackets () parentheses

hash mark


- plus sign
- minus sign (hyphen) . dot ! exclamation mark

some blue text. some red text.

##Components


- Item1 here
- Item2 here

#Design🖍 👺 🔴 🔺 🔷



Class diagram





#MathJax $$\star = \frac{v}{f}$ \$

 $\ \$ \frac{n!}{k!(n-k)!} = \binom{n}{k} \\$ \\$ a^2 + b^2 = c^2 \\$

#Graph

MCU-> Sensor: Start

MCU->Sensor: Slave address

Sensor -->MCU: Ack

MCU-> Sensor: Start

MCU->Sensor: Slave address

Sensor -->MCU: Ack