# Tambah Logbook

### **Execution Environment**

Host name HRD SHARING VISION - DESKTOP-RO2JRQG

Local OS Windows 11 64bit

Katalon version 8.6.5.208

Browser Chrome 115.0.0.0

Summary

ID Test Suites/Tambah Logbook

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-08-03 17:08:31 End 2023-08-03 17:08:36

Elapsed 4.629s

#	ID	Description	Status
1	Test Cases/Login/TCLogin_Positive		FAILED
2	Test Cases/Logbook/001 Capaian Negative		FAILED

### Information

ID Test Cases/Login/TCLogin\_Positive

Description

Tag

Start 2023-08-03 17:08:32 End 2023-08-03 17:08:35

Elapsed 3.767s
Status FAILED

#### Details

#	Description	Elapsed	Status
1	openWebDriver()	2.484s	PASSED
	Action delay is set to 0 milliseconds		
2	navigateToUrl("http://103.180.125.58:8080/#/login")	0.607s	PASSED
	Navigate to 'http://103.180.125.58:8080/#/login' successfully		

Description	Elapsed	Status
setText(findTestObject("login/username_object"), "dianaslama")	0.298s	FAILED
Unable to set text 'dianaslama' of object 'Object Repository/login/username_object' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text		
'dianaslama' of object 'Object Repository/login/username_object'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call		
(Unknown Source)		
at TCLogin_Positive.run(TCLogin_Positive:30)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1691057302756.run(TempTestSuite1691057302756.groovy:36)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed		
from unknown error: web view not found		
(Session info: chrome=115.0.5790.111)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'DESKTOP-RO2JRQG', ip: '192.168.1.27', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f,		
userDataDir: C:\Users\HRDSHA~1\AppData\L}, goog:chromeOptions: {debuggerAddress:		
localhost:60706}, javascriptEnabled: true, networkConnectionEnabled: false,		
page padStrategy: normal platform: WINDOWS platformName: WINDOWS provy:		

pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:

Status

```
Description
                                                                                          Elapsed
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 4bb3886649447a5c6fc5be3fbaec8d96
*** Element info: {Using=xpath, value=//*[@id="root"]/div/div[2]/div[1]/div/div/div/form/div[1]
/div/input}
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.iava:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openga.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy9.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
```

(SetTextKeyword.groovy:66)

# Description

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)

(WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call

 $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. set Text$ 

(Unknown Source)

at Script1690277806993.run(Script1690277806993.groovy:30) ... 13 more

)

### Information

ID Test Cases/Logbook/001 Capaian Negative

Description

Tag

Start 2023-08-03 17:08:35 End 2023-08-03 17:08:36

Elapsed 0.547s Status FAILED

#### **Details**

# Description Elapsed Status

Descri	ption	Elapsed	Status
	ndTestObject("tambahlogbook/button_Tambah Logbook"))	0.111s	FAILE
Unable	to click on object 'Object Repository/tambahlogbook/button_Tambah Logbook' (Root		
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	Repository/tambahlogbook/button_Tambah Logbook'		
٠ ١٥,٥٥٥	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl	IKeywordMain.groovy:64)		
(***********	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebL	IKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
,	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Click	(eyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebL	iBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unkno	own Source)		
	at 001 Capaian Negative.run(001 Capaian Negative:35)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:1			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:44			
44	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
(ToetC	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase aseExecutor.java:418)		
(Teste	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestC	aseExecutor.java:410)		
(10010	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comn	nonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	uiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
Cauco	at TempTestSuite1691057302756.run(TempTestSuite1691057302756.groovy:36) d by: org.openga.selenium.NoSuchWindowException: no such window: target window		
	d by: org.openqa.selenium.NosuchwindowException. no such window. target window / closed		
	nknown error: web view not found		
	ion info: chrome=115.0.5790.111)		
	ofic: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	ninfo: host: 'DESKTOP-RO2JRQG', ip: '192.168.1.27', os.name: 'Windows 11', os.		
	amd64', os.version: '10.0', java.version: '1.8.0_362'		
	info: com.kms.katalon.selenium.driver.CChromeDriver		
	ilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f,		
	ataDir: C:\Users\HRDSHA~1\AppData\L}, goog:chromeOptions: {debuggerAddress:		
	st:60706}, javascriptEnabled: true, networkConnectionEnabled: false,		
	padStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

Status

```
Description
                                                                                          Elapsed
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 4bb3886649447a5c6fc5be3fbaec8d96
*** Element info: {Using=xpath, value=(//button[@type='button'])[5]}
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.iava:432)
         at org.openga.selenium.By$ByXPath.findElements(By.java:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy9.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1027)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:919)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:901)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:896)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:892)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1376)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
```

(ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

# Description Elapsed Status