

```

{% extends "layouts/base.njk" %}

{% block crumbs %}
<a href="/">Home</a> <span class="sep">/</span>
<a href="/tools/">Tools</a> <span class="sep">/</span>
<a href="/tools/{{ toolSlug }}/"/>{{ toolName }}</a>

<span class="sep">/</span>
<span>Overview</span>
{% endblock %}

{% block heroTitle %}
{{ heroTitle | safe }}
{% endblock %}

{% block ctas %}
<span class="ctaLabel">Explore →</span>
<span class="btn primary">Overview</span>
<a class="btn" href="/tools/{{ toolSlug }}/playbook/">Playbook</a>
<a class="btn" href="/tools/{{ toolSlug }}/demo/">Demo</a>
<a class="btn" href="/use-cases/">Cases</a>
{% endblock %}

{% block content %}

{{ content | safe }}

{# Above-the-fold: iframe demo #}
<section class="demo" aria-label="{{ toolName }} Demo">
  <div class="demoHead">
    <div class="label"><span class="dot"></span> Demo Preview</div>
    <a href="/tools/{{ toolSlug }}/demo/">Open full demo →</a>
  </div>
  <iframe
    class="demoFrame"
    src="/tools/{{ toolSlug }}/demo-embed/"
    title="{{ toolName }} Demo (embedded)"></iframe>
</section>

{# Purpose + Outcomes + Quick links #}
<section class="grid2" aria-label="Purpose and outcomes">
  <div class="card">
    <h2 class="section-title">Purpose</h2>
    <p class="muted">{{ purpose }}</p>

    <div class="miniGrid" aria-label="Outcome pillars">
      {% for o in outcomes %}
      <div class="mini">
        <b>{{ o.title }}</b>
        <span>{{ o.desc }}</span>
      </div>
      </div>
    </div>

```

```

    </div>
    {% endfor %}
  </div>
</div>

<aside class="card">
  <h2 class="section-title">Quick links</h2>
  <p class="small">{{ quickIntro | safe }}</p>
  <div class="rule"></div>

  {# Required links (contract) #}
  <p>
    <a href="/tools/{{ toolSlug }}/playbook/"><strong>{{ toolName }}
Playbook</strong></a><br />
    <span class="small">Governance, definitions, thresholds, and how
autonomy stays safe.</span>
  </p>

  <p>
    <a href="/system/"><strong>System Architecture</strong></a><br /
>
    <span class="small">Where this tool fits across the AI-native
operating model.</span>
  </p>

  <p>
    <a href="/use-cases/"><strong>Use Cases</strong></a><br />
    <span class="small">Examples of this tool in real workflows.</
span>
  </p>

  {# Optional extras from front matter (e.g., Metrics Dictionary) #}
  {% if quickLinks %}
    <div class="rule"></div>
    {% for link in quickLinks %}
      <p>
        <a href="{{ link.href }}"><strong>{{ link.label }}</strong></
a><br />
        <span class="small">{{ link.desc }}</span>
      </p>
    {% endfor %}
  {% endif %}
</aside>

</section>

{# What breaks #}
<section class="full" aria-label="What breaks without {{ toolName }}">
  <h2 class="section-title">What breaks without this</h2>
  <ul>

```

```

        {% for item in breaks %}
        <li>{{ item }}</li>
        {% endfor %}
    </ul>
</section>

{# What it does #}
<section class="full" aria-label="What {{ toolName }} does">
    <h2 class="section-title">What it does</h2>
    <ul>
        {% for item in does %}
        <li>{{ item | safe }}</li>
        {% endfor %}
    </ul>

    {% if note %}
    <p class="small">Note: {{ note }}</p>
    {% endif %}
</section>

{# Where it fits #}
<section class="full" aria-label="Where {{ toolName }} fits">
    <h2 class="section-title">Where it fits</h2>
    <ul>
        {% for item in fits %}
        <li>{{ item | safe }}</li>
        {% endfor %}
    </ul>
</section>

{% endblock %}

```