



AWS Integration and Messaging Services (Contd).

Components of a Serverless, Message-Driven application (aka Event Driven Architecture - EDA)





Simple Notification Service (SNS)

Amazon SNS

- Released in 2010.
- A 'serverless' publish-subscribe (pub/sub) messaging service.
- When you want to send a message to many receivers.
 - SQS is point-to-point, but SNS is pub/sub.
- The publisher sends a message to an SNS topic.
- Many subscribers can listen to the topic.
- Each topic subscriber gets all the messages.
- Subscribers can be:
 - SQS, HTTP / HTTPS, Lambda function
 - Emails (SES)
 - SMS messages, Mobile Notifications

SNS - Features


- Integrates with lots of services (Publishers):
 - Lambda.
 - S3 (Bucket change notifications).
 - Cloudwatch (Alarm notification).
 - etc
- Encryption:
 - In-flight encryption using HTTPS API.
 - At-rest encryption using KMS keys.
- Message Filtering:
 - Subscriber can declare a filtering policy to limit the messages it receives to those of interest.

SNS - Features

- Security:
 - Access Controls: IAM policies to regulate access to the SNS API.
 - SNS Access Policies (similar to S3 bucket policies):
 - Cross-account access to SNS topics.
 - Allowing other services (e.g. S3) to write to an SNS topic.
- Auto-scaling.
- DLQ – an SQS queue for messages that can't be delivered to a subscriber due to client errors or server errors.

Topics

- An SNS topic is a logical access point that acts as a communication channel.
- A topic lets you group multiple endpoints, e.g. SQS, Lambda, SMS



Demo – CDK provisioning code

- Architecture:

AWS CLI (Publisher) → SNS Topic → Lambda (Subscriber)

```
23     const demoTopic = new sns.Topic(this, "DemoTopic", {
24         displayName: "Demo topic",
25     });
26
27     const processMessageFn = new lambdanode.NodejsFunction(
28         this,
29 >     "processMsgFn", ...
35     }
36 );
37
38     demoTopic.addSubscription(new subs.LambdaSubscription(processMessageFn));
39
40     new cdk.CfnOutput(this, "topicARN", {
41         value: demoTopic.topicArn,
42     });
43
```


Demo – Lambda subscriber


- A Lambda subscriber receives a batch (?) of messages in its event parameter.

```
2023-11-28T13:26:43.682Z      06899e30-1c7d-4a1
{
  "Records": [
    {
      "EventSource": "aws:sns",
      "EventVersion": "1.0",
      "EventSubscriptionArn": "arn:aws:sns:eu-west-1:517039770760:SimpleAppStack-DemoTopic2BE41B12-H01c5byPIZhM:7c95678d-1044-4b6f-9b7f-9a09a59f8b4e",
      "Sns": {
        "Type": "Notification",
        "MessageId": "28fab4c1-7978-5134-a043-e91e95ab2d8f",
        "TopicArn": "arn:aws:sns:eu-west-1:517039770760:SimpleAppStack-DemoTopic2BE41B12-H01c5byPIZhM",
        "Subject": null,
        "Message": "{\n  \"name\" : \"Diarmuid O' Connor\",\n  \"address\" : \"1 Main Street\",\n  \"email\" : \"doconnor@wit.ie\"}",
        "Timestamp": "2023-11-28T13:26:43.552Z",
        "SignatureVersion": "1",
        "Signature": "KdEyxpVp0d6TD59FCojNYat4+KleQdZIomAs7ULcsxw9GUMoei4ftUHfLu2IfIn8KWZWSMnr2g8M3ZfLead\noTNQCbe2kWhA5aS4r3Cvj68WJkusvCUpoVyrnzPJMN5HNn+D2GL4VVvf7IN1VvfH34Y14i7jUHHWTbgEQouD\n7lTFLCjkLR09bCNoeOJDfprp1nQQJ0LAqtDm+52+d+29+pZ0f61he1xo2i6rSLxj4VZ30mFyrPwKBwgHCdSQf\nQQ4/x4U1mZZdG/sbXcIdy5yznKBmrjmnivHfLyfFz5xqiuBnGHhymzyiGSV0hmBBFNMciGABTUVepAvI0L/PY\nEDw==",
        "SigningCertUrl": "https://sns.eu-west-1.amazonaws.com/SimpleNotificationService-01d088a6f77103d0fe307c0069e40ed6.pem",

```

```
aws sns publish \
  --topic-arn "topic-arn" \
  --message file://message.json
```

The Fan-out pattern



Demo – Fan Out.

- The Fan Out subscribers can be a mixture of types.
- Demo Architecture:
AWS CLI (Pub) -> SNS Topic -> Lambda (Sub)
-> SQS (Sub). -> Lambda (Consumer)

```
const demoTopic = new sns.Topic(this, "DemoTopic", {});
const queue = new sqs.Queue(this, "all-msg-queue", {});
const processSNSMessageFn = new lambdanode.NodejsFunction(
  this,
  "processSNSMsgFn",
  {
    ... properties .....
  }
);
// Subscribers
demoTopic.addSubscription(new subs.LambdaSubscription(processSNSMessageFn,
  { ... properties ..... }));

demoTopic.addSubscription(new subs.SqsSubscription(queue,
  { ... properties ..... }));
```

Demo – The Lambda subscriber event parameter


The screenshot shows the AWS CloudWatch console for the 'diarmui' log group. The event details for the log entry '42Z55gkiy6yb' are displayed. A red arrow points to the 'Subject' field, which is null. A callout box shows the JSON structure of the event, highlighting the 'name', 'address', and 'email' fields.

```
1 {
2   "name" : "Diarmuid O' Connor",
3   "address" : "1 Main Street",
4   "email": "doconnor@wit.ie"
5 }
```

CloudWatch console details:

- Log group: diarmui
- Log entry: 42Z55gkiy6yb
- Event details:
 - EventSource: aws:sns
 - EventVersion: 1.0
 - EventSubscriptionArn: arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkiy6yb
 - Sns: {
 - Type: Notification
 - MessageId: ca265fbe-2517-5406-b2a7-001090d3567e
 - TopicArn: arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkiy6yb
 - Subject: null
 - Message: {"name": "Diarmuid O' Connor", "address": "1 Main Street", "email": "doconnor@wit.ie"}
 - Timestamp: 2024-11-13T14:11:16.186Z
 - SignatureVersion: 1
 - Signature: GZbtzU7CGMNY1v7hec42Mb60NFDwnqe7ytlHB2XnPrP1D8gbNA/r0ViAbFrZvpvFHqLyk0j4C1eMbnoMzZF8vPZ4n5UHSoytarhnJFJ9H/BV526nJTYNg5jEBOWJXg+19rH0PNymKeKKXKZR7AiYgghDg1Twyxhc+MPqjHBF5XD0JY9v3Ugjj/4drqaZMFJFGC/42mIT18Wv3e8xA5BdSVBKgPeN4cVUWMUVJ8LCUuncucP1WbIOBprIkOneX4g0eqtqMrTsesfYGgcgY6M9gvzMLEAWiOeADnzSuJdk5ksTAvm3udDb6P5pRAw2tv8U19XmJDW1JVze4YV8r1Aw==
 - SigningCertUrl: https://sns.eu-west-1.amazonaws.com/SimpleNotificationService-9c6465fa7f48f5cacd23014631ec1136.pem
 - UnsubscribeUrl: https://sns.eu-west-1.amazonaws.com/?Action=Unsubscribe&SubscriptionArn=arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkiy6yb

Demo – The Lambda Q consumer event parameter



The screenshot shows the AWS CloudWatch console interface. The left sidebar contains navigation options: CloudWatch, Favorites and recents, Dashboards, Alarms, Logs, Log groups, Log Anomalies, Live Tail, Logs Insights, Contributor Insights, Metrics, X-Ray traces, and Events. The main content area displays a log record for a Lambda function named 'diarmui'. The log record is an event with a timestamp of 2024-11-13T14:11:26.883Z and a message ID of 54e97653-e433-4468-a777-47f9173965b5. The event body is a JSON object containing a 'messageId' field, a 'receiptHandle' field, and a 'body' field. The 'body' field is a JSON object with 'Type' set to 'Notification', 'MessageId' set to 'ca265fbe-2517-5406-b2a7-001090d3567e', 'TopicArn' set to 'arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkty6yb', 'Message' set to a long string, 'address' set to '1 Main Street', 'email' set to 'doconnor@wit.ie', 'Timestamp' set to '2024-11-13T14:11:16.186Z', 'SignatureVersion' set to '1', 'Signature' set to a long string, 'SigningCertURL' set to 'https://sns.eu-west-1.amazonaws.com/SimpleNotificationService-9c6465fa7f48f5cadd23014631ec1136.pem', and 'UnsubscribeURL' set to 'https://sns.eu-west-1.amazonaws.com/?Action=Unsubscribe&SubscriptionArn=arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkty6yb:8c3a3bba-f7f7-4854-974b-a32dff8163d0'. The 'attributes' field contains 'ApproximateReceiveCount' set to '1', 'SentTimestamp' set to '1731507076218', 'SenderId' set to 'AIDAISMY7JYY5F7RTT6A0', and 'ApproximateFirstReceiveTimestamp' set to '1731507076225'. A red arrow points to the 'messageId' field in the event body.

```
{
  "Records": [
    {
      "messageId": "54e97653-e433-4468-a777-47f9173965b5",
      "receiptHandle": "AQEBvAxWjF4P6iVx9SkgVBVf/8Qxdz7TKjT1crfZaW2FbbFcik4zKOG73TZhMLYok2hYGi2qL9wKCP3ZuKbZCDpj9xb56k8Bd4KL1B/MSykwkLYTjgMyr391SrW2DQEPiBdDV9wq3V+UFaIsfw01Xbui5uTeRdAWN/RWxai7Iov8gIwTSW7T9o5PB3G7GGDYD8+I1i5CNDodVwpWQzTG0ZsSe7NyY/Si f15gJ4e4RK3Mqzv17GetrC0eSiloXQ9Qikjh7UvyFqX5+th3Qn78fRT4CCn6H04RQ90Ho1U17SsQzgzWVUK97gUS0h5Do68zeBho7EERNn39oTJ8AC6Wsg2r+Fp+DkGOKZ9qUWhcbCGMVv9pjer4nNshNK6M6SAeVuR7I4SPGY8Gvnkax0eQHqDeC60sL1gR0sVBJ4+i3Q=",
      "body": "{\\n  \\\"Type\\\" : \\\"Notification\\\",\\n  \\\"MessageId\\\" : \\\"ca265fbe-2517-5406-b2a7-001090d3567e\\\",\\n  \\\"TopicArn\\\" : \\\"arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkty6yb\\\",\\n  \\\"Message\\\" : \\\"{\\n    \\\"name\\\" : \\\"Diarmuid O' Connor\\\",\\n    \\\"address\\\" : \\\"1 Main Street\\\",\\n    \\\"email\\\" : \\\"doconnor@wit.ie\\\"\\\"\\n}\\\",\\n  \\\"Timestamp\\\" : \\\"2024-11-13T14:11:16.186Z\\\",\\n  \\\"SignatureVersion\\\" : \\\"1\\\",\\n  \\\"Signature\\\" : \\\"GZbtzU7CGMNY1v7hec42Mb60NFDwnqe7ytLHB2XnPrP1D8gbNA/r0ViAbFrZvpuFHqLYk0j4C1eMbnMzZF8vPZ4n5UHSoytarhnJFJ9H/BV526nJTYNg5jEB0WJXg+19rH0PNymKeKKXZR7AiYgghDg1Twyxhc+MPqjHBF5XD0jY9v3Ugjj/4drqaZMFJFGC/42mITL8Wv3e8xA5BdSVBKgPeN4cVUWMUVJ8LCUuncucP1WbIOBprIkOneX4g0eqtqMrTsesfYGcgY6M9gvzMLEAWiOeADnzSuJdk5ksTAvm3udDb6P5pRAw2tv8U19XmJDW1JVze4YV8rLAW=\\\",\\n  \\\"SigningCertURL\\\" : \\\"https://sns.eu-west-1.amazonaws.com/SimpleNotificationService-9c6465fa7f48f5cadd23014631ec1136.pem\\\",\\n  \\\"UnsubscribeURL\\\" : \\\"https://sns.eu-west-1.amazonaws.com/?Action=Unsubscribe&SubscriptionArn=arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-42Z55gkty6yb:8c3a3bba-f7f7-4854-974b-a32dff8163d0\\\"\\\"\\n}\\\",\\n  \\\"attributes\\\" : {\\n    \\\"ApproximateReceiveCount\\\" : \\\"1\\\",\\n    \\\"SentTimestamp\\\" : \\\"1731507076218\\\",\\n    \\\"SenderId\\\" : \\\"AIDAISMY7JYY5F7RTT6A0\\\",\\n    \\\"ApproximateFirstReceiveTimestamp\\\" : \\\"1731507076225\\\"\\n  }\\n}\\n\""}
    ]
  }
```

The SNS envelope.

- SNS wraps the source message in an envelope before sending it to an SQS queue subscriber.
 - Configurable

```
demoTopic.addSubscription(new subs.SqsSubscription(queue, {  
    rawMessageDelivery: true,  
}));
```

The SNS envelope.

2023-11-29T12:49:03.995Z f0e106dd-9997-510c-9148-5b3caccf8f57 INFO Event

Copy

```
{
  "Records": [
    {
      "messageId": "192a3ef6-176d-4ce9-a9fa-7f9994582a88",
      "receiptHandle": "AQEB8goKUGltRGemA3nrBYMBPQyFHTDH2JJA5u6hd+mwZ+RxsNu3IlszA9uKurF+uY3mHr8XnofiMJS2Zxlj
iy2nS6ohVV016mhlCwq64dla3JX1L+RIpcqXNh0F0qMzK56kF36BizSIxZS00XaviIiHx0xtrOFswp+u1n7hJ
+0TxBkW/V81c/b+jRdM6l1Hn7hqKb5V2xXkv/AJgfEo2sWdz5SVS8BLMDyIEGMMEngKq4Tnbpe0jiJpydUCX0
Z1zrEoaWoqrWxD0kX1P7fqQxZ73zGYkMHCvD/01bUIkKnywzgvTHDF2Fj2bCDNlsMRrq4qFDGoIAwx4V0Pl4
8ZP8DEpiYlnTFEEemA2AAK8oyDJ4AGNdp+lnidAWZiOGFau6Uj1uCW81bzjuFW0A1iOnRd1ndK0x6NosE/5xsY
leSyWZM="
```

SNS envelope

```
    "body": "{\n  \"Type\" : \"Notification\", \"MessageId\" : \"2625cdf8-
6f50-5eb3-aaaa-90195a3bce66\", \"TopicArn\" : \"arn:aws:sns:eu-west-
1:517039770760:SHSDemoStack-DemoTopic2BE41B12-paPr90UK7POD\", \"Message\" : \"
{\n  \"name\" : \"Diarmuid O' Connor\", \"address\" : \"1
Main Street\", \"email\" : \"doconnor@wit.ie\", \"\n\", \"
timestamp\" : \"2023-11-29T12:48:43.515Z\", \"SignatureVersion\" : \"1\", \"
Signature\" :
\"cW3s3KL5Jq1HBqhiabNrC3QEbXJZBR/g1b0C0QFk5eRkPKp2j8gGYkEGIsi0eerdgd+Pff9lo1M1NuGiYI7
0q3k9b0Fw9jkIh41+5tMnskDQk9mr/mdLHYFjIK2wmnMa7hggScsgWNfQtpLnt4Z8EGWrwa9lrNIRtLFHTkS
YuY/m9FdGwe3dDC8AYmsui8WzFP74vyPv46JkIgKDunqy4YsqUXdbCA2Hv7j/lV1WqXMKX21+6Hi8DF+u3q9l
lYzPWboTgbVlgWvzqbPFuY6tb6Z6yLEZi/ud00YitgiaoiWl8X9SEGqpnuo25+mIGgjM6AjVUGgbgWbiYU4wl
Mhvw==\", \"SigningCertURL\" : \"https://sns.eu-west-
1.amazonaws.com/SimpleNotificationService-01d088a6f77103d0fe307c0069e40ed6.pem\", \"
UnsubscribeURL\" : \"https://sns.eu-west-1.amazonaws.com/?
Action=Unsubscribe&SubscriptionArn=arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-
DemoTopic2BE41B12-paPr90UK7POD:dd9b7420-ef0e-4e1b-88a2-e896b98d6612\" }\n\",
```

```
    "attributes": {
      "ApproximateReceiveCount": "1",
      "SentTimestamp": "1701262123540",
      "SenderId": "ATDATCMV71VVE7DTTGAQ"
```

Back to top ↗

The SNS envelope.

×

▶

▼

▶

2023-11-29T12:54:51.889+00:00

INIT_START Runtime Version: nodejs:16.v26 Runtime Version ARN...

▶

2023-11-29T12:54:52.043+00:00

START RequestId: b1143799-4476-5d78-a682-6a7872b6f2c7 Version...

▼

2023-11-29T12:54:52.045+00:00

2023-11-29T12:54:52.045Z b1143799-4476-5d78-a682-6a7872b6f2c7...

2023-11-29T12:54:52.045Z

b1143799-4476-5d78-a682-6a7872b6f2c7

INFO

Event

Copy

{

"Records": [

No SNS envelope

{

"messageId": "973db4ca-53e2-4f29-ad3c-7bc252b02e25",

"receiptHandle":

"AQEBx/TenyP7WL3SsdKL7/QBif3japCb6NjIG0iLt+hDIXEvW0ps+2P05V7PFFx+Cgq/0lwUQJW6xWCJfgZ4

9feLyz5cxKBEwGL27kH1IY7roBcxgGDgbK/TbIcAbzVEcpoeCxmTdWCYZzvE66grzZ7jEVEDbnEkV6l0y+gXV

xeMtydar80E1989Hm5qBCrn7oG4T4FPamGZh907GOUJnVZPK8cSTtTNTATk8/HrcW

JYevV9Mpt3tvd00L0qk3rmOZZdzOPYRX0Ew7Uj9/D40jleOR+asKc0lsNetoJfqB1

FEH0Ik1yvp4WPe0k9LOHGxkN0Timzg8yJzRrJL60ge3K3CRwopapt5w6giWYLRW+KTGm11s5+HgrDXrQFWL03

fDZoYPo=",

"body": "{\n \"name\" : \"Diarmuid O' Connor\", \n \"address\" :

\"1 Main Street\", \n \"email\" : \"doconnor@wit.ie\" \n}",

"attributes": {

"ApproximateReceiveCount": "1",

"SentTimestamp": "1701262471745",

"SenderId": "AIDAISMY7JYY5F7RTT6A0",

"ApproximateFirstReceiveTimestamp": "1701262471751"

},

"messageAttributes": {},

"md5OfMessageAttributes": null,

"md5OfBody": "85f8fd703039e25159f4268695f0cd5f",

"..."

Back to top ^

Lambda Vs { SQS → Lambda } subscribers

- Disadvantages (Lambda subscriber)
 - No Batching is available when processing messages from SNS.
 - No control on Lambda Concurrency,
 - i.e. messages are processed one by one as soon as they arrive.
 - Lambda function is responsible for handling errors/retries
 - Lambda DLQ needs to be handled separately.
- Advantages (Lambda subscriber):
 - Good for time-critical processing.

SNS - Delivery protocols and policies.

- SNS defines a delivery policy for each delivery protocol.
- The policy defines how SNS retries the delivery of messages when server-side errors occur,
 - i.e. when the service that hosts the subscriber is unavailable/not responding.
- . When the delivery policy is exhausted, SNS stops retrying the delivery and discards the message.
 - A DLQ can be assigned for this case.

SNS - Delivery protocols and policies.

Endpoint type	Delivery protocols	Immediate retry (no delay) phase	Pre-backoff phase	Backoff phase	Post-backoff phase	Total attempts
AWS managed endpoints	Amazon Kinesis Data Firehose ¹	3 times, without delay	2 times, 1 second apart	10 times, with exponential backoff, from 1 second to 20 seconds	100,000 times, 20 seconds apart	100,015 times, over 23 days
	AWS Lambda					
	Amazon SQS					
Customer managed endpoints	SMTP	0 times, without delay	2 times, 10 seconds apart	10 times, with exponential backoff, from 10 seconds to 600 seconds (10 minutes)	38 times, 600 seconds (10 minutes) apart	50 attempts, over 6 hours
	SMS					
	Mobile push					


Lambda subscriber DLQ

- SNS invokes a lambda function subscriber asynchronously.
 - SNS does not wait for a response.
 - ⇒ Lambda service must handle function failures cases.

- Ex.: Architecture:

AWS CLI (Pub) → SNS Topic → Lambda (Sub\
|
| → DLQ → Lambda (Consumer)

Fan Out pattern - Filtering.



Filtering

- Filtering policy can be based on message attributes or the message body.
- Filtering criteria:
 1. String Filter.
 - Conditions - allowList, denyList, matchPrefixes
 2. Numeric Filter.
 - Conditions – allowList, greaterThan, lessThan, between.
 3. Exists Filter.
 - DLQ → Lambda (Consumer)

Demo – Message Attribute Filtering

- Architecture:

AWS CLI (Pub) → SNS Topic → <Filter> → Lambda (Sub)
→ <Filter> → SQS Q -> Lambda (Con)

- Filter policy - The Lambda subscriber should only receive messages with a user_type attribute set to Student or Lecturer.

Demo – Message Attribute Filtering


```
demoTopic.addSubscription(  
    new subs.LambdaSubscription(processSNSMessageFn, {  
        filterPolicy: {  
            user_type: sns.SubscriptionFilter.stringFilter({  
                allowlist: ["Student", "Lecturer"],  
            }),  
        },  
    })  
);
```


```
{ } attributes.json > ...  
1 {  
2     "user_type": {  
3         "DataType": "String",  
4         "StringValue": "Lecturer"  
5     },  
6     "source": {  
7         "DataType": "String",  
8         "StringValue": "Moodle2023"  
9     }  
10 }
```

```
aws sns publish --topic-arn topic-arn-value \  
    --message-attributes file://attributes.json \  
    --message file://message.json
```

```
{ } message.json > ...  
1 {  
2     "name" : "Diarmuid O' Connor",  
3     "address" : "1 Main Street",  
4     "email": "doconnor@wit.ie"  
5 }
```


Demo – Message Attribute Filtering

```
2024-11-19T13:44:32.907Z      5e23c426-17a8-4626-9da0-a2e8a95bfdbe      INFO      Event      
{
  "Records": [
    {
      "EventSource": "aws:sns",
      "EventVersion": "1.0",
      "EventSubscriptionArn": "arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-MKUNYvCT2hVh:ab401e88-a6da-4c76-8b00-37e74c1b8f30",
      "Sns": {
        "Type": "Notification",
        "MessageId": "b96ba8e2-9ded-5563-801b-f754056d9c36",
        "TopicArn": "arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-MKUNYvCT2hVh",
        "Subject": null,
        "Message": "{\n  \"name\" : \"Diarmuid O' Connor\",\n  \"address\" : \"1 Main Street\",\n  \"email\" : \"doconnor@wit.ie\"\n}",
        "Timestamp": "2024-11-19T13:44:32.548Z",
        "SignatureVersion": "1",
        "Signature": "c0b04CTqDRbpBBnIi6+SMv1CAD6pLxuR/oWrLOEUjR5sUg80LIk66M8G+o2Qr5N32Dv2o6jdXLhiq27r5KbQCD6YknrDjXCm2CHUZ5FI1E4dYPqWgULehNAIRThOgpOAzilKLbAJZhpKmfpartMaAZn0iW3CqolPXTJjiEp1yxEsAuo4yldsmEDvrkzHE+A9r/ZpLW23W5kLWPhLB8+0uoI2bYC3prUiM6UXHxi9/hF4EI7HwLoL8IPTu7//6KtAkrIWUe41P1nDvtxDfUNKxVRn8HPIIz/woUj09rJeXdnRrhVgYdKRoji53UqjBCm4drhI0FF968spmpa25LFwQ==",
        "SigningCertUrl": "https://sns.eu-west-1.amazonaws.com/SimpleNotificationService-9c6465fa7f18f5cacd23014631ec1136.pem",
        "UnsubscribeUrl": "https://sns.eu-west-1.amazonaws.com/?Action=Unsubscribe&SubscriptionArn=arn:aws:sns:eu-west-1:517039770760:SHSDemoStack-DemoTopic2BE41B12-MKUNYvCT2hVh:ab401e88-a6da-4c76-8b00-37e74c1b8f30",
        "MessageAttributes": {
          "user_type": {
            "Type": "String",
            "Value": "Lecturer"
          },
          "source": {
            "Type": "String",
            "Value": "Moodle2023"
          }
        }
      }
    }
  ]
}
```



Message Body Filtering

- Filtering based on properties of the message body.
 - Body is a JSON structure.
- Same filtering criteria options as attribute filtering.
- Demo:
 - Architecture:
S3 (Pub) → SNS → <Filter> → SQS (Sub) → Lambda fn (Con)
 - Filter criteria: The Q should only receive messages for files uploaded to the bucket where the filename begins with 'image'.

Demo - Understand the message structure

▼ 2023-12-06T09:57:47.957+00:00 2023-12-06T09:57:47.957Z ee6e2815-00d4-5250-814d-75ff47

2023-12-06T09:57:47.957Z ee6e2815-00d4-5250-814d-75ff471711ad INFO Event {

Records: [

{

messageId: '5373d063-4eef-4121-bdcB-faa7746366b7',
receiptHandle:

'AQEB+IHF20Vjb7XyGgCjqFX0xd0rgGJZCPgjt1bNjqLYVSNE9HmroL0KIBe12K7HSmAuleV9aHWG+LmH57uhHpnGr
A6ZZNMUx3nKU6JUj0DveMQOLVvaFdF27HftD/I78yGdjTL29Z+CskZ2HD0EwaF4DjQSzhmRz/MeNYgXGoVwgHgGSwa0
cR6BCjkAen4fw25Dd9BdkShnB+MbRVK+g1Kc9DKQcisCJSRxtc0Z22/uEEErLa0F10SY0ouyZbUFEVjxotaQIhfRA0
RjZF/0',

body: '{"Records": [{"eventVersion": "2.1", "eventSource": "aws:s3", "awsRegion": "eu-west-1", "eventTime": "2023-12-06T09:57:26.212Z", "eventName": "ObjectCreated:Put", "userIdentity": {"principalId": "AWS:AIDAXQYPYZSEFH75QIS7P"}, "requestParameters": {"sourceIPAddress": "193.1.184.238"}, "responseElements": {"x-amz-request-id": "JPZP22KC2MG3FN13", "x-amz-id-2": "NU608qNARI7gUJLaUXJhnmoRErDtBHsPljXJj0jrjMtds0LsQwnbqg8sEKrTAe6itXbNdWtXp7Um9Ko9gF0DRNwH2P9ZUzC2"}, "s3": {"s3SchemaVersion": "1.0", "configurationId": "NmY5NjRmYmMtYjAyOC00YWZjLWlYMGItYTRmZDNLNGRmN2My", "bucket": {"name": "edastack-images9bf4dcd5-nfqrecrehdv5", "ownerIdentity": {"principalId": "A1K7SN8AC8I6PY"}, "arn": "arn:aws:s3:::edastack-images9bf4dcd5-nfqrecrehdv5"}, "object": {"key": "image2.jpeg", "size": 237793, "eTag": "75609d041989d92cfc585fa330ddcb6d", "sequencer": "006570458615B86BFC"}}}]',

attributes: [Object],

messageAttributes: {},

md5OfBody: 'a836412dcbebede8748b5e7c144ad1c5',

md5OfMessageAttributes: null,

eventSource: 'aws:sqs',

eventSourceARN: 'arn:aws:sqs:eu-west-1:517039770760:EDASStack-imgcreatedqueueB98FF37D-HCKw0QKF7JN5',

awsRegion: 'eu-west-1'

}

]

}

- Structure of event passed to lambda function for an SQS event source/trigger.
- The message body is the S3 notification sent to SNS - in stringified form.

[Back to top](#) ^

Demo - Understand the message structure

```
2023-12-06T09:57:47.965Z    ee6e2815-00d4-5250-814d-75ff471711ad    INFO    bodys
{
  "Records": [
    {
      "eventVersion": "2.1",
      "eventSource": "aws:s3",
      "awsRegion": "eu-west-1",
      "eventTime": "2023-12-06T09:57:26.212Z",
      "eventName": "ObjectCreated:Put",
      "userIdentity": {
        "principalId": "AWS:AIDAXQYPYZSEFH75QIS7P"
      },
      "requestParameters": {
        "sourceIPAddress": "193.1.184.238"
      },
      "responseElements": {
        "x-amz-request-id": "JPZP22KC2MG3FN13",
        "x-amz-id-2":
"NU608qNARI7gUJLaUXJhnmoRErDtBHsPljXJj0jrjMtdsOLsQwnbqg8sEKrTAe6itXbNdWtXp7Um9Ko9gF0DRNwH2P9ZUzC2"
      },
      "s3": {
        "s3SchemaVersion": "1.0",
        "configurationId": "NmY5NjRmYmMtYjAyOC00YWZjLWlYMGItYTRmZDNlNGRmN2My",
        "bucket": {
          "name": "edastack-images9bf4dcd5-nfqrecrehdv5",
          "ownerIdentity": {
            "principalId": "A1K7SN8AC8I6PY"
          },
          "arn": "arn:aws:s3:::edastack-images9bf4dcd5-nfqrecrehdv5"
        },
        "object": {
          "key": "image2.jpeg",
          "size": 237793,
          "eTag": "75609d041989d92cfc585fa330ddcb6d",
          "sequencer": "006570458615B86BFC"
        }
      }
    }
  ]
}
```

Copy

- Parsed form of S3 notification sent to SNS.
- This structure is used to define the subscription body filter

Demo – Filter Policy

```
newImageTopic.addSubscription(  
    new subs.SqsSubscription(imageProcessQueue, {  
        filterPolicyWithMessageBody: {  
            Records: sns.FilterOrPolicy.policy({  
                s3: sns.FilterOrPolicy.policy({  
                    object: sns.FilterOrPolicy.policy({  
                        key: sns.FilterOrPolicy.filter(  
                            sns.SubscriptionFilter.stringFilter({  
                                matchPrefixes: ["image"],  
                            })  
                        })  
                    },  
                },  
            },  
        },  
        rawMessageDelivery: true,  
    })  
);
```

Demo – Filter Policy

- Ex. 2 Only allow messages with the S3 schema version of 2.0.

```
92     newImageTopic.addSubscription(  
93         new subs.SqsSubscription(imageProcessQueue, {  
94             filterPolicyWithMessageBody: {  
95                 Records: sns.FilterOrPolicy.policy({  
96                     s3: sns.FilterOrPolicy.policy({  
97                         s3SchemaVersion: sns.FilterOrPolicy.filter(  
98                             sns.SubscriptionFilter.stringFilter({  
99                                 allowlist: ["2.0"],  
100                             })  
101                     }),  
102                 }),  
103             }),  
104         },  
105         rawMessageDelivery: true,  
106     })  
107 });
```

To be continued