ERP INTEGRATION GUIDE

How the BokoBoko Reports Module Works for Your ERP

A plain-English technical specification showing how BokoBoko turns reservation data into monthly booking, room, and channel revenue reports - so your ERP can pull or compute the exact same numbers directly.

1. CALCULATION RULES

Slide 2

4-step pipeline & exact formulas

2. DATA CONTRACT

Slides 3 - 4

Booking fields, room IDs & JSON output

3. ERP DATABASE TABLE

Slide 5

Ready-to-use SQL schema & GROUP BY

How BokoBoko Builds a Monthly Report

Every report is built in 4 straightforward steps. Your ERP can either call our report endpoint or run these same 4 rules on its own database.

STEP 1

Filter by Check-In Date

Pull all bookings where check-in (arrival) falls inside [dateFrom, dateTo]. A stay checking in on Oct 30 belongs to October.

STEP 2

Normalize the Source

Translate channel / referer into clean names: Booking.com, Airbnb, Website, Admin, Hostelworld, or Expedia.

STEP 3

Convert USD to GHS

Multiply total booking price (USD) by GHS_PER_USD (15.5). If status is cancelled, revenue is set to GHS 0.

STEP 4

Group Into 3 Tables

Sum booking count and GHS revenue into 3 breakdowns: By Source, By Room, and By Status (sorted highest count first).

ACTUAL VS. PROJECTED REVENUE DISTINCTION FOR THE ERP

```
1. Actual Revenue    : status IN ('confirmed','new') AND arrival <= TODAY   (earned / checked-in)
2. Projected Revenue : status IN ('confirmed','new') AND arrival >  TODAY   (future on-the-books)
3. Unpaid Pipeline   : status = 'request'                                   (holds; exclude from actual)
4. Cancelled         : status = 'cancelled' -> GHS 0                        (FX: priceUSD * 15.5)
```

Fields the ERP Needs Per Booking

Only 7 fields per reservation are required to reproduce all BokoBoko financial and operational reports.

FIELD	TYPE	HOW REPORTS USES IT
`id`	number / text	Unique reservation ID (prevents duplicates)
`roomId`	number	Maps to the 7 BokoBoko rooms (see table on right)
`arrival`	YYYY-MM-DD	Primary filter: decides which month owns the stay
`departure`	YYYY-MM-DD	Used to compute nights (departure - arrival)
`status`	text	confirmed | new | request | cancelled
`price`	number (USD)	Total booking price in USD (not nightly)
`channel / referer`	text	Mapped to Website, Admin, Airbnb, Booking.com...

ROOM ID	ROOM NAME	RACK USD
`691857`	**Patience**	$45 / night
`691859`	**Regeneration**	$45 / night
`691860`	**Humility**	$40 / night
`691861`	**Wisdom**	$40 / night
`691862`	**Truth & Honesty**	$50 / night
`691863`	**Love**	$40 / night
`691864`	**Generosity**	$50 / night

Source Fallback Rule

If channel and referer are blank, the booking came from our website and is labeled "Website".

Report JSON Shape & How the ERP Pulls Data

Your partner can pull either raw bookings or finished monthly report objects.

SAMPLE REPORT OBJECT (MonthlyReport)

```
{
  "period": "2026-10",
  "dateFrom": "2026-10-01",
  "dateTo": "2026-10-31",
  "totalBookings": 26,
  "confirmedBookings": 21,
  "cancelledBookings": 2,
  "totalRevenueGHS": 48825,
  "byChannel": [
    { "label": "Website",     "count": 14, "revenue": 26350 },
    { "label": "Booking.com", "count": 8,  "revenue": 15500 },
    { "label": "Airbnb",      "count": 4,  "revenue": 6975 }
  ],
  "byRoom": [
    { "label": "Generosity",  "count": 6,  "revenue": 11625 }
  ],
  "byStatus": [
    { "label": "confirmed",   "count": 21, "revenue": 44000 }
  ]
}
```

Option A: ERP Computes Reports Locally

- Pull raw bookings from GET /api/admin/bookings (or upstream).
- Store rows in erp_reservations (see SQL on Slide 5).
- Run 3 GROUP BY queries: by channel_label, room_name, and status.
- Best when the ERP needs guest-level drill-down and custom periods.

Option B: ERP Pulls Ready-Made Reports

- GET /api/admin/reports?period=YYYY-MM fetches a saved monthly report.
- POST /api/admin/reports with { dateFrom, dateTo } generates any range.
- Zero calculation code required inside the ERP.

Recommended ERP Table & Rollup Queries

One normalized table lets the ERP reproduce every BokoBoko report with simple GROUP BY statements.

SQL SCHEMA: erp_reservations

```
CREATE TABLE erp_reservations (
  id              BIGSERIAL PRIMARY KEY,
  external_source TEXT NOT NULL, -- direct|airbnb|booking
  external_id     TEXT NOT NULL,
  booking_ref     TEXT,          -- BKB-YYYYMMDD-XXXXXX
  room_id         INTEGER NOT NULL,
  room_name       TEXT NOT NULL,
  guest_name      TEXT,
  arrival         DATE NOT NULL,
  departure       DATE NOT NULL,
  status          TEXT NOT NULL, -- confirmed|new|cancelled
  channel_label   TEXT NOT NULL, -- Website|Airbnb|Booking.com
  price_usd       NUMERIC(12,2) DEFAULT 0,
  fx_ghs_per_usd  NUMERIC(10,4) DEFAULT 15.5,
  revenue_ghs     NUMERIC(14,2) GENERATED ALWAYS AS (
    CASE WHEN status = 'cancelled' THEN 0
         ELSE ROUND(price_usd * fx_ghs_per_usd, 2) END
  ) STORED,
  UNIQUE (external_source, external_id)
);
```

3 Queries That Build the Report

Filter all queries with: WHERE arrival BETWEEN :dateFrom AND :dateTo

- By Source: SELECT channel_label AS label, COUNT(*), SUM(revenue_ghs) FROM erp_reservations GROUP BY channel_label ORDER BY COUNT(*) DESC;
- By Room: SELECT room_name AS label, COUNT(*), SUM(revenue_ghs) FROM erp_reservations GROUP BY room_name ORDER BY COUNT(*) DESC;
- By Status: SELECT status AS label, COUNT(*), SUM(revenue_ghs) FROM erp_reservations GROUP BY status ORDER BY COUNT(*) DESC;