### **Create Bugresistance Table:**

```
CREATE TABLE bugresistance(
StudentID int,
StudentName varchar(100),
City varchar(100)
);
```

#### **Insert Data to Bugresistance Table:**

```
INSERT INTO bugresistance(StudentID, StudentName, City) VALUES
(101, 'Dibya', 'Tangail'),
(102, 'Akash', 'Rajshahi'),
(103, 'Payel', 'Dhaka'),
(104, 'Omuk', 'Pabna'),
(105, 'Tomuk', 'Noakhali'),
(106, 'Mohoshi', 'Chattogram'),
(107, 'James', 'New York'),
(108, 'Soumya', 'Satkhira');
```

### Output:

SELECT \* FROM bugresistance;

StudentID	StudentName	City
101	Dibya	Tangail
102	Akash	Rajshahi
103	Payel	Dhaka
104	Omuk	Pabna
105	Tomuk	Noakhali
106	Mohoshi	Chattogram
107	James	New York
108	Soumya	Satkhira

### **Create University Table:**

```
CREATE TABLE university(
StudentID int,
StudentName varchar(100),
);
```

# **Insert Data to University Table:**

```
INSERT INTO university(StudentID, StudentName) VALUES
(101, 'Dibya'),
(102, 'Akash'),
(103, 'Payel'),
(104, 'Omuk'),
(105, 'Tomuk'),
(106, 'Litton'),
(107, 'Shakib');
```

### Output:

SELECT \* FROM university;

StudentID	StudentName
101	Dibya
102	Akash
103	Payel
104	Omuk
105	Tomuk
106	Litton
107	Shakib

#### **INNER JOIN:**

```
SELECT bugresistance.StudentID, university.StudentName,
bugresistance.City
FROM bugresistance INNER JOIN university
ON bugresistance.StudentName=university.StudentName;
```

### Output:

StudentID	StudentName	City
101	Dibya	Tangail
102	Akash	Rajshahi
103	Payel	Dhaka
104	Omuk	Pabna
105	Tomuk	Noakhali

### **Left Join:**

```
SELECT bugresistance.StudentID, university.StudentName,
Bugresistance.City
FROM Bugresistance LEFT JOIN university ON
bugresistance.StudentName=University.StudentName;
```

### **Output:**

StudentID	StudentName	City
101	Dibya	Tangail
102	Akash	Rajshahi
103	Payel	Dhaka
104	Omuk	Pabna
105	Tomuk	Noakhali
106	NULL	Chattogram
107	NULL	New York
108	NULL	Satkhira

# **Right Join:**

```
SELECT bugresistance.StudentID, university.StudentName,
Bugresistance.City
FROM Bugresistance RIGHT JOIN university ON
bugresistance.StudentName=University.StudentName;
```

# Output:

StudentID	StudentName	City
101	Dibya	Tangail
102	Akash	Rajshahi
103	Payel	Dhaka
104	Omuk	Pabna
105	Tomuk	Noakhali
NULL	Litton	NULL
NULL	Shakib	NULL

# **Full Outer Join:**

```
SELECT bugresistance.StudentID, university.StudentName,
Bugresistance.City
FROM Bugresistance
LEFT JOIN university ON
bugresistance.StudentName=University.StudentName
UNION
SELECT bugresistance.StudentID, university.StudentName,
bugresistance.City
FROM bugresistance
RIGHT JOIN university ON
bugresistance.StudentName=university.StudentName;
```

# Output:

StudentID	StudentName	City
101	Dibya	Tangail
102	Akash	Rajshahi
103	Payel	Dhaka
104	Omuk	Pabna
105	Tomuk	Noakhali
106	NULL	Chattogram
107	NULL	New York
108	NULL	Satkhira
NULL	Litton	NULL
NULL	Shakib	NULL