

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)

Practical No. IV

Core JavaScript Concepts for MERN

Roll No.: 52	Name: Divyanjali yadav
Class: TYIT	Batch:
Date of Assignment: 24/7/2026	Date/Time of Submission: 24/7/2026

4(B)

AIM:

```
function Header() {
  return (
    <div>
      <h1>Online Food Delivery Dashboard</h1>
      <hr />
    </div>
  );
}
```

export default Header;

Footer.jsx:

```
function Footer() {
  return (
    <div>
      <hr />
      <p>© 2026 Food Delivery App</p>
    </div>
  );
}
```

export default Footer;

HotelCard.jsx

```
function HotelCard(props) {
  const discountAmount = (props.price * props.discount) / 100;
  const finalPrice = props.price - discountAmount;

  return (
    <div>
      <h2>{props.restaurant}</h2>
      <p>Food Item: {props.food}</p>
      <p>Original Price: ₹ {props.price}</p>
      <p>Discount: {props.discount}%</p>
      <p>Discount Amount: ₹ {discountAmount}</p>
    </div>
  );
}
```

```

    <p>Final Price: ₹{finalPrice}</p>
    <p>Rating: ★ {props.rating}</p>
    <hr />
  </div>
);
}
export default HotelCard;
App.jsx:
import Header from "../components/Header";
import HotelCard from "../components/HotelCard";
import Footer from "../components/Footer";

function App() {
  return (
    <div>
      <Header />


      <HotelCard
        restaurant="Domino's Pizza"
        food="Farmhouse Pizza"
        price={399}
        discount={25}
        rating={4.5}
      />

      <HotelCard
        restaurant="McDonald's"
        food="McAloo Tikki Burger"
        price={199}
        discount={20}
        rating={4.7}
      />

      <Footer />
    </div>
  );
}

export default App;

```



4(C)

Aim:

App.jsx

```
import { useState } from "react";
```

```
function App() {
```

```
  const [count, setCount] = useState(0);
```

```
  return(
```

```
    <div>
```

```
      <h1> Button Click Counter</h1>
```

```
      <hr/>
```

```
      <h2> User clicks: {count} Times</h2>
```

```
      <button onClick={() => setCount(count + 1)}> click Me </button>
```


```
      <h4> Divyanjali T052</h4>
```

```
    </div>
```

```
  );
```

```
}
```

```
export default App;
```



4(D)

Aim:

App.jsx

```
import './App.css';

import StudentForm from './Components/StudentForm';

function App() {

  return (

    <div className="container">

      <StudentForm />

    </div>

  );

}
```

```
export default App;
```

StudentForm.jsx:

```
import { useState } from "react";
function StudentForm() {
  const [name, setName] = useState("");
  const [rollNo, setRollNo] = useState("");
  const [branch, setBranch] = useState("");
  const [cgpa, setCgpa] = useState("");
  return (
    <div>
      <h1>Student Registration Form</h1>
      <label>Student Name : </label>
      <input
        type="text"
        value={name}

        onChange={(e) => setName(e.target.value)}

      />
      <br />
      <br />
      <label>Roll Number : </label>
      <input
        type="number"
        value={rollNo}
```

```
      onChange={(e) => setRollNo(e.target.value)}
    />
    <br />
    <br />
    <label>Branch : </label>
    <input
      type="text"
      value={branch}
      onChange={(e) => setBranch(e.target.value)}
    />
    <br />
    <br />
    <label>CGPA : </label>
    <input
      type="number"
      value={cgpa}
      onChange={(e) => setCgpa(e.target.value)}
    />
    <br />
    <br />

    <hr />
    <h2>Student Details</h2>
    <p>Name : {name}</p>
    <p>Roll Number : {rollNo}</p>
    <p>Branch : {branch}</p>
    <p>CGPA : {cgpa}</p>
  </div>
);
}
export default StudentForm;
```

Student Registration Form

Student Name :

Roll Number :

Branch :

CGPA :

Student Details

Name : Divyanjali
Roll Number : 52
Branch : IT
CGPA : 8.55

4(E)**Aim:**

```
import { useState } from "react";
function ItemList() {
  const [items] = useState([
    "Oracle",
    "JP Morgan",
    "Google",
    "Microsoft",
  ]);
  return (
    <div style={{ textAlign: "center", marginTop: "50px" }}>
      <h2>Placement Companies</h2>
      <ul style={{ display: "inline-block", textAlign: "left" }}>
        {items.map((item, index) => (
          <li key={index}>{item}</li>
        ))}
      </ul>
    </div>
  );
}
export default ItemList;
```

- Oracle
- JP Morgan
- Google
- Microsoft


Aim:

7

```

    Divyanjali
  </button>
</div>
);
}
export default App;

```



To - Do List

App.jsx

```

import { useState } from "react";
import "./App.css";
function App() {
  const [task, setTask] = useState("");
  const [tasks, setTasks] = useState([]);
  const addTask = () => {
    if (task === "") {
      return;
    }
    setTasks([...tasks, task]);
    setTask("");
  };
  return (
    <div className="container">
      <h1>To-Do List</h1>
      <hr />
      <input
        type="text"
        placeholder="Enter Task"
        value={task}
        onChange={(e) => setTask(e.target.value)}
      />
    </div>
  );
}

```



```

    <button onClick={addTask}>Add Task</button>
    <hr />
    <h2>My Tasks</h2>
    <ul>
      {tasks.map((item, index) => (
        <li key={index}>{item}
        </li>))}
    </ul>
  </div>;
}

```

```
export default App;
```

App.css

```

body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
}
.container {
  width: 600px;
  margin: 40px auto;
  text-align: center;
  background: white;
  padding: 20px;
  border: 2px solid #ccc;
  border-radius: 10px;
}
input {
  width: 350px;
  padding: 10px;
  font-size: 18px;
}
button {
  padding: 10px 20px;
  margin-left: 10px;
  background-color: green;
  color: white;
  border: none;
  font-size: 16px;
  cursor: pointer;
}
button:hover {
  background-color: darkgreen;
}
ul {
  text-align: left;

```

```
width: 400px;  
margin: auto;  
}  
li {  
  font-size: 22px;  
  margin: 10px 0;  
}
```

To-Do List

My Tasks

- Mern Assignment
- AI practical