





STATUS BG



STATUS BG



Floor surfaces you create with STATUS are truly a reflection of your own style.

Express yourself with a new glazed porcelain in three pure, charming colors. Let your imagination run free and mix STATUS with classic but fashionable furniture design: durable, strong, easy to clean, capable of giving a high touch of warmth and elegance to your house.





STATUS MT



STATUS makes a strong statement with its natural and varied surface similar to real stone. It is perfectly suited to residential areas that search for an innovative and long lasting look: anywhere that needs lifting and injecting with a bit of personality.



STATUS NO



STATUS embraces the consumer love of all things traditional, it also subtly underlines a belief that our tiles have a long history of reliability, as it offers the most updated technical and aesthetical features of glazed porcelain for the ultimate interiors.

STATUS

GLAZED PORCELAIN STONEWARE

18"x18"
12"x12"



AF2D Status BG
18"x18"
AF2A Status BG
12"x12"



AF2E Status MT
18"x18"
AF2B Status MT
12"x12"



AF2F Status NO
18"x18"
AF2C Status NO
12"x12"

SINGLE BULLNOSE




AF4L Status BG SBN
AF4M Status MT SBN
AF4N Status NO SBN
3"x12"

Shade variations

The color and shade of all tiles vary to some degree. This variance can be from piece to piece and can also occur from production run to production run.

The Ceramic Tile Distributor Association (CTDA), in cooperation with tile manufacturers and distributors, has put together helpful literature entitled the CTDA Color Shade Variation Guide. This guide rates ceramic tile on a four-point scale and ranges from V1 through V4.

Instituting the CTDA's color shade variation guidelines you will reduce customer complaints and sell the unique and individual beauty of each ceramic tile.



V1 Slight Shade Variation

The range of color and/ or finish within the same shade is relatively uniform from tile to tile.

V2 Average Shade Variation

The range of color and/ or finish within the same shade is moderately noticeable from tile to tile.


V3 Heavy Shade Variation

The range of color and/ or finish within the same shade is distinctly different from tile to tile.

V4 Extreme Shade Variation

The range of color and/ or finish within the same shade is extensively random from tile to tile.

SHADE VARIATION AND APPLICATIONS



	Residential	Commercial	Industrial
Floor	•	•	
Wall	•	•	•
Countertop	•	•	•
Pool	•	•	•

Water, oil, grease, or other fluids create slippery conditions. Floors with exposure to these conditions require extra caution in product selection and proper maintenance.

Care & Maintenance

Status is a stain-resistant porcelain tile. Routine maintenance will keep your tile looking new for years to come.

Ragno USA's products are typically easy to install and maintain using the following general guidelines:

- Choose tile from same dye lot and caliber whenever possible
- Select tile alternately from several boxes and rotate when installing
- Follow industry-accepted installation practices as detailed by Tile Council of America "Handbook for Ceramic Tile Installation" or those recommended by the Ceramic Tile Institute of America
- Remove all grout residue promptly after application; neither acid cleaning nor sealing is recommended
- Clean regularly with clear water and/or a neutral (soapless) cleaner, wipe dry to lessen slippery conditions



Field Tile



Wall Tile



Durability



C.O.F. (Wet)



C.O.F. (Dry)



Heavy Variation



Trim Available



Frost Resistant



Meets ADA Recommendations

TECHNICAL SPECIFICATIONS

DESCRIPTION		RESULT	ASTM#
Water Absorption		≤ 0.50%	C373
PEI Rating		4	C1027
MOHS (Scratch Resistance)		7	MOHS Scale
Frost Resistant		Resistant	C1026
C.O.F. Wet		0.60 ≤ COF < 0.70	C1028
C.O.F. Dry		0.60 ≤ COF < 0.70	C1028
Breaking Strength	12"x12"	≥ 364 lbs. (165 kg)	C648
	18"x18"	≥ 467 lbs. (210 kg)	C648
Chemical Resistance	ACID	Excellent	C650
	BASE	Excellent	C650

PACKAGING

	SIZE	THICKNESS	BOX			PALLET		
			PCS	SQ FT	LBS	BOXES	SQ FT	LBS
Floor Tile	18"x18"	3/8"	07	15.26	64.00	32	488.32	2048.00
Floor Tile	12"x12"	5/16"	15	14.53	51.00	48	697.44	2448.00
Single Bullnose	3"x12"	Compatible	20		21.00			



RAGNO  USA

Ragno USA, Inc.

Telephone:
(972) 232 3802
Fax:
(972) 725 3127
Toll Free:
888 297 2466

359 Clay Road
Sunnyvale, TX 75182
USA

Web site:
www.ragnousa.com
E-mail:
info@ragnousa.com