# Contents

# Some title

And a small subtitle

Ι	This is part one	2
1	heading one in /main.md	2
П	This is part two	2
2	To do	2
3	heading level 2 in the .md 3.1 heading level 3 in the .md	<b>2</b>
4	Heading level 1 (should become 2) in content/a_outerfolder/main.md	3
5	Heading level 1 (should become 2) in content/b_outerfolder/main.md	3
6	Heading level 1 (should become 2) in content/c_outerfolder/main.md 6.1 hello from behe	<b>3</b> 3
7	hellobd	4
III another top level heading		



Fig. 1: alt text

# Part I. This is part one

### 1 heading one in /main.md

Edit made on new os.

paragraph in /main.md

note the things in **parts** must be *directories* which contain a main.md. That main.md file may also have a **parts** section for including further files, etc.

# Part II. This is part two

#### 2 To do

- Closely match the appearance of my latex documents from a year ago
  - same border spacing
  - same structure, e.g. have an abstract/terminology/progress sections, bibliography/appendix etc
  - make top level headings as 'parts', e.g. part 1, part 2,

well let's consider this algorithm

```
def mainko(bozo):
    return "hungry"

as well as this

int mainko(int bozo){
    return ERROR_UNDEF;
}
```

#### 3 heading level 2 in the .md

aaa

#### 3.1 heading level 3 in the .md

bbb

todo - make the key:value thing in parts be section parts to filenames, e.g. for abstract, progress, etc?

## 4 Heading level 1 (should become 2) in content/a\_outerfolder/main.md

Content below that heading in the markdown file xxx change

let's see if this mermaid filter works. Should look like the example from https://github.com/raghur/mermaid-filter

---

sequenceDiagram

Alice->>John: Hello John, how are you?

John-->>Alice: Great!

## 5 Heading level 1 (should become 2) in content/b\_outerfolder/main.md

Content below that heading in the markdown file. A nested list test follows.

- 1. This is one element
- 2. Another
  - 1. And a nested element
    - with a nested dot
    - another
  - 2. More element
- 3. Outer end of list

Note that there are two more subfolders here, however they are not referenced in this markdown file, and hence are not integrated into the final document.

## 6 Heading level 1 (should become 2) in content/c\_outerfolder/main.md

ffbc

#### 6.1 hello from behe

hohoe

#### 6.1.1 jfdksllkjfdslkjfds

bo how bew stant

#### 6.2 hullow from b\_boho

as a paragraph

#### 6.2.1 as a second level heading

huahua



another end line... helps?

7 hellobd



Fig. 2: alt text

# 7 hellobd

 $\operatorname{ffbd}$ 

# Part III. another top level heading

here's a copy-pasted thing of the parts - does it work?