

# Some title

And a small subtitle

## Contents

<b>I</b>	<b>This is part one</b>	<b>2</b>
<b>1</b>	<b>heading one in /main.md</b>	<b>2</b>
<b>II</b>	<b>This is part two</b>	<b>2</b>
<b>2</b>	<b>To do</b>	<b>2</b>
<b>3</b>	<b>heading level 2 in the .md</b>	<b>2</b>
3.1	heading level 3 in the .md . . . . .	2
<b>4</b>	<b>Heading level 1 (should become 2) in content/a_outerfolder/main.md</b>	<b>2</b>
<b>5</b>	<b>Heading level 1 (should become 2) in content/b_outerfolder/main.md</b>	<b>2</b>
<b>6</b>	<b>Heading level 1 (should become 2) in content/c_outerfolder/main.md</b>	<b>4</b>
6.1	hello from behe . . . . .	4
6.2	hullo from b_boho . . . . .	4
<b>7</b>	<b>hellobd</b>	<b>6</b>
<b>III</b>	<b>another top level heading</b>	<b>6</b>

# Part I. This is part one

## 1 heading one in /main.md

Edit made on new os.

**paragraph** in /main.md

note the things in **parts** must be *directories* which contain a main.md. That main.md file may also have a **parts** section for including further files, etc.

# Part II. This is part two

## 2 To do

- Closely match the appearance of my latex documents from a year ago
  - same border spacing
  - same structure, e.g. have an abstract/terminology/progress sections, bibliography/appendix etc
  - make top level headings as ‘parts’, e.g. part 1, part 2,

well let’s consider this algorithm

```
def mainko(bozo):
    return "hungry"
```

as well as this

```
int mainko(int bozo){
    return ERROR_UNDEF;
}
```

## 3 heading level 2 in the .md

aaa

### 3.1 heading level 3 in the .md

bbb

todo - make the key:value thing in parts be section parts to filenames, e.g. for abstract, progress, etc?

## 4 Heading level 1 (should become 2) in content/a\_outerfolder/main.md

Content below that heading in the markdown file

## 5 Heading level 1 (should become 2) in content/b\_outerfolder/main.md

Content below that heading in the markdown file. A nested list test follows.

1. This is one element
2. Another
  1. And a nested element
    - with a nested dot
    - another
  2. More element
3. Outer end of list

Note that there are two more subfolders here, however they are not referenced in this markdown file, and hence are not integrated into the final document.




Fig. 1: alt text

## **6 Heading level 1 (should become 2) in content/c\_outerfolder/main.md**

ffbc

### **6.1 hello from behe**

hohoe

#### **6.1.1 jfdksllkjfdslkjfds**

bo how bew stant

### **6.2 hullo from b\_boho**

as a paragraph

#### **6.2.1 as a second level heading**

huahua





Fig. 2: alt text

# Indoor products

Customiz  
availa



Products name
AM-1312
AM-1456
AM-1437
AM-1407
AM-1417
AM-1424
AM-1454
AM-1513
AM-1522
AM-1606
AM-1713
AM-1719
AM-1819
AM-1820
AM-1805
AM-1801
AM-1815
AM-1816

another end line... helps?

7 hellobd

ffbd

## Part III. another top level heading

here's a copy-pasted thing of the parts - does it work?