# Contents

 $\mathbf{2}$ 

2

	1 Is this a suitable parent heading for the
Some title	folder of the same name?
	1.1 should be heading 1 from 1_subfolderA
And a small subtitle	$({ m /main.md})$

todo: check that this demo makes sense. I've just revised the sorting approach of make it simpler (alphabetical order of all source file paths), but it might be a breaking change for some docs, which should have their structure revised.

The headings and depth etc of 1\_subfolderA, 2\_subfolderB and 3\_subfolderC should be identical. (how to refer to headings, with internal links?)

```
1_subfolderA
2_subfolderB
3_subfolderC
e_file1.md
f_file2.md
```

## 1 Is this a suitable parent heading for the folder of the same name?

XX

### 1.1 should be heading 1 from 1\_subfolderA (/main.md)

Note here that there is not a higher level heading, this jumps immediately into a lower heading level. This looks messy! I could add a complicated way to indicate to make this heading a different level, but instead of that I recommend to use another file to put some introductory content with a higher heading level in.

#### 1.1.1 should be 1st heading 2 from 1\_subfolderA (/main.md)

hello

#### 1.1.2 should be 2nd heading 2 from 1\_subfolderA (/main.md)

hello

#### 1.1.3 should should be 3rd heading 2 from 1\_subfolderA (/main.md)

hello