Contents

Some title

heading level 1 in /main.md

paragraph in /main.md

note the things in **parts** can be .md files, or *directories* which contain a mian.md


Fig. 1: alt text

ababa!!

well let's consider this algorithm

```python
def mainko(bozo):
    return "hungry"
```

as well as this

```c
int mainko(int bozo){
    return ERROR_UNDEF;
}
```

heading level 2

aaa

heading level 3

bbb

helloa

ffa

heading level should be 2, from in /b_outerfolder/main.md

ffb

Well it seems this is progressing! However this should have a level 2 heading.

1. This is one element
2. Another
   1. And a nested element
      - with a nested dot
      - another
   2. More element
3. Outer end of list

wowee!

hellobc

ffbc

hello from behe

hohoe

jfdksllkjfdslkjfds bo how bew stant

hullow from b_boho

as a paragraph

■**Indoor products** | Customization available | The following are the standard products included in our lineup.
Designs may be customized based on requests. For inquiries, please refer to the back cover.

Products name	Fluorescent light : 200lx (25℃)			External dimensions (mm)	Weight (g)
	Voc	Isc	Vope-lope	Width x length x thickness	
AM-1312	1.9V	17.6μA	1.2V-16.2μA	38.0×12.5×1.1	1.3
AM-1456	2.5V	6.4μA	1.5V-5.9μA	25.0×10.0×1.1	0.7
AM-1437	2.5V	9.2μA	1.5V-8.5μA	29.6×11.8×1.1	1.0
AM-1407	2.5V	13.1μA	1.5V-12.2μA	38.0×12.5×1.1	1.3
AM-1417	2.5V	14.1μA	1.5V-13.3μA	35.0×13.9×1.1	1.3
AM-1424	2.5V	22.0μA	1.5V-20.6μA	53.0×13.8×1.1	2.0
AM-1454	2.5V	35.2μA	1.5V-33.3μA	41.6×26.3×1.1	3.0
AM-1513	3.1V	16.8μA	1.8V-15.9μA	55.0×13.5×1.1	2.0
AM-1522	3.1V	62.2μA	2.1V-58.7μA	55.0×40.5×1.1	6.3
AM-1606	3.7V	3.6μA	2.6V-3.4μA	15.0×15.0×0.7	0.4
AM-1713	4.4V	16.7μA	3.0V-15.2μA	96.6×10.0×1.1	2.7
AM-1719	4.4V	18.6μA	3.0V-17.3μA	41.6×26.3×1.1	3.1
AM-1819	5.0V	8.1μA	3.0V-6.9μA	31.0×24.0×1.1	2.2
AM-1820	5.0V	14.8μA	3.0V-13.8μA	43.0×26.0×1.1	3.1
AM-1805	5.0V	16.8μA	3.0V-15.7μA	55.0×20.0×1.1	3.0
AM-1801	5.0V	20.2μA	3.0V-18.9μA	53.0×25.0×1.1	3.6
AM-1815	5.0V	48.2μA	3.0V-45.7μA	58.1×48.6×1.1	7.8
AM-1816	5.0V	96.7μA	3.0V-92.2μA	96.7×56.7×1.1	15.6

※The above patterns are representative operating patterns (initial/default values).

Fig. 2: alt text

as a second level heading   huahua

Customization available

The following are the standard products included in our lineup.
Designs may be customized based on requests. For inquiries, please refer to the back cover.

Products name	Fluorescent light : 200lx (25℃)			External dimensions (mm)	Weight (g)
	Voc	Isc	Vope-lope	Width x length x thickness	
AM-1312	1.9V	17.6μA	1.2V-16.2μA	38.0×12.5×1.1	1.3
AM-1456	2.5V	6.4μA	1.5V-5.9μA	25.0×10.0×1.1	0.7
AM-1437	2.5V	9.2μA	1.5V-8.5μA	29.6×11.8×1.1	1.0
AM-1407	2.5V	13.1μA	1.5V-12.2μA	38.0×12.5×1.1	1.3
AM-1417	2.5V	14.1μA	1.5V-13.3μA	35.0×13.9×1.1	1.3
AM-1424	2.5V	22.0μA	1.5V-20.6μA	53.0×13.8×1.1	2.0
AM-1454	2.5V	35.2μA	1.5V-33.3μA	41.6×26.3×1.1	3.0
AM-1513	3.1V	16.8μA	1.8V-15.9μA	55.0×13.5×1.1	2.0
AM-1522	3.1V	62.2μA	2.1V-58.7μA	55.0×40.5×1.1	6.3
AM-1606	3.7V	3.6μA	2.6V-3.4μA	15.0×15.0×0.7	0.4
AM-1713	4.4V	16.7μA	3.0V-15.2μA	96.6×10.0×1.1	2.7
AM-1719	4.4V	18.6μA	3.0V-17.3μA	41.6×26.3×1.1	3.1
AM-1819	5.0V	8.1μA	3.0V-6.9μA	31.0×24.0×1.1	2.2
AM-1820	5.0V	14.8μA	3.0V-13.8μA	43.0×26.0×1.1	3.1
AM-1805	5.0V	16.8μA	3.0V-15.7μA	55.0×20.0×1.1	3.0
AM-1801	5.0V	20.2μA	3.0V-18.9μA	53.0×25.0×1.1	3.6
AM-1815	5.0V	48.2μA	3.0V-45.7μA	58.1×48.6×1.1	7.8
AM-1816	5.0V	96.7μA	3.0V-92.2μA	96.7×56.7×1.1	15.6

※The above patterns are representative operating patterns (initial/default values).

another end line. . . helps?

hellobd

ffbd

another top level heading

here's a copy-pasted thing of the parts - does it work?

helloa

ffa

heading level should be 2, from in /b_outerfolder/main.md

ffb

Well it seems this is progressing! However this should have a level 2 heading.

1. This is one element
2. Another
   1. And a nested element
      - with a nested dot
      - another
   2. More element
3. Outer end of list

wowee!

hellobc

ffbc

hello from behe

hohoe

jfdksllkjfdslkjfds   bo how bew stant

hullow from b_boho

as a paragraph

■Indoor products   **Customization available**   The following are the standard products included in our lineup.
Designs may be customized based on requests. For inquiries, please refer to the back cover.

Products name	Fluorescent light : 200lx (25℃)			External dimensions (mm)	Weight (g)
	Voc	Isc	Vope-Iope	Width x length x thickness	
AM-1312	1.9V	17.6µA	1.2V-16.2µA	38.0×12.5×1.1	1.3
AM-1456	2.5V	6.4µA	1.5V-5.9µA	25.0×10.0×1.1	0.7
AM-1437	2.5V	9.2µA	1.5V-8.5µA	29.6×11.8×1.1	1.0
AM-1407	2.5V	13.1µA	1.5V-12.2µA	38.0×12.5×1.1	1.3
AM-1417	2.5V	14.1µA	1.5V-13.3µA	35.0×13.9×1.1	1.3
AM-1424	2.5V	22.0µA	1.5V-20.6µA	53.0×13.8×1.1	2.0
AM-1454	2.5V	35.2µA	1.5V-33.3µA	41.6×26.3×1.1	3.0
AM-1513	3.1V	16.8µA	1.8V-15.9µA	55.0×13.5×1.1	2.0
AM-1522	3.1V	62.2µA	2.1V-58.7µA	55.0×40.5×1.1	6.3
AM-1606	3.7V	3.6µA	2.6V-3.4µA	15.0×15.0×0.7	0.4
AM-1713	4.4V	16.7µA	3.0V-15.2µA	96.6×10.0×1.1	2.7
AM-1719	4.4V	18.6µA	3.0V-17.3µA	41.6×26.3×1.1	3.1
AM-1819	5.0V	8.1µA	3.0V-6.9µA	31.0×24.0×1.1	2.2
AM-1820	5.0V	14.8µA	3.0V-13.8µA	43.0×26.0×1.1	3.1
AM-1805	5.0V	16.8µA	3.0V-15.7µA	55.0×20.0×1.1	3.0
AM-1801	5.0V	20.2µA	3.0V-18.9µA	53.0×25.0×1.1	3.6
AM-1815	5.0V	48.2µA	3.0V-45.7µA	58.1×48.6×1.1	7.8
AM-1816	5.0V	96.7µA	3.0V-92.2µA	96.7×56.7×1.1	15.6

※The above patterns are representative operating patterns (initial/default values).

Fig. 3: alt text

as a second level heading   huahua

■Indoor products   **Customization available**   The following are the standard products included in our lineup.
Designs may be customized based on requests. For inquiries, please refer to the back cover.

Products name	Fluorescent light : 200lx (25℃)			External dimensions (mm)	Weight (g)
	Voc	Isc	Vope-Iope	Width x length x thickness	
AM-1312	1.9V	17.6µA	1.2V-16.2µA	38.0×12.5×1.1	1.3
AM-1456	2.5V	6.4µA	1.5V-5.9µA	25.0×10.0×1.1	0.7
AM-1437	2.5V	9.2µA	1.5V-8.5µA	29.6×11.8×1.1	1.0
AM-1407	2.5V	13.1µA	1.5V-12.2µA	38.0×12.5×1.1	1.3
AM-1417	2.5V	14.1µA	1.5V-13.3µA	35.0×13.9×1.1	1.3
AM-1424	2.5V	22.0µA	1.5V-20.6µA	53.0×13.8×1.1	2.0
AM-1454	2.5V	35.2µA	1.5V-33.3µA	41.6×26.3×1.1	3.0
AM-1513	3.1V	16.8µA	1.8V-15.9µA	55.0×13.5×1.1	2.0
AM-1522	3.1V	62.2µA	2.1V-58.7µA	55.0×40.5×1.1	6.3
AM-1606	3.7V	3.6µA	2.6V-3.4µA	15.0×15.0×0.7	0.4
AM-1713	4.4V	16.7µA	3.0V-15.2µA	96.6×10.0×1.1	2.7
AM-1719	4.4V	18.6µA	3.0V-17.3µA	41.6×26.3×1.1	3.1
AM-1819	5.0V	8.1µA	3.0V-6.9µA	31.0×24.0×1.1	2.2
AM-1820	5.0V	14.8µA	3.0V-13.8µA	43.0×26.0×1.1	3.1
AM-1805	5.0V	16.8µA	3.0V-15.7µA	55.0×20.0×1.1	3.0
AM-1801	5.0V	20.2µA	3.0V-18.9µA	53.0×25.0×1.1	3.6
AM-1815	5.0V	48.2µA	3.0V-45.7µA	58.1×48.6×1.1	7.8
AM-1816	5.0V	96.7µA	3.0V-92.2µA	96.7×56.7×1.1	15.6

※The above patterns are representative operating patterns (initial/default values).

another end line. . . helps?

hellobd

ffbd