lapply

NYC: for

```
> nyc <- list(pop = 8405837,
              boroughs = c("Manhattan", "Bronx", "Brooklyn",
                           "Queens", "Staten Island"),
              capital = FALSE)

> for(info in nyc) {
    print(class(info))
  }
[1] "numeric"
[1] "character"
[1] "logical"
```

NYC: lapply()

```
> nyc <- list(pop = 8405837,
              boroughs = c("Manhattan", "Bronx", "Brooklyn",
                           "Queens", "Staten Island"),
              capital = FALSE)

> lapply(nyc, class)
$pop
[1] "numeric"

$boroughs
[1] "character"

$capital
[1] "logical"
```

Cities: for

```
> cities <- c("New York", "Paris", "London", "Tokyo",
              "Rio de Janeiro", "Cape Town")

> num_chars <- c()
> for(i in 1:length(cities)) {
    num_chars[i] <- nchar(cities[i])
  }

> num_chars
[1]  8  5  6  5 14  9
```

Cities: lapply()

```
> cities <- c("New York", "Paris", "London", "Tokyo",
              "Rio de Janeiro", "Cape Town")

> lapply(cities, nchar)
[[1]]
[1] 8

[[2]]
[1] 5

...

[[6]]
[1] 9
```

Cities: lapply()

```
> cities <- c("New York", "Paris", "London", "Tokyo",
              "Rio de Janeiro", "Cape Town")

> unlist(lapply(cities, nchar))
[1]  8  5  6  5 14  9
```

Oil

```
> oil_prices <- list(2.37, 2.49, 2.18, 2.22, 2.47, 2.32)
> triple <- function(x) {
    3 * x
  }
> result <- lapply(oil_prices, triple)
> str(result)
List of 6
 $ : num 7.11
 $ : num 7.47
 $ : num 6.54
 $ : num 6.66
 $ : num 7.41
 $ : num 6.96
> unlist(result)
[1] 7.11 7.47 6.54 6.66 7.41 6.96
```

Oil

```
> oil_prices <- list(2.37, 2.49, 2.18, 2.22, 2.47, 2.32)
> multiply <- function(x, factor) {
    x * factor
  }

> times3 <- lapply(oil_prices, multiply, factor = 3)
> unlist(times3)
[1] 7.11 7.47 6.54 6.66 7.41 6.96

> times4 <- lapply(oil_prices, multiply, factor = 4)
> unlist(times4)
[1] 9.48 9.96 8.72 8.88 9.88 9.28
```

INTERMEDIATE R

Let's practice!

sapply

lapply()

- Apply function over list or vector

- Function can return R objects of different classes

- List necessary to store heterogeneous content

- However, often homogeneous content

Cities: lapply()

```
> cities <- c("New York", "Paris", "London", "Tokyo",
              "Rio de Janeiro", "Cape Town")

> result <- lapply(cities, nchar)

> str(result)
List of 6
 $ : int 8
 $ : int 5
 $ : int 6
 $ : int 5
 $ : int 14
 $ : int 9

> unlist(lapply(cities, nchar))
[1]  8  5  6  5 14  9
```

Cities: sapply()

```
> cities <- c("New York", "Paris", "London", "Tokyo",
              "Rio de Janeiro", "Cape Town")

> unlist(lapply(cities, nchar))
[1]  8  5  6  5 14  9


> sapply(cities, nchar)
 New York      Paris   London      Tokyo  Rio de Janeiro  Cape Town
        8          5        6          5              14          9

> sapply(cities, nchar, USE.NAMES = FALSE)
[1]  8  5  6  5 14  9
```

USE.NAMES is TRUE by default

Cities: sapply()

```r
> first_and_last <- function(name) {
    name <- gsub(" ", "", name)
    letters <- strsplit(name, split = "")[[1]]
    c(first = min(letters), last = max(letters))
  }

> first_and_last("New York")
first  last
  "e"   "Y"

> sapply(cities, first_and_last)
      New York Paris  London  Tokyo  Rio de Janeiro  Cape Town
first "e"      "a"    "d"     "k"    "a"             "a"
last  "Y"      "s"    "o"     "y"    "R"             "w"
```

Unable to simplify?

```r
> unique_letters <- function(name) {
    name <- gsub(" ", "", name)
    letters <- strsplit(name, split = "")[[1]]
    unique(letters)
  }

> unique_letters("London")
[1] "L" "o" "n" "d"
```

Unable to simplify?

```
> lapply(cities, unique_letters)
[[1]]
[1] "N" "e" "w" "Y" "o" "r" "k"

[[2]]
[1] "P" "a" "r" "i" "s"

[[3]]
[1] "L" "o" "n" "d"

[[4]]
[1] "T" "o" "k" "y"

...
```

```
> sapply(cities, unique_letters)
$`New York`
[1] "N" "e" "w" "Y" "o" "r" "k"

$Paris
[1] "P" "a" "r" "i" "s"

$London
[1] "L" "o" "n" "d"

$Tokyo
[1] "T" "o" "k" "y"

...
```

**sapply did not simplify
Can be dangerous!**

INTERMEDIATE R

Let's practice!

vapply

Recap

- **lapply()**
  apply function over list or vector
  output = list

- **sapply()**
  apply function over list or vector
  try to simplify list to array

- **vapply()**
  apply function over list or vector
  explicitly specify output format

sapply() & vapply()

```
> cities <- c("New York", "Paris", "London", "Tokyo",
             "Rio de Janeiro", "Cape Town")


> sapply(cities, nchar)
      New York          Paris         London          Tokyo  Rio de Janeiro      Cape Town
             8              5              6              5              14              9
```

```
vapply(X, FUN, FUN.VALUE, ..., USE.NAMES = TRUE)
```

```
> vapply(cities, nchar, numeric(1))
      New York          Paris         London          Tokyo  Rio de Janeiro      Cape Town
             8              5              6              5              14              9
```

vapply()

```
> first_and_last <- function(name) {
    name <- gsub(" ", "", name)
    letters <- strsplit(name, split = "")[[1]]
    return(c(first = min(letters), last = max(letters)))
  }

> sapply(cities, first_and_last)
      New York Paris London Tokyo Rio de Janeiro Cape Town
first "e"      "a"   "d"    "k"   "a"            "a"
last  "Y"      "s"   "o"    "y"   "R"            "w"

> vapply(cities, first_and_last, character(2))
      New York Paris London Tokyo Rio de Janeiro Cape Town
first "e"      "a"   "d"    "k"   "a"            "a"
last  "Y"      "s"   "o"    "y"   "R"            "w"
```

vapply() errors

```
> vapply(cities, first_and_last, character(2))
      New York Paris London Tokyo Rio de Janeiro Cape Town
first "e"      "a"   "d"    "k"   "a"                  "a"
last  "Y"      "s"   "o"    "y"   "R"                  "w"


> vapply(cities, first_and_last, character(1))
Error in vapply(cities, first_and_last, character(1)) :
  values must be length 1,
 but FUN(X[[1]]) result is length 2


> vapply(cities, first_and_last, numeric(2))
Error in vapply(cities, first_and_last, numeric(2)) :
  values must be type 'double',
 but FUN(X[[1]]) result is type 'character'
```

unique_letters()

```
> unique_letters <- function(name) {
    name <- gsub(" ", "", name)
    letters <- strsplit(name, split = "")[[1]]
    unique(letters)
}
```

vapply() > sapply()

```
> sapply(cities, unique_letters)
$`New York`
[1] "N" "e" "w" "Y" "o" "r" "k"

...

$`Cape Town`
[1] "C" "a" "p" "e" "T" "o" "w" "n"

> vapply(cities, unique_letters, character(4))
Error in vapply(cities, unique_letters, character(4)) :
  values must be length 4,
 but FUN(X[[1]]) result is length 7
```

vapply() is safer than sapply()!

INTERMEDIATE R

Let's practice!