

FIBERCOIN

Fast Blockchain Cash

White Paper - Fibercoin Core v2.0.2.6

Technical revision | September 2026

Purpose of this revision

This document updates Fibercoin's technical white paper to reflect the current v2.0.2.6 network parameters, consensus transition, reward schedule, masternode model, node software, and modern release infrastructure. It supersedes the 2019 white paper for current technical parameters.

fibercoin.info

Executive Summary

Fibercoin (FBC) is an open-source peer-to-peer cryptocurrency focused on practical digital payments, Proof-of-Stake block production, and a masternode network. The network began with a short Proof-of-Work bootstrap phase and transitions to Proof of Stake from block 201 onward.

The current Fibercoin Core v2.0.2.6 software combines wallet, staking, masternode, networking, RPC, and graphical-node functionality. The codebase retains historical lineage from Bitcoin, Dash, and PIVX-derived software while maintaining Fibercoin-specific consensus and network parameters.

Fibercoin uses Proof of Stake for ongoing block production after its initial Proof-of-Work phase. This design avoids continuous competitive hash computation for normal network operation, allowing the blockchain to operate with substantially lower ongoing computational energy requirements than networks that depend primarily on Proof of Work.

Current Network Parameters

Parameter	Current value
Ticker	FBC
Consensus transition	PoW blocks 1-200; PoS block 201+
Masternode collateral	10,000 FBC
Minimum stake age	5 hours
Target block spacing	4 minutes
Maximum supply	21,000,000 FBC
Initial premine	2,100,000 FBC at block 1
Mainnet P2P / masternode port	30114
Mainnet RPC port	33114

1. Project Overview

Fibercoin is designed as a decentralized cryptocurrency and payment network with a long-term focus on simple operation, low transaction friction, wallet usability, staking, and masternode services.

The project also aims to support services and applications that can use FBC as a payment method. Community participation can help shape the practical direction of the ecosystem, while protocol and software changes remain subject to source review, testing, and release procedures.

Historical governance note

Fibercoin Core retains legacy budget and finalized-budget code for compatibility and development purposes. The current v2.0.2.6 white paper does not present legacy budget or superbloc funding as an active default mainnet funding mechanism.

2. Network and Consensus

2.1 Initial Proof-of-Work phase

Fibercoin uses a short Proof-of-Work bootstrap phase. The premine is assigned at block 1, and blocks 2 through 200 follow the initial Proof-of-Work phase with a normal 4 FBC block reward.

2.2 Proof of Stake

From block 201 onward, Fibercoin uses Proof of Stake for ongoing block production. Staking relies on eligible wallet outputs rather than continuous competitive mining. The minimum stake age is 5 hours.

2.3 Target spacing and difficulty

The network target block spacing is 4 minutes. During the Proof-of-Stake phase, difficulty is adjusted per block based on recent block timing and the target spacing. An internal 40-minute value used by the retarget formula is not a 40-minute retarget interval.

3. Masternodes

Masternodes provide additional network functionality and participate in the Fibercoin reward system. Operating a masternode requires a valid 10,000 FBC collateral output and a unique masternode private key.

- The collateral wallet private key should remain on the controller wallet and should not be placed on the remote masternode server.
- The mainnet P2P and masternode port is 30114.
- Masternode reward share increases across the scheduled reward phases from 70% to 90%.
- Controller wallets can manage one or many masternodes through `masternode.conf`.

The current software also provides transaction-locking functionality through SwiftTX and includes masternode synchronization and payment-handling logic.

4. Monetary Policy and Reward Schedule

Fibercoin enforces a maximum money supply of 21,000,000 FBC. The initial premine is 2,100,000 FBC at block 1. Normal block rewards then follow a height-based schedule, with masternode and staker shares changing by phase.

Block height	Normal reward	Masternode share	Staker share
201-50,000	4 FBC	70% (2.80)	30% (1.20)
50,001-100,000	6 FBC	71% (4.26)	29% (1.74)
100,001-150,000	8 FBC	72% (5.76)	28% (2.24)
150,001-200,000	10 FBC	73% (7.30)	27% (2.70)
200,001-250,000	12 FBC	74% (8.88)	26% (3.12)
250,001-300,000	14 FBC	75% (10.50)	25% (3.50)
300,001-350,000	16 FBC	76% (12.16)	24% (3.84)
350,001-400,000	18 FBC	77% (13.86)	23% (4.14)
400,001-450,000	20 FBC	78% (15.60)	22% (4.40)
450,001-500,000	22 FBC	79% (17.38)	21% (4.62)
500,001-550,000	24 FBC	80% (19.20)	20% (4.80)
550,001-600,000	23 FBC	81% (18.63)	19% (4.37)
600,001-650,000	22 FBC	82% (18.04)	18% (3.96)
650,001-700,000	21 FBC	83% (17.43)	17% (3.57)
700,001-750,000	20 FBC	84% (16.80)	16% (3.20)
750,001-800,000	19 FBC	85% (16.15)	15% (2.85)
800,001-850,000	18 FBC	86% (15.48)	14% (2.52)
850,001-900,000	17 FBC	87% (14.79)	13% (2.21)
900,001-950,000	16 FBC	88% (14.08)	12% (1.92)
950,001+	15 FBC	90% (13.50)	10% (1.50)

The values above describe the normal height-based reward schedule. Fibercoin's special 33 FBC reward rule overrides the normal reward at applicable heights. Block subsidy is ultimately limited by the 21,000,000 FBC maximum supply.

4.1 Special 33 FBC reward

At each 10,000-block boundary, the first 33 applicable block heights receive a 33 FBC block reward. The consensus condition is equivalent to:

$$\text{block_height} \% 10000 < 33$$

Example reward window	Reward
10,000-10,032	33 FBC
20,000-20,032	33 FBC
30,000-30,032	33 FBC
Every additional 10,000-block boundary	Same 33-block window

5. Fibercoin Core Software

Fibercoin Core v2.0.2.6 provides a complete node and wallet software suite.

Component	Purpose
fibercoin-qt	Graphical wallet and node interface
fibercoind	Headless Fibercoin node daemon
fibercoin-cli	Command-line JSON-RPC client
fibercoin-tx	Transaction utility

Wallet storage remains based on Berkeley DB 4.8-compatible storage. Local RPC clients can use automatic cookie authentication when an explicit static RPC password is not configured.

6. Networking and Privacy

Fibercoin discovers and maintains peer connections through DNS seeds, fixed seeds, learned peer addresses, and manually configured peers. The default mainnet P2P port is 30114.

6.1 Tor proxy support

Fibercoin can route outbound IPv4 and IPv6 connections through a Tor SOCKS5 proxy, for example 127.0.0.1:9050. Proxy use can improve network privacy, but it does not by itself make all wallet or node activity anonymous.

The v2.0.2.6 codebase also contains legacy onion-service support based on obsolete Tor v2 onion-address handling. Modern Tor v3 onion-service support requires additional networking changes and should not be assumed from the legacy implementation.

7. Interfaces and Node Services

Fibercoin exposes authenticated JSON-RPC for node and wallet management and includes a small optional read-only REST interface. REST is disabled by default and should not be exposed to untrusted networks without careful access controls.

- Mainnet RPC port: 33114.
- REST supports transaction and block retrieval in binary, hexadecimal, and JSON formats.
- ZeroMQ notifications can publish selected block, transaction, and SwiftTX events.
- RPC, REST, and ZeroMQ endpoints should be bound and firewalled according to the deployment environment.

8. Build and Release Infrastructure

Fibercoin Core v2.0.2.6 uses GitHub Actions as the active release build system. Release workflows target Linux, Windows, and macOS environments.

Platform	Release target
Linux	Ubuntu 18.04 x86-64
Linux	Ubuntu 24.04 x86-64
Linux	Ubuntu 26.04 x86-64
Windows	Windows 11 x86-64
macOS	Apple Silicon (arm64)
macOS	Intel (x86_64)
macOS	Universal package

Legacy Gitian infrastructure remains in the repository for historical and reproducible-build reference, but it is not the primary v2.0.2.6 release pipeline.

9. Security and Operational Practices

Node and wallet security depends on both protocol behavior and operator practices. Users and operators should:

- Back up wallet.dat before upgrades or database maintenance.
- Shut down Fibercoin cleanly before replacing binaries or copying live wallet databases.
- Keep wallet private keys and masternode collateral keys off remote masternode servers.
- Restrict RPC and REST access to trusted systems.
- Verify release checksums when provided and use official release sources.
- Keep Tor, operating-system packages, and host security controls up to date when used.

10. Development Model

Fibercoin is developed as an open-source project through source review, testing, and pull requests. Consensus-critical changes, wallet-format changes, networking changes, and masternode behavior require especially careful review because incompatible behavior can affect network interoperability or user funds.

The project maintains current developer, build, release, masternode, Tor, REST, data-directory, and testing documentation alongside the source tree.

11. Technical Lineage and Licensing

Fibercoin Core has code lineage from Bitcoin, Dash, and PIVX-derived software. Relevant upstream copyright and licensing notices are preserved in the project's COPYING file.

Fibercoin Core is distributed under the MIT software license. Third-party graphical assets and components retain their respective attribution and license requirements.

12. Historical White Paper

The original 2019 Fibercoin white paper described an earlier network configuration and roadmap. Its values for block timing, supply, premine, ports, staking age, and the PoW/PoS transition no longer represent the current v2.0.2.6 network parameters.

Historical document policy

The 2019 white paper should be retained as a historical project document, while this v2.0.2.6 revision is the current technical reference for the parameters documented here.

13. Community and Resources

Resource	Address
Website	https://fibercoin.info/
Block Explorer	https://explorer.fibercoin.info/
Source Code	https://github.com/didarmetu/Fibercoin
Releases	https://github.com/didarmetu/Fibercoin/releases
Discord	https://discord.gg/hUvXmJj
X (Twitter)	https://x.com/fibercoin
Telegram	https://t.me/fibercoin
Fiberchange	https://fiberchange.com/

14. Scope and Disclaimer

This white paper is a technical project document. It describes the Fibercoin Core v2.0.2.6 software and network parameters documented at the time of publication. It is not a promise of investment performance, future price, profitability, guaranteed returns, or future feature delivery.

Where implementation behavior and descriptive documentation differ, the consensus and validation rules implemented by compatible Fibercoin nodes determine network behavior. Future releases may revise software, build environments, or operational guidance.