

Use this as an optional catalog, never as a mandatory prop list.

Placement law:

- Select an item only when its listed location and current action naturally justify it.
- Using zero items is valid. Never add an object merely to advertise scale.
- Preserve the chosen variant, dimensions, position and orientation between panels unless a visible action moves it.
- Keep every measurement and label out of the picture.
- $L \times W \times H$ ;  $\varnothing$  = diameter;  $C$  = circumference;  $T$  = thickness.
- Spatial values are metres; mass is kilograms; force uses  $g=9.80665 \text{ m/s}^2$ .
- “Variable” means no value may be invented.

| # | Optional nonhuman reference               | Accurate SI specification                                                                                          | Plausible locations only                        |
|---|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| 1 | <a href="#">A4 paper</a>                  | <b>0.210 × 0.297 m</b>                                                                                             | Office desk, printer tray, classroom, copy area |
| 2 | <a href="#">ISO ID-1 card</a>             | <b>0.08560 × 0.05398 m</b> ; nominal $T=0.00076 \text{ m}$                                                         | Wallet, card reader, checkout counter           |
| 3 | <a href="#">U.S. Federal Reserve note</a> | <b>0.155956 × 0.066294 m</b>                                                                                       | Wallet, cash drawer, bank counter               |
| 4 | <a href="#">120 mm optical disc</a>       | $\varnothing=0.12000 \pm 0.00030 \text{ m}$ ; $T=0.00114\text{--}0.00150 \text{ m}$ ; mass <b>0.013–0.020 kg</b> ; | Disc tray, archive case, media shelf            |

|    |                                             |                                                                                                                                                                                     |                                                      |
|----|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
|    |                                             | force <b>0.127–0.196 N</b>                                                                                                                                                          |                                                      |
| 5  | <a href="#">355 mL beverage can</a>         | $\varnothing=0.0660\ \mathrm{m}$ ; $H=0.12222\ \mathrm{m}$ ; capacity <b><math>0.000355\ \mathrm{m}^3</math></b>                                                                    | Kitchen, dining table, vending area, recycling point |
| 6  | <a href="#">750 mL glass bottle No. 960</a> | $\varnothing=0.0858\ \mathrm{m}$ ; $H=0.312\ \mathrm{m}$ ; mass <b><math>0.960\ \mathrm{kg}</math></b> ; force <b><math>9.414\ \mathrm{N}</math></b>                                | Cellar, bar, restaurant table, bottle crate          |
| 7  | <a href="#">Typical modular clay brick</a>  | <b><math>0.19050 \times 0.08890 \times 0.05715\ \mathrm{m}</math></b>                                                                                                               | Brick wall, masonry pallet, building site            |
| 8  | <a href="#">Two-core concrete block</a>     | Actual <b><math>0.396875 \times 0.193675 \times 0.193675\ \mathrm{m}</math></b>                                                                                                     | Block wall, masonry yard, building site              |
| 9  | <a href="#">Specific 2×4 lumber piece</a>   | Actual <b><math>2.4384 \times 0.0889 \times 0.0381\ \mathrm{m}</math></b>                                                                                                           | Framing, lumber rack, workshop                       |
| 10 | <a href="#">Specific OSB floor panel</a>    | Actual <b><math>2.435225 \times 1.216025 \times 0.017856\ \mathrm{m}</math></b>                                                                                                     | Floor deck, material rack, active building work      |
| 11 | <a href="#">USG gypsum panel</a>            | <b><math>2.4384 \times 1.2192 \times 0.0095\ \mathrm{m}</math></b> ; nominal mass <b><math>\approx 20.3\ \mathrm{kg}</math></b> ; force <b><math>\approx 199\ \mathrm{N}</math></b> | Interior renovation, panel stack, unfinished wall    |

|    |                                             |                                                                                                                        |                                                       |
|----|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| 12 | <a href="#">Specific interior door slab</a> | W×H×T= <b>0.9144 × 2.032 × 0.034925 m</b>                                                                              | Doorway, renovation area, door rack                   |
| 13 | <a href="#">EPAL Euro pallet</a>            | <b>1.200 × 0.800 × 0.144 m</b> ; mass <b>≈25 kg</b> ; force <b>≈245 N</b>                                              | Warehouse, loading dock, freight terminal             |
| 14 | <a href="#">IBC-1000D container</a>         | <b>1.200 × 1.000 × 1.149 m</b> ; capacity <b>1.05 m³</b> ; mass <b>62 kg</b> ; force <b>608 N</b>                      | Agricultural yard, loading bay, warehouse             |
| 15 | <a href="#">20-foot freight container</a>   | External <b>6.058 × 2.438 × 2.591 m</b>                                                                                | Port, container yard, rail terminal                   |
| 16 | <a href="#">40-foot freight container</a>   | External <b>12.192 × 2.438 × 2.591 m</b>                                                                               | Port, container yard, rail terminal                   |
| 17 | <a href="#">SULO 1000 L waste bin</a>       | Approximately <b>1.265 × 1.105 × 1.295 m</b> ; volume <b>1.000 m³</b> ; empty mass <b>≈56 kg</b> ; force <b>≈549 N</b> | Communal waste point, service alley, facility yard    |
| 18 | <a href="#">High-speed traffic cone</a>     | $0.7112 \times \mathrm{m}$                                                                                             | Active road work, parking control, marked event route |

|    |                                              |                                                                                                                            |                                          |
|----|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 19 | <a href="#">Road-work drum</a>               | $H \geq 0.9144 \text{ m}$ ;<br>$W \geq 0.4572 \text{ m}$                                                                   | Active lane closure or roadway work      |
| 20 | <a href="#">Vertical road-work panel</a>     | Face<br>$W = 0.2032 - 0.3048 \text{ m}$ ;<br>$H \geq 0.6096 \text{ m}$                                                     | Active roadway work or lane division     |
| 21 | <a href="#">Type 3 barricade</a>             | Three rails; each<br>$L \geq 1.2192 \text{ m}$ ,<br>$W = 0.2032 - 0.3048 \text{ m}$                                        | Road closure or active work zone         |
| 22 | <a href="#">Minimum R1-1 stop-sign panel</a> | Octagonal bounding size <b><math>0.762 \times 0.762 \text{ m}</math></b>                                                   | Actual stop-controlled intersection only |
| 23 | <a href="#">Table-tennis ball</a>            | $\varnothing = 0.0400 \text{ m}$ ; mass <b><math>0.0027 \text{ kg}</math></b> ; force <b><math>0.0265 \text{ N}</math></b> | Table-tennis court, club, gym            |
| 24 | <a href="#">Table-tennis table</a>           | Top <b><math>2.740 \times 1.525 \text{ m}</math></b> ; top height <b><math>0.760 \text{ m}</math></b>                      | Table-tennis club, gym, recreation room  |
| 25 | <a href="#">Type 1 or Type 2 tennis ball</a> | $\varnothing = 0.0654 - 0.0686 \text{ m}$ ; mass <b><math>0.0560 - 0.0594 \text{ kg}</math></b>                            | Tennis court, club, equipment bag        |

|    |                                             |                                                                                                                                          |                                                  |
|----|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
|    |                                             | force <b>0.549–0.583 N</b>                                                                                                               |                                                  |
| 26 | <a href="#">Golf ball legal bounds</a>      | $\varnothing \geq 0.04267 \text{ m}$ ; mass $\leq 0.04593 \text{ kg}$ ; force $\leq 0.4504 \text{ N}$                                    | Golf course, practice range, golf bag            |
| 27 | <a href="#">2026 MLB baseball</a>           | $C = 0.22860\text{--}0.23495 \text{ m}$ ; derived $\varnothing = 0.072766\text{--}0.074787 \text{ m}$ ; mass <b>0.141748–0.148835 kg</b> | Baseball diamond, dugout, equipment bag          |
| 28 | <a href="#">2026 MLB base bag</a>           | <b>0.4572 × 0.4572 m</b> ; $T = 0.0762\text{--}0.1270 \text{ m}$                                                                         | Properly anchored on a baseball diamond          |
| 29 | <a href="#">MLB home plate</a>              | Front edge <b>0.4318 m</b> ; adjacent edges <b>0.2159 m</b> ; point edges <b>0.3048 m</b>                                                | Baseball diamond or grounds storage during setup |
| 30 | <a href="#">MLB wooden bat legal maxima</a> | $L \leq 1.0668 \text{ m}$ ; thickest $\varnothing \leq 0.066294 \text{ m}$                                                               | Baseball diamond, dugout, bat rack               |

|    |                                           |                                                                                                                                                                                         |                                                |
|----|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| 31 | <a href="#">FIBA size-7 basketball</a>    | $C=0.750\text{--}0.770\text{ }\mathrm{m}$ ; derived<br>$\varnothing=0.238732\text{--}0.245099\text{ }\mathrm{m}$ ;<br>mass <b>0.580–0.620 kg</b>                                        | Basketball court, gym, ball rack               |
| 32 | <a href="#">Association-football ball</a> | $C=0.680\text{--}0.700\text{ }\mathrm{m}$ ; derived<br>$\varnothing=0.216451\text{--}0.222817\text{ }\mathrm{m}$ ;<br>mass <b>0.410–0.450 kg</b> ; pressure<br><b>60,795–111,458 Pa</b> | Football pitch, training ground, equipment bag |
| 33 | <a href="#">FIVB volleyball</a>           | $C=0.650\text{--}0.670\text{ }\mathrm{m}$ ; derived<br>$\varnothing=0.206901\text{--}0.213268\text{ }\mathrm{m}$ ;<br>mass <b>0.260–0.280 kg</b> ; pressure<br><b>29,430–31,882 Pa</b>  | Volleyball court, gym, ball cart               |
| 34 | <a href="#">IIHF ice-hockey puck</a>      | $\varnothing=0.0762\text{ }\mathrm{m}$ ; $T=0.0254\text{ }\mathrm{m}$ ; mass<br><b>0.156–0.170 kg</b>                                                                                   | Ice rink, team bench, puck bucket              |
| 35 | <a href="#">USBC bowling ball</a>         | $\varnothing=0.215900\text{--}0.218313\text{ }\mathrm{m}$ ;<br>mass $\leq 7.25748\text{ }\mathrm{kg}$                                                                                   | Bowling lane, ball return, ball rack           |

|    |                                                   |                                                                                                                                                                                         |                                                 |
|----|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| 36 | <a href="#">USBC tenpin</a>                       | H=0.380213–0.381787\ \mathrm m;<br>belly<br>$\varnothing=0.120269\text{--}0.121844\ \mathrm m$ ;<br>mass<br><b>1.530874–1.644272 kg</b>                                                 | Pin deck, pinsetter service bay, pin rack       |
| 37 | <a href="#">Association-football goal</a>         | Inside width <b>7.32 m</b> ;<br>crossbar underside <b>2.44 m</b> above ground; member width/depth $\leq 0.12\ \mathrm m$                                                                | Proper football pitch, stadium, training ground |
| 38 | <a href="#">FIBA basket and backboard</a>         | Backboard <b>1.800–1.830 × 1.050–1.070 m</b> ;<br>glass<br>T=0.0118–0.0135\ \mathrm m; ring inside<br>$\varnothing=0.450\text{--}0.459\ \mathrm m$ ; ring top<br><b>3.050 ± 0.006 m</b> | Proper basketball-court installation            |
| 39 | <a href="#">New Flyer 40-foot Xcelsior XD bus</a> | Over-bumper L=12.50\ \mathrm m; body L=12.24\ \mathrm m;<br>W=2.60\ \mathrm m; H=3.20\ \mathrm m                                                                                        | Public road, transit stop, bus depot            |

|    |                                        |                                                                                                 |                                              |
|----|----------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------|
| 40 | <a href="#">2026 Toyota Corolla LE</a> | <b>4.6355 × 1.78054 × 1.4351 m</b> ; listed curb mass <b>≈1,340 kg</b> ; force <b>≈13,145 N</b> | Public road, parking stall, driveway, garage |
|----|----------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------|

Audit complete: **40 items exactly**; all are nonhuman and tangible; all measurements use SI; approximations, legal limits and variable quantities remain identified; every item has restricted plausible placement; no item is compulsory.

Here are references 41–80. They are optional scale anchors only: include one only when its listed location and purpose already exist.

L length, W width, H height, D depth, T thickness, Ø diameter. Downward force uses  $F=mg$ , with  $g=9.80665\ \text{m/s}^2$ . “Not fixed” means the maker did not provide an object-only value or the value changes with use.

| #  | Tangible reference                            | Precise SI scale                                                   | Mass → downward force | Plausible-location gate                                                                      |
|----|-----------------------------------------------|--------------------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------|
| 41 | <a href="#">STAEDTLER Noris 120 HB pencil</a> | New $L=0.175\ \text{m}$ ; listed core/line width $0.002\ \text{m}$ | Not fixed             | Pencil case, occupied desk, classroom or drawing table. It shortens only through sharpening. |
| 42 | <a href="#">Post-it Super Sticky note</a>     | Sheet $0.076 \times 0.076\ \text{m}$ ; 70 sheets per pad           | Not fixed             | Planner, notebook, working desk, notice wall or monitor bezel when a note is needed.         |

|    |                                              |                                                                                                            |               |                                                                                                              |
|----|----------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------|
| 43 | <a href="#">Scotch 600 clear office tape</a> | Width $0.019\text{ m}$ ; new length $32.9\text{ m}$ ; core inner $\varnothing=0.025\text{ m}$              | Not fixed     | Tape dispenser, office desk, mailroom, packing bench or craft table. Outer roll diameter decreases with use. |
| 44 | <a href="#">STAEDTLER Mars 526 50 eraser</a> | New $0.065\text{ m}\times 0.023\text{ m}\times 0.013\text{ m}$                                             | Not published | Pencil case, drawing desk or classroom supply tray. It becomes smaller only through wear.                    |
| 45 | <a href="#">Westcott M-109 ruler</a>         | Overall $L=0.3302\text{ m}$ , $W=0.03810\text{ m}$ , $T=0.001524\text{ m}$ ; metric scale $0.300\text{ m}$ | Not published | Desk, drafting surface, classroom or measuring-tool drawer.                                                  |
| 46 | <a href="#">ACCO No. 1 paper clip</a>        | $L=0.03302\text{ m}$                                                                                       | Not published | Attached to papers, in a document tray or office-supply container.                                           |

|    |                                          |                                                                               |                                                                         |                                                                            |
|----|------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 47 | <a href="#">ACCO medium binder clip</a>  | Body<br>$W=0.03175\text{ m}$ ;<br>paper-stack capacity<br>$0.015875\text{ m}$ | Not published                                                           | Thick document stack, filing desk or mail-sorting tray.                    |
| 48 | <a href="#">Swingline S.F.4 staple</a>   | Leg<br>$L=0.00635\text{ m}$ ; 210 staples per full strip                      | Not published                                                           | Loaded into a compatible stapler, in its strip box or in an office drawer. |
| 49 | <a href="#">Swingline 747 stapler</a>    | $D=0.187452\text{ m}$ ,<br>$W=0.042926\text{ m}$ ,<br>$H=0.060452\text{ m}$   | Listed unit gross mass<br>$0.5216\text{ kg} \rightarrow 5.115\text{ N}$ | Office, reception, school or copy-room desk.                               |
| 50 | <a href="#">Oxford 3×5 index card</a>    | Face<br>$0.1270\text{ m} \times 0.0762\text{ m}$                              | Stock-dependent                                                         | Study desk, card file, classroom or research box.                          |
| 51 | <a href="#">No. 10 business envelope</a> | Face<br>$0.241300\text{ m} \times 0.104775\text{ m}$                          | Stock-dependent                                                         | Mailroom, outbox, office desk or postal counter.                           |
| 52 | <a href="#">ANSI A/US Letter sheet</a>   | $W=0.2159\text{ m}$ ,                                                         | Stock-dependent                                                         | Printer tray, document folder, office or                                   |

|    |                                          |                                                                |                                                       |                                                                     |
|----|------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------|
|    |                                          | $H=0.2794\text{ m}$                                            |                                                       | classroom desk.                                                     |
| 53 | <a href="#">US Legal sheet</a>           | $W=0.2159\text{ m}$ ,<br>$H=0.3556\text{ m}$                   | Stock-dependent                                       | Legal office, compatible printer tray, records desk or file folder. |
| 54 | <a href="#">Duracell MN1500 AA cell</a>  | Maximum $\varnothing=0.0145\text{ m}$ ,<br>$H=0.0505\text{ m}$ | Typical $0.024\text{ kg} \rightarrow 0.2354\text{ N}$ | Compatible device, retail pack or dedicated battery drawer.         |
| 55 | <a href="#">Duracell MN2400 AAA cell</a> | Maximum $\varnothing=0.0105\text{ m}$ ,<br>$H=0.0445\text{ m}$ | Typical $0.011\text{ kg} \rightarrow 0.1079\text{ N}$ | Compatible remote, keyboard, meter or battery drawer.               |
| 56 | <a href="#">Duracell MN1400 C cell</a>   | Maximum $\varnothing=0.0262\text{ m}$ ,<br>$H=0.0500\text{ m}$ | Typical $0.069\text{ kg} \rightarrow 0.6767\text{ N}$ | Compatible flashlight, radio, equipment cabinet or sealed pack.     |
| 57 | <a href="#">Duracell MN1300 D cell</a>   | Maximum $\varnothing=0.0342\text{ m}$ ,<br>$H=0.0615\text{ m}$ | Typical $0.139\text{ kg} \rightarrow 1.363\text{ N}$  | Large flashlight, lantern, radio or battery cabinet.                |

|    |                                                        |                                                                                  |                                                         |                                                                                       |
|----|--------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|
| 58 | <a href="#">Duracell MN1604 9 V cell</a>               | Maximum<br>$W=0.0265\text{ m}$ ,<br>$D=0.0175\text{ m}$ ,<br>$H=0.0485\text{ m}$ | Typical $0.045\text{ kg} \rightarrow 0.4413\text{ N}$   | Compatible alarm, meter, radio or battery drawer.                                     |
| 59 | <a href="#">Duracell CR2032 coin cell (dimensions)</a> | $\varnothing=0.0200\text{ m}$ ,<br>$T=0.0032\text{ m}$                           | Typical $0.0030\text{ kg} \rightarrow 0.02942\text{ N}$ | Inside a compatible device or sealed child-resistant pack; never loose near children. |
| 60 | <a href="#">US nickel</a>                              | $\varnothing=0.02121\text{ m}$ ,<br>$T=0.00195\text{ m}$                         | $0.00500\text{ kg} \rightarrow 0.04903\text{ N}$        | Wallet, cash till, bank counter or US vending location.                               |

| #  | Tangible reference         | Precise SI scale                                         | Mass $\rightarrow$ downward force                 | Plausible-location gate                                                |
|----|----------------------------|----------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------|
| 61 | <a href="#">US quarter</a> | $\varnothing=0.02426\text{ m}$ ,<br>$T=0.00175\text{ m}$ | $0.005670\text{ kg} \rightarrow 0.05560\text{ N}$ | Wallet, cash till, bank counter, parking meter or US vending location. |

|    |                                              |                                                                          |                                                                                  |                                                              |
|----|----------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------|
| 62 | <a href="#">€1 coin</a>                      | $\varnothing=0.02325\text{ m}$ ,<br>$T=0.00233\text{ m}$                 | $0.00750\text{ kg} \rightarrow 0.07355\text{ N}$                                 | Wallet, till, bank or vending location where euros are used. |
| 63 | <a href="#">€2 coin</a>                      | $\varnothing=0.02575\text{ m}$ ,<br>$T=0.00220\text{ m}$                 | $0.00850\text{ kg} \rightarrow 0.08336\text{ N}$                                 | Wallet, till, bank or vending location where euros are used. |
| 64 | <a href="#">Kingston DataTraveler Exodia</a> | $0.0673 \times 0.02104 \times 0.01014\text{ m}$                          | $0.011\text{ kg} \rightarrow 0.1079\text{ N}$                                    | Computer desk, laptop bag, key ring or secured drawer.       |
| 65 | <a href="#">Logitech M240 mouse</a>          | $H=0.099\text{ m}$ ,<br>$W=0.060\text{ m}$ ,<br>$D=0.039\text{ m}$       | Listed with cell and receiver:<br>$0.0752\text{ kg} \rightarrow 0.7375\text{ N}$ | Active workstation, meeting-room desk or laptop bag.         |
| 66 | <a href="#">Logitech MK370 keyboard</a>      | Footprint $0.441 \times 0.149\text{ m}$ ;<br>body depth $0.018\text{ m}$ | $0.498\text{ kg} \rightarrow 4.884\text{ N}$                                     | Office, reception, school-computer or control desk.          |

|    |                                           |                                                                                |                                                                     |                                                                             |
|----|-------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 67 | <a href="#">Casio fx-991CW calculator</a> | $D=0.162\text{ m}$ ,<br>$W=0.077\text{ m}$ ,<br>$H=0.0107\text{ m}$            | $0.095\text{ kg} \rightarrow 0.9316\text{ N}$                       | School desk, laboratory bench, office drawer or permitted examination desk. |
| 68 | <a href="#">Full-size SD card</a>         | $0.032\text{ m} \times 0.024\text{ m} \times 0.0021\text{ m}$                  | Maker-dependent                                                     | Camera slot, card reader, labeled card case or media desk.                  |
| 69 | <a href="#">microSD card</a>              | $0.015\text{ m} \times 0.011\text{ m} \times 0.0010\text{ m}$                  | Maker-dependent                                                     | Compatible device, adapter or protective card case.                         |
| 70 | <a href="#">13-inch MacBook Air M5</a>    | $W=0.3041\text{ m}$ ,<br>$D=0.215\text{ m}$ ,<br>closed<br>$H=0.0113\text{ m}$ | Listed approximately<br>$1.23\text{ kg} \rightarrow 12.06\text{ N}$ | Workstation, classroom desk, meeting table or fitted laptop bag.            |
| 71 | <a href="#">iPhone 17</a>                 | $H=0.1496\text{ m}$ ,<br>$W=0.0715\text{ m}$ ,<br>$D=0.00795\text{ m}$         | $0.177\text{ kg} \rightarrow 1.736\text{ N}$                        | Pocket, occupied desk, charging stand or fitted case.                       |

|    |                                                 |                                                                                                                                      |                                                         |                                                                |
|----|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| 72 | <a href="#">Dell P2425H monitor body</a>        | Without stand:<br>$W=0.53864\text{ m}$ ,<br>$H=0.31423\text{ m}$ ,<br>$D=0.05003\text{ m}$                                           | Panel $3.12\text{ kg} \rightarrow 30.60\text{ N}$       | VESA arm, matching stand, workstation or reception desk.       |
| 73 | <a href="#">Nalgene 32 oz wide-mouth bottle</a> | $H=0.210\text{ m}$ ,<br>$\varnothing=0.089\text{ m}$ , cap<br>$\varnothing=0.063\text{ m}$ ;<br>nominal<br>$V=0.00094635\text{ m}^3$ | Empty<br>$0.17725\text{ kg} \rightarrow 1.738\text{ N}$ | Hiking gear, gym bag, kitchen, workshop or occupied desk.      |
| 74 | <a href="#">IKEA GLADELIG mug</a>               | $\varnothing=0.090\text{ m}$ ,<br>$H=0.090\text{ m}$ ;<br>$V=0.000300\text{ m}^3$                                                    | Object-only mass not published                          | Kitchen cupboard, dining table, café or office break area.     |
| 75 | <a href="#">IKEA GOKVÄLLÄ plate</a>             | $\varnothing=0.270\text{ m}$                                                                                                         | Object-only mass not published                          | Dining table, kitchen cupboard, serving counter or café table. |
| 76 | <a href="#">Philips A19 E26 LED bulb</a>        | Overall<br>$H=0.111125\text{ m}$ ,<br>$\varnothing=0.0619125\text{ m}$                                                               | Net $0.060\text{ kg} \rightarrow$                       | Compatible E26 lamp, spare-bulb package or                     |

|    |                                                       |                                                                                                                                                             |                                                                                  |                                                                                                    |
|----|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|    |                                                       | $\text{m}; 2700\text{N}$<br>$\text{K}, 800\text{m}$                                                                                                         | $0.5884\text{N}$                                                                 | maintenance shelf.                                                                                 |
| 77 | <a href="#">Kidde FX210R fire extinguisher</a>        | $H=0.37465\text{m}$ ,<br>overall<br>$W=0.19050\text{m}$                                                                                                     | $3.234\text{kg} \rightarrow 31.72\text{N}$                                       | Correct wall bracket in a building location chosen under the applicable fire code.                 |
| 78 | <a href="#">Uline S-26424 clear 5-gallon pail</a>     | Top outer<br>$\varnothing=0.307975\text{m}$ ;<br>bottom<br>$\varnothing=0.260350\text{m}$ ;<br>$H=0.368300\text{m}$ ;<br>nominal<br>$V=0.0189271\text{m}^3$ | Empty<br>$0.680389\text{kg} \rightarrow 6.672\text{N}$                           | Janitorial room, workshop, warehouse or active material-handling area.                             |
| 79 | <a href="#">Skolnik 55-gallon steel-drum family</a>   | $\varnothing=0.57150\text{m}$ ,<br>$H=0.83820\text{m}$ ;<br>nominal<br>$V=0.208198\text{m}^3$                                                               | Gauge-dependent; cited upper value<br>$36.29\text{kg} \rightarrow 355.9\text{N}$ | Upright in a warehouse, loading area or industrial store with suitable floor support and labeling. |
| 80 | <a href="#">Alabama/AAM VA-format passenger plate</a> | $W=0.3048\text{m}$ ,<br>$H=0.1524\text{m}$ ;<br>thickness                                                                                                   | Not fixed                                                                        | Registered vehicle, issuing office, plate-production facility or                                   |

|  |  |                           |  |                                 |
|--|--|---------------------------|--|---------------------------------|
|  |  | varies by<br>jurisdiction |  | secured<br>evidence<br>storage. |
|--|--|---------------------------|--|---------------------------------|

Audit complete: exactly 40 new entries; pencil, sticky note and clear office tape are 41–43; every measurement is in SI; variable dimensions or masses are identified instead of guessed; every placement is optional and location-gated.