
AAIF COMMUNITY EVENTS

A virtual MCP Community Event for AI Builders

Launch Series · MCP Launch

THU · AUG 06, 2026 ·

PRESENTING NOW :

MCPs for Observability Stacks

ON MIC NOW :

**Diana Todea**

HEAD OF DEVREL

**VictoriaMetrics**

Find me on

LinkedIn: <https://www.linkedin.com/in/diana-todea-b2a79968/>

GitHub: didiViking

Bluesky: @didiviking.bsky.social

X: @dianavtodea

Mastodon: @dianatodea

Instagram: @didivikingdevrel

Medium: @dianatodea



What developers want from an Observability Stack?


- Unified visibility
- Proactivity
- Reduced MTTR
- Better, faster troubleshooting
- Trust the data

How do we achieve this with MCPs?

- AI can query and correlate telemetry across the observability stack using the observability MCP server.
- Anomaly detection automatically identifies unusual behavior instead of relying solely on static thresholds.
- AI investigates anomalies, retrieves relevant metrics, and guides root cause analysis through the MCPs.
- Natural language replaces manual dashboard navigation and complex query writing.
- AI reasons over high-quality observability data and validated anomaly scores, reducing guesswork.


What is an anomaly?

- Anomaly in time series data refers to a data point or a pattern that deviates significantly from the expected behavior.




What is anomaly detection?

- Anomaly detection in time series data involves the identification and highlighting of unusual data points, patterns, behaviors within a given time frame.



Anomaly detection demo





 VMUI
for vmanomaly

Anomaly exploration

Tenant: 0 ▾ Step: 30m ▾ Time range: 2026-03-26 12:34:07 - 2026-... ▾ Settings Help

Query VictoriaLogs

Queries Hide

{ "resource_attr:service.name" != "" } AND status_code := "2" | stats count() as error_spans

Execute query

Model class

Hide

Model configuration

mad_online ▾  Edit config

Advanced settings ▾ More ▾ Detect anomalies

No anomaly results for Experiment 1

Query explorer → Model configuration → Detect anomalies

Follow the short flow below to populate the Visualization panel

✓ Query explorer Done

Enter a query and click Execute query

✓ Model configuration Done

Choose a model and adjust parameters if needed

3 Detect anomalies

Click Detect anomalies for this experiment

4 Visualization

Anomaly chart and grouped results will appear here

MCPs



Connects the AI agent to live tools, APIs, documentation and data. It lets the agent do things instead of merely explaining them.




Skills



Reusable playbooks that teach an AI Agent how to accomplish a particular job. They contain domain knowledge, recommended steps, guardrails and examples.




MCP servers



Observability stacks + Anomaly detection + MCP server

Observability stacks



The screenshot displays the VictoriaMetrics Cloud interface. The left sidebar contains navigation links for Services (Deployments, Explore, Integrations), Organization (Notifications, User Management, API Keys, Billing, Audit logs, Details), and a top navigation bar with Deployments, Metrics, and Logs tabs. The main content area shows details for two deployments: 'Metrics-dev' and 'Logs-test'.

Metrics-dev Deployment Details:

- Access endpoint:** <https://gw-c15-1a.cloud.victoriametrics.com>
- ID:** 85a3c59a-4f55-451c-b15d-2ae8d89334e
- Version:** v1.136.11-enterprise
- Region:** Europe (Frankfurt) (eu-central-1)
- Provider:** AWS
- Type:** Single node
- Tier:** s.ats_500K
- Start date:** 2026-06-03 12:32:23
- System alerts:** 0
- Alerts:** Set up Alerting & Recording rules →
- Retention:** 1m
- Deduplication:** 0 ms
- Maintenance:** Mon-Fri 4-5am UTC

Metrics-dev Performance Metrics:

- Disk space usage:** 0.139 GB / 20 GB 1%
- Active time series:** 29.8 k / 500 k 6%
- Series ingestion rate:** 2.87 k/s / 16.6 k/s 17%
- New series over 24h:** 438 / 1.25 M 0%
- Series per query:** 0 / 11.4 k 0%
- Disk read rate:** 0 MB/s / 120 MB/s 0%
- CPU:** 0.008 / 1 cores 1%
- Memory:** 0.128 GB / 2.8 GB 5%

Logs-test Deployment Details:

- Access endpoint:** <https://gw-c15-1c.cloud.victoriametrics.com>
- ID:** c29f9c31-0668-42af-b3a6-4fa873d13c69
- Version:** v1.51.0
- Region:** Europe (Frankfurt) (eu-central-1)

Logs-test Performance Metrics:

- Disk space usage:** 0.006 GB / 20 GB 0%
- Active log streams:** 0 / 1 k 0%
- Log ingestion rate:** 0 logs/s / 800 logs/s 0%

MCP servers

I have a cloud deployment with ID 85a3c59a-4f55-451c-b15d-2ae8d89334e, I need a metrics overview.

Thinking about retrieving and summarizing cloud deployment metrics data

Now let me pull key resource and ingestion metrics for the deployment.

Used victoriametrics Integration

All 7 scrape targets are up, so I have a good health picture. Here's the overview:

Deployment Metrics Overview — 85a3c59a-4f55-451c-b15d-2ae8d89334e

Scale & storage

- Stored rows: ~74.2M
- On-disk data size: ~38.0 MB
- Free disk space: ~13.5 GB

Ingestion

- Insert rate: ~161 rows/sec (5m avg)

Resource usage

- Resident memory: ~790 MB

Health

- Scrape targets: 7/7 up (no targets down)

Metric catalog


- Total distinct metric names available: ~750+, dominated by Kubernetes/cluster metrics (apiserver_*, kubelet_*, container_*, coredns_*) plus native VictoriaMetrics internals (vm_*, vmagent_*, vminsert_*, vmselect_*) — this looks like a deployment scraping a full k8s cluster in addition to self monitoring.
- Query usage stats show a sample of tracked metrics with 0 query requests recorded in the current state today (also scrape history Feb 2026 based on the collection start).

Write a message...

+ ↩

Sonnet 5 Medium ▾ 🔊 🗣️

MCP + AI Assistant



Take-aways

- Goal-Driven Observability: Developers need unified visibility across metrics, logs, and traces to detect anomalies proactively and reduce Mean Time to Resolution (MTTR).
- Shift to Proactive Detection: Anomaly detection automatically highlights unusual time-series behavior and deviations beyond static thresholds, replacing manual dashboard hunting.
- MCPs as the Operational Connector: MCP servers connect AI agents directly to live observability stacks, APIs, and tools, allowing them to act rather than just explain.
- Skills + MCP Power: Skills supply the step-by-step workflow expertise, while MCP provides live system access transforming AI from a passive chatbot into an active operational copilot.

Resources

- VictoriaMetrics workshop on observability stack and anomaly detection:
<https://github.com/jgomezselles/cnd-workshop-2026>
- Anomaly detection playground: <https://docs.victoriametrics.com/anomaly-detection/ui/#playgrounds>
- VictoriaMetrics skills: <https://github.com/VictoriaMetrics/skills>
- Vmanomaly MCP server: <https://github.com/VictoriaMetrics/mcp-vmanomaly>
- Blog articles: <https://victoriametrics.com/blog/vibe-coding-observability/>,
<https://victoriametrics.com/blog/ai-agents-observability/>



Thank you!

Q&A



Join us on Slack!

Find me on

LinkedIn: <https://www.linkedin.com/in/diana-todea-b2a79968/>

GitHub: didiViking

Bluesky: @didiviking.bsky.social

X: @dianavtodea

Mastodon: @dianatodea

Instagram: @didivikingdevrel

Medium: @dianatodea