
Algorithm 1 Example Procedure

```
1: Initialize a candidate solution.
2: for  $t = 1$  to  $T$  do
3:   Evaluate the current candidate.
4:   Update the candidate using feedback.
5: end for
6: return the best candidate.
```

A Foundation Agents Paper Template

First Author^{1,2}, Second Author² and Corresponding Author^{1†}

¹The Hong Kong University of Science and Technology (Guangzhou), ²Foundation Agents

This repository provides a compact LaTeX template for Foundation Agents community papers. It keeps the paper body quiet and readable, while using a Foundation Agents wordmark in the first-page header and a clean technical report layout. Replace this abstract with the short summary of your work.

Keywords: Agent learning; evaluation; scalable environments

1. Introduction

This is a minimal paper skeleton using the `foundationagents` class. It supports regular sections, citations [1], figures, tables, theorem environments, algorithms, and appendices.

2. Method

The template is intentionally light: keep paper-specific macros in `main.tex`, and keep shared layout behavior in `foundationagents.cls`. For example, `FOUNDATIONAGENT` can be introduced as a project-local command.

Definition 2.1 (Reusable Template). A reusable template should make the common path easy while leaving paper-specific styling and notation in the paper source.

3. Experiments

Table 1 | A compact example table.

Method	Score	Cost
Baseline	42.0	1.0x
FOUNDATIONAGENT	58.5	1.2x

4. Conclusion

Replace this sample with your paper content. The class will place the Foundation Agents mark in the first-page header when the logo option is enabled.

References

- [1] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in Neural Information Processing Systems*, 2017.

A. Appendix

Additional details can go here.