

HTML 17..24

Instrucciones

Resuelve los ejercicios de formularios, estructura semántica y contenido multimedia. Las dos actividades numeradas como 24 en las diapositivas se distinguen por su tema.

EJERCICIO 17

Formulario de pago

[Diapositiva 122 ↗](#)

Reproduce en HTML el formulario **Payment form** de las capturas.

- Sección **Contact information**: grupo de opciones Ace, King y Queen; nombre, correo electrónico y contraseña.
- Sección **Payment information**: selector de tipo de tarjeta, número de tarjeta y fecha de caducidad con la indicación MM/YY.
- Identifica los campos obligatorios que aparecen marcados con un asterisco.
- Incluye las etiquetas de los campos y el botón **Validate the payment**.

Payment form

Required fields are followed by *.

Contact information

Title

- ☐ Ace
☐ King
☐ Queen

Name: *

Email: *

Password: *

Payment information

Card type:

Card number: *

Expiration date: *

MM/YY

[Validate the payment](#)

Referencia de la diapositiva 122. [Ver diapositiva ↗](#)

Referencia de la diapositiva 122. [Ver diapositiva ↗](#)

EJERCICIO 18

La web de la cocina fácil

[Diapositiva 135 ↗](#)

Representa en HTML el contenido de la página de cocina de la captura.

- Título y menú con Inicio, Carnes, Pescados y Ayuda.
- Apartado de recetas de carne, con Conejo al ajillo y Cordero al horno.
- Ingredientes, elaboración e imagen de la receta de conejo.
- Apartado de recetas de pescado, con Dorada a la sal.
- Información del autor, fecha y espacio de publicidad.

Organiza la información con una estructura coherente de encabezados y secciones.

La web de la cocina fácil

- [Inicio](#)
- [Carne](#)
- [Pescados](#)
- [Ayuda](#)

Recetas de carne

Conejo al ajillo

Una de las formas más tradicionales de preparar el conejo es esta, con abundantes ajos.

Ingredientes:

- 1 conejo
- 1 cabeza ajos
- 1 vaso vino blanco
- aceite
- sal

Elaboración:

Primero partimos el conejo en trozos pequeños y ponemos a freírlos en una sartén con abundante aceite, a fuego lento. Le añadimos el vino y esperamos a que se dore.

Cordero al horno

Explicación de la receta 2 ...

Recetas de pescado

Dorada a la sal

Explicación de la receta 3

autor: diego. Todos los derechos reservados.

Junio-2024.

En esta columna

va la Publicidad.

 Conejo al ajillo

Referencia de la diapositiva 135. [Ver diapositiva ↗](#)

EJERCICIO 19

Contenido desplegable y figuras

[Diapositiva 136 ↗](#)

[Diapositiva 137 ↗](#)

Reproduce la estructura HTML de la página **Benny Bear**, siguiendo sus dos estados de referencia.

- Navegación con Home, News, Contact y About.
- Título Benny Bear y apartado Reasons Why He's The Best.
- Bloque desplegable Excellent Travel Buddy.
- Imágenes y pie de imagen Benny in the carrier.

Benny Bear

Reasons Why He's The Best

- Excellent Travel Buddy



Benny in the carrier

Referencia de la diapositiva 136. [Ver diapositiva ↗](#)

Reasons Why He's The Best

- ▼ Excellent Travel Buddy



Benny in the carrier

Referencia de la diapositiva 137. [Ver diapositiva ↗](#)

EJERCICIO 20

Preguntas frecuentes despleguables

[Diapositiva 138 ↗](#)

Reproduce las preguntas frecuentes de la captura utilizando etiquetas semánticas. Usa `<details>` para desplegar y contraer la información de cada pregunta.

Preguntas Frecuentes (FAQ)

¿Qué horarios de atención tienen?

Atendemos de lunes a viernes, de 9:00 a 18:00. Los fines de semana permanecemos cerrados.

¿Dónde están ubicados?

Nuestra oficina principal está ubicada en la calle Falsa 123, Ciudad Ejemplo.

¿Ofrecen envíos internacionales?

Sí, hacemos envíos a varios países. Puedes consultar la lista de países y tarifas en nuestra página de envíos.

¿Cómo puedo hacer seguimiento a mi pedido?

Puedes hacer seguimiento de tu pedido ingresando el número de seguimiento en nuestra página de seguimiento de pedidos.

¿Cuál es la política de devoluciones?

Ofrecemos devoluciones dentro de los primeros 30 días desde la fecha de compra. Consulta nuestra política de devoluciones para más detalles.

Referencia de la diapositiva 138. [Ver diapositiva ↗](#)

EJERCICIO 21

Corregir la estructura semántica

[Diapositiva 139 ↗](#)

Reorganiza correctamente el siguiente HTML. Explica el motivo de cada error que encuentres y la solución que propones.

Código que debes revisar

```
<section>
  <aside>
    <div>
      <section>
        <header>
          <a href="/">
            
          </a>
        </header>
        <main>
          <a href="/services">Services</a>
          <a href="/products">Products</a>
          <a href="/aboutus">AboutUs</a>
        </main>
        <footer></footer>
      </section>
    </div>
```

```
</aside>
<section>
  <footer></footer>
  <main>
    <h1>Welcome to Hell</h1>
  </main>
  <footer></footer>
</section>
</section>
```

EJERCICIO 22

Página de documentación

[Diapositiva 140 ↗](#)[Diapositiva 141 ↗](#)[Diapositiva 142 ↗](#)[Diapositiva 143 ↗](#)

Genera **únicamente el HTML** de una página de documentación siguiendo la estructura del ejemplo **Note Editor Documentation** de Zakaria.

- Conserva la navegación entre Introduction, Getting Started, Modules, Features, Classes & Methods y Conclusion.
- Estructura los títulos, párrafos, listas y fragmentos de código mostrados en las referencias.

Note Editor Documentation

IntroductionGetting StartedModulesFeaturesClasses & MethodsConclusion

Introduction

Note Editor is a feature-rich text editor built using **PySide6**. It offers functionalities such as file operations, PDF export, spell checking, word count, theme toggling, and an offline dictionary using NLTK's WordNet.

Getting Started

To run the Note Editor, ensure you have Python installed along with the required libraries. Follow these steps:

1. Clone the repository or download the source code.
2. Install the required dependencies using pip:

```
pip install -r requirements.txt
```
3. Download NLTK's WordNet data:

```
python -c "import nltk; nltk.download('wordnet'); nltk.download('omw-1.4')"
```
4. Run the application:

```
python main.py
```

Modules

- **main.py**: The entry point of the application.
- **main_window.py**: Contains the `MainWindow` class which orchestrates the application's main functionalities.
- **widgets**:
 - **editor.py**: Defines the `Editor` class extending `QTextEdit` with additional features.
 - **menu_bar.py**: Defines the `MenuBar` class managing the application's menu.

Referencia de la diapositiva 140. [Ver diapositiva ↗](#)

Modules

- **main.py:** The entry point of the application.
- **main_window.py:** Contains the `MainWindow` class which orchestrates the application's main functionalities.
- **widgets:**
 - **editor.py:** Defines the `Editor` class extending `QTextEdit` with additional features.
 - **menu_bar.py:** Defines the `MenuBar` class managing the application's menu.
 - **tool_bar.py:** Defines the `ToolBar` class managing the application's toolbar.
 - **status_bar.py:** Defines the `StatusBar` class managing the status bar.
 - **find_replace_dialog.py:** Defines the `FindReplaceDialog` class for find and replace functionality.
- **utils:**
 - **helpers.py:** Contains utility functions like word counting.
 - **file_operations.py:** Contains functions for file dialog operations.

Features

- **File Operations:** Create, open, save, and export files in various formats.
- **PDF Export:** Export the current document as a PDF.
- **Find and Replace:** Search for and replace text within the document.
- **Spell Check:** Highlight misspelled words using a spell checker.
- **Word Count:** Display the total word count of the document.
- **Theme Toggling:** Switch between light and dark themes.
- **Autosave:** Automatically save the document at regular intervals.
- **Offline Dictionary:** Look up word definitions using NLTK's WordNet.

Classes & Methods

`MainWindow` (`main_window.py`)

The `MainWindow` class is the central component of the application. It manages the main interface and orchestrates various functionalities.

Methods:

- **`__init__()`:** Initializes the main window, sets up the UI components, and initializes autosave.

Referencia de la diapositiva 141. [Ver diapositiva ↗](#)

Classes & Methods

MainWindow (main_window.py)

The `MainWindow` class is the central component of the application. It manages the main interface and orchestrates various functionalities.

Methods:

- `__init__()`: Initializes the main window, sets up the UI components, and initializes autosave.
- `init_ui()`: Sets up the editor, status bar, menu bar, tool bar, theme, and autosave timer.
- `new_file()`: Creates a new file after checking for unsaved changes.
- `open_file()`: Opens an existing file with supported formats.
- `save_file()`: Saves the current file. If no file is open, it calls `save_file_as()`.
- `save_file_as()`: Saves the current document to a new file.
- `export_as_pdf()`: Exports the current document as a PDF file.
- `maybe_save()`: Prompts the user to save unsaved changes.
- `toggle_toolbar(state)`: Shows or hides the toolbar based on the state.
- `toggle_statusbar(state)`: Shows or hides the status bar based on the state.
- `zoom_in()`: Increases the font size in the editor.
- `zoom_out()`: Decreases the font size in the editor, not going below a minimum size.
- `reset_zoom()`: Resets the font size to the default value.
- `find_text(text)`: Finds the next occurrence of the specified text.
- `replace_text(find_text, replace_text)`: Replaces the current selection if it matches `find_text` with `replace_text`.
- `replace_all_text(find_text, replace_text)`: Replaces all occurrences of `find_text` with `replace_text` in the document.
- `change_font()`: Opens a font dialog to change the editor's font.
- `change_text_color()`: Opens a color dialog to change the text color.
- `change_bg_color()`: Opens a color dialog to change the background color.
- `add_bullets()`: Adds a bulleted list to the current cursor position.
- `add_numbering()`: Adds a numbered list to the current cursor position.
- `show_word_count()`: Displays the total word count in a message box.
- `spell_check()`: Triggers the spell checker to rehighlight misspelled words.
- `open_thesaurus()`: Looks up the definition of the selected word using NLTK's WordNet.
- `select_language()`: Allows the user to select a language (placeholder functionality).
- `open_documentation()`: Opens the documentation HTML page in the default web browser.
- `show_about()`: Displays an "About" dialog with application information.
- `check_updates()`: Checks for application updates (placeholder functionality).
- `apply_theme(theme_name)`: Applies the specified theme by loading the corresponding QSS file.

Referencia de la diapositiva 142. [Ver diapositiva ↗](#)

file_operations.py

Contains functions for file dialog operations.

Functions:

- `open_file_dialog(parent, file_filter="All Files (*.*)")`: Opens a file dialog to select a file to open.

```
def open_file_dialog(parent, file_filter="All Files (*.*)"):
    file_path, _ = QFileDialog.getOpenFileName(parent, "Open File", os.getenv('HOME'), file_filter)
    return file_path
```

- `save_file_dialog(parent, file_filter="All Files (*.*)")`: Opens a file dialog to select a location to save the file.

```
def save_file_dialog(parent, file_filter="All Files (*.*)"):
    file_path, _ = QFileDialog.getSaveFileName(parent, "Save File", os.getenv('HOME'), file_filter)
    return file_path
```

Conclusion

The "Note Editor" application combines various text editing features into a cohesive and user-friendly interface. By leveraging the power of PySide6 and NLTK's WordNet, it offers both online and offline functionalities, ensuring a robust experience for users.

For further assistance or to report issues, please contact the developer.

Referencia de la diapositiva 143. [Ver diapositiva ↗](#)

EJERCICIO 23

Reproductor de vídeo HTML5

Diapositiva 152 ↗

Crea una página con un reproductor de vídeo e investiga los atributos de `<video>` en la documentación de MDN.

- Ofrece el vídeo en dos formatos, **MP4 y WebM**, mediante elementos `<source>`.

- Añade una imagen poster que se vea antes de comenzar la reproducción.
- Configura la reproducción automática, sin sonido y en bucle.
- Muestra los controles de reproducción.
- Establece una anchura de **600 píxeles** y una altura de **400 píxeles**.
- Incluye un mensaje de respaldo dentro de `<video>` para los navegadores que no lo soporten, con un enlace directo que permita descargar el vídeo.

EJERCICIO 24

Reproductor de audio HTML5

[Diapositiva 154 ↗](#)

Crea una página con un reproductor `<audio>` e investiga sus atributos en la documentación oficial.

- Ofrece el audio en dos formatos: **MP3 y OGG**.
- Configura la reproducción automática, inicialmente silenciada y en bucle.
- Muestra los controles de reproducción.
- Utiliza `preload` para que el audio se cargue cuando sea necesario.
- Incluye un mensaje de respaldo para los navegadores que no soporten el elemento, con un enlace directo de descarga del audio.

EJERCICIO 24

Incrustar PDF, vídeo y mapa

[Diapositiva 161 ↗](#)

Crea un documento HTML con los siguientes contenidos incrustados:

1. Un PDF llamado `doc.pdf`, situado en la carpeta `media`. Utiliza `<object>` y configura un área de **600 x 400 píxeles**. Añade dentro del elemento un mensaje de respaldo con un enlace directo al PDF.
2. Un vídeo de YouTube y un mapa de Google Maps. Obtén sus códigos de incrustación e incorpóralos mediante `<iframe>`, con un tamaño de **560 x 315 píxeles**.
3. Investiga cómo permitir la visualización a pantalla completa y cómo restringir la ejecución de JavaScript y el envío de formularios. Aplica las restricciones del ejercicio a los marcos y comprueba su efecto.

Entrega

Adjunta los archivos HTML y sus recursos. Incluye en el ejercicio 21 la explicación de los errores y las correcciones propuestas.

Materiales de la tarea

No hay archivos adjuntos en esta tarea.