

Design Project Checklist 2026



Kickoff Meeting with OW Project Team

- ☐ Review product lines
- ☐ Confirm SQ to determine if Price Protected catalogs are required
- ☐ Review schedule for OE date(s) and product leadtimes
- ☐ Finish Grade (fabric grade, paint, etc)
- ☐ Power requirements - use 7K if not sure
- ☐ Teknion Ancillary (non-Teknion to be specified by WPC & Coordinator)
- ☐ Is there Teknion Walls in project?
- ☐ Are renderings needed?
- ☐ Pricing breakdown on BOMs? (by typical? By floor? Etc)

Milestone Schedule

- ☐ Designer is to develop Milestone schedule. Reach out to Felicia or Rebecca for assistance as needed.
 - ☐ Client Facing: End Date
 - ☐ Client Facing: Start Date
 - ☐ OW_RFP Design Timeline
 - ☐ OW_Awarded Design Timeline
- ☐ When project is outsourced, use specific Milestone Schedules.
 - ☐ Outsource_RFP Design Timeline
 - ☐ Outsource_Awarded Design Timeline

Use the Design Milestone Schedule if you answer “yes” to any of the following:

- ☐ Is this a full-floor project or 50 seats or more?
- ☐ Is the installation date six months or more out?
- ☐ Is the timeline tight or compressed, with little room for missed decisions?
- ☐ Are there multiple stakeholders or a lot of moving parts to coordinate?
- ☐ Does the client need clear decision deadlines to stay on track?
- ☐ Would this project benefit from added structure to prevent delays or rework?



Design

- ☐ Develop Typical & 3Ds - Use Google Slides Template
(*see Validation Document section for more detail*)
- ☐ Develop BOMs
 - ☐ For RFPs, remember we need to submit a “Deep Discount” BOM for Teknion (*see DDP section for more detail*)
- ☐ Requests for renderings (use rendering google template and send to visual@pixel-viz.com) . CET files must be exported into a dwg file.
- ☐ Import Teknion wall background (if applicable)
- ☐ Self spec check and peer spec check of typical before laying out floor plans.
 - ☐ Use PST, Teknion Expansion Team or a peer to check typical.
- ☐ Generate furniture floor plans
 - ☐ Add Non-Teknion ancillary furniture to furniture plan.
 - ☐ Assign tags to furniture in CAD.
- ☐ Obtain sign off on final typical, plans & finishes
- ☐ ****Reconfigure or Add-Ons:**
 - ☐ When working on a new project, matching existing or a reconfiguration, reference the original order acknowledgement (not proposal, not cap worksheet, not cad dwg).

Validation Document

- ☐ The validation document must include all of the details about the furniture typical & ancillary. See below guidelines for information.
 - ☐ Overall furniture plan that matches CAD file
 - ☐ 2D drawings with dimensions
 - ☐ 3D drawings with detailed descriptions
 - ☐ HAT height range noted
 - ☐ Finishes (images & labels) referencing a rendering
 - ☐ Glass finish (Clear/Frost/Vanceva)
 - ☐ Glass thickness **(6mm \$ or 10mm \$\$) Note: Screens are only**



available in 6mm

- ☐ Storage pull detail
- ☐ Wardrobes - coat rod or coat hook
- ☐ Wood grain direction notes if applicable
- ☐ Wire management & accessories package
 - ☐ E-chain, mesh cable wrap
 - ☐ Teknion power cube, Non-Teknion power cube
 - ☐ Teknion basket, Non-Teknion basket, wire clips
 - ☐ Power Strip
 - ☐ Monitor Arm
 - ☐ HAT table switch
- ☐ Electrical wiring information
- ☐ Seating with finishes
- ☐ Ancillary with finishes
- ☐ Conference tables - include power & wire management info

Specifications

BOMs (CAP Worksheet)

- ☐ Add header to the BOM
- ☐ CRs
 - ☐ QUOTE Column - Add CR# only (no letters)
 - ☐ Make sure SPECIAL column is turned on and CHECKED
 - ☐ Add list \$ in Attribute line 1 (Note)
 - ☐ Add short description of special features in Attribute line 1 (Note)
 - ☐ Part # can be modified to match CREATE (do not include -S in part #)
 - ☐ CET: Add CR # to Tag 2 field in CET or add CR # to Make Special Query field.
 - ☐ Check lead times (add to lead time column in Worksheet)
 - ☐ No symbols (<\~ etc) only dashes & forward slash are ok



- ☐ Attribute 1 = Note (50 character max)
 - ☐ Example: Note CR 1582069 / ACTUAL 30"d / \$578
 - ☐ Example: Note CR 1582069 / ACTUAL 30"d / \$578 EST
 - ☐ Example: Note CR 1582069 / ACTUAL 30"d / XXXX
- ☐ Attribute 2 = Ship (50 character max) - for COMs for special finishes
- ☐ Update against current catalog (or update against OLD for price protected clients)
- ☐ Specify all options to capture all upcharges
- ☐ Sort by list price to identify any \$0
- ☐ Add lines for Non-Teknion accessories (power strips, power cubes, wire management baskets) for WPC to add pricing.
- ☐ Flag all "505" products on BOM (preliminary & final) using the **COLOR** column. Make note of color used to flag 505 products in BOM Submission email to WPC.
- ☐ Alias 1 - Description **(Mandatory)**
 - ☐ Example:
 - ☐ Workstation (Qty 32)
 - ☐ Offices (Qty 12)
 - ☐ Ancillary
- ☐ Alias 2 - Floor, Phase or Location **(Optional)**
 - ☐ Example:
 - ☐ Phase 1 - Floor 3
 - ☐ Floor 2 - East

ELECTRICAL

- ☐ Confirm the wiring system needed
- ☐ Confirm your BOM includes the same wiring for all electrical components
- ☐ Basefeeds should be on their own SP4 file for Order Entry (exception Power Spine - can't install them early)
- ☐ Multiple Circuits (Circuits 1, 2, 3, 5, 6, A, B)



- ☐ Controlled Outlets (if applicable)
- ☐ OWDC projects - in DC all BF need to be visible
- ☐ OOWNY projects - Split BF needs to be specified
- ☐ Chicago - Chicago electrical needs to be specified
- ☐ Add extra electrical parts - they always come in handy during install!

MISC REMINDERS

- ☐ Keys (SOKL) - silver vs black
- ☐ District storage extended glides (UNSQL)
- ☐ Always include at least (1) Master Key & (1) Change Key
- ☐ Accessories, monitor arm, wire management, power cubes
- ☐ Monitor Arms should NOT be installed under overheads.
- ☐ When specifying monitor arms with clamp or bolt mount remember to think about wire management. Do you need a grommet?
- ☐ Are all storage handles the same?
- ☐ Confirm 1" gap works with storage & u-shape typicals
- ☐ Wood grain direction - confirm grain direction on towers & screens
- ☐ Touch up paint
- ☐ When specifying District storage, include extended glides (20%). Reminder: these glides do not work with Expansion storage.

Best Practices

**When working with an Outsource Partner or Teknion, review their specifications to make sure that they have followed OW's best practices. If they have not, make sure to modify the BOM & validation document before sending them to the WPC.

- ☐ District Inset Glass - Use 6mm instead of 10mm.
 - ☐ CET defaults to 10mm. Make sure to change to 6mm.
- ☐ Always Specify hiSpace Slide table.
 - ☐ Unless you need finish other than Platinum, Ebony or Very White.
 - ☐ Or greater than 72"w



- ☐ Or C-leg required
- ☐ Power strip to be priced by the WPC via a third-party manufacturer. Note should be included in Validation Doc and dummy line can be carried in BOM.
- ☐ Power cubes - high capacity (needed to charge current iPhones)

COM (Customer's Own Material)

- ☐ If fabric is not approved, Coordinator is to fill out the form and send memos to Teknion for Tekniplate #.
- ☐ Identify if fabric should be Off the Bolt or RR
 - ☐ *Caution - District fascias over 60" w must be railroaded and must be a CR.
- ☐ Each SP4 for OE can only have (9) COMs max. If more than (9) COMs are required, a new SP4 is required.
- ☐ COM calculation for seating can be found in the application guides.
- ☐ COM calculations for fascias, tackboards and some cushions are done by Teknion. Reach out to com@teknion.com.

DDP (Deep Discounting Protocol)

- ☐ Documents need to be provided to WPC at least (3) days before pricing is due.
- ☐ Required documents from Design:
 - ☐ BOM is Excel format - one workstation typical & one office typicals - the most numerous typical on the floor plan.
 - ☐ Panel Builder Report (of applicable - Leverage or District)
 - ☐ CRs - they do not have to be priced!
 - ☐ If a CR # is not available, include a detailed description of what is special about the product.
 - ☐ Note if a CR came directly from R&B.
 - ☐ If a price has been estimated, make note of that in the BOM.
 - ☐ NO DRAWINGS ARE REQUIRED!



Installation Review

- ☐ Review project scope and plans with WPC and/or PM for final installation quote.

Review installation sequence and phasing with WPC and/or PM.

Pre-Installation Information

- ☐ Provide hold to dimensions
- ☐ Provide blocking locations
- ☐ Send electrical / communication cut sheets to architect or GC.
- ☐ Provide electrical plans (reference example drawings in Design Reference folder: Z:\Shared\Locations\MA\DESIGN REFERENCE\@ OW Design_Electrical Plan Examples)
 - ☐ Core locations
 - ☐ Wall / column basefeed locations **(includes height dimension)**
 - ☐ Wall location for power & data in private offices **(include height dimension)**
- ☐ Workstation numbering
 - ☐ Ask client for theirs
 - ☐ Or create your own numbering system

Field Verification (for Designers & PMs)

- ☐ Develop plan for critical dimensions
- ☐ Confirm column locations
- ☐ Confirm existing power / data locations
- ☐ Will all product fit in elevator? (conference table tops, credenzas)

Order Preview to Teknion *(Designer to work with WPC & PM for info needed)*

**See Teknion Policy on criteria to qualify for an order preview.*

- ☐ Order Preview Online Form
 - ☐ Preview Reason - confirm order entry deadline



- ☐ Truck Capacity - average 2 trucks / 1 day (confirm with install company)
- ☐ Must Arrive Date - always pad date by at least 1 week
- ☐ BOMs - must be in "Teknion Order Preview & COM" format from Worksheet

Audit Package - *Reference an example Audit Package in the Design Reference*

folder: Z:\Shared\Locations\MA\DESIGN REFERENCE\@ OW Design_Audit Examples

- ☐ Audits are to be submitted through the **Audit Form** on The Works.
- ☐ If the audit is not claimed within 24 hours the designer is to send the audit to either UV or Kisp directly.
- ☐ Documents to be included in package:
 - ☐ Overall floor plan (PDF)
 - ☐ Panel & Electrical (PDF) plan with legible part numbers
 - ☐ Component (PDF) plan with legible part numbers
 - ☐ Electrical Plan
 - ☐ CAD file
 - ☐ Validation Document /Google Slides in PDF format - Typicals (2D/3D), tags, finishes, renderings, wire management details
 - ☐ BOMs - PDF & SP4 file
 - ☐ Panel Builder Elevations & Detail Sheet (Panel Types)
- ☐ For ALL Expansion typical checks, send to - trb.technical@teknion.com
- ☐ For ALL TFS typicals checks (PST), send to - spec.us@teknion.com

When working on a new project and matching existing, use the original order acknowledgement to check against (not proposal).

Post Field Verification Drawings

- ☐ PlanGrid - check for updated plans and notes (use PM credentials for access)
- ☐ Document findings from field verifications into furniture plan.
- ☐ Identify issues & send post field verification drawings to team



(WPC, PM, Design Firm, OPM, etc).

Order Entry Process

- ☐ Send “BOM Submission” email template to WPC.
- ☐ Email must include 2 attachments - PDF of BOM & SP4 file.
- ☐ *When working with an outsource partner on a project, be sure to list yourself as the primary designer and the outsource partner as the secondary designer.
- ☐ **CHANGES** - Review with Coordinator
 - ☐ SMALL CHANGES - Redline the proposal with changes and send new PDF & SP4 for new lines only.
 - ☐ LARGE CHANGES - Complete new PDF & SP4 required.

Teknion Mockups

- ☐ Teknion mockups are submitted through an online portal by the Coordinators.
- ☐ Designers are to follow our standard Order Entry process by using the BOM Submission email template. In addition the Designer needs to provide a PDF drawing of the mockup (Validation Doc) & CAD file.
- ☐ Teknion completes an audit of the product. Design will need to review the audit, make adjustments if needed and provide a new SIF to Mockups.

Teknion Edit Holds

- ☐ Follow these steps to respond to an Edit Hold.
 - ☐ Email from Teknion will say “Edit Hold” in the subject line and will include a link. Before clicking the link, first go to Teknion OnePlace and click on “Order Submission”.
 - ☐ Once the “Order Submission” page loads, go back to the email and click the link.
 - ☐ A new window will open and the Edit Hold will load.
 - ☐ Review the issue(s) and respond to each.



Teknion / Studio TK Acknowledgement Check

- ☐ Confirm when the change order window closes.
- ☐ Print Teknion / Studio TK acknowledgements and the BOMs and check the acknowledgement against the BOMs.
- ☐ Check quantities, part numbers, product descriptions, finishes, CRs, CR special features and list pricing.

Teknion Change Orders

**Send to: tekcol@teknion.com*

- ☐ Change orders must be submitted to Teknion via the Change Order Form by 12pm on the due date listed on the acknowledgement.
- ☐ When you submit the change order, cc the Coordinator on the email.
- ☐ Changes for product, quantity, finishes, CR, key validation = Designer
- ☐ Changes for ESD, Ship to Address, Cancel Order = Coordinator/PM
(Coordinator if no PM assigned)

Installation Package

Drawings (reference example drawings in Design Reference folder:

Z:\Shared\Locations\MA\DESIGN REFERENCE\@ OW Design_Install Plan Examples)

- ☐ Make sure all aisle dimensions are noted
- ☐ Make sure correct installation address is included (and floor #)
- ☐ Overall drawings - to include ancillary (doesn't have to be to scale)
 - ☐ Include room #s and wkst #s
- ☐ Panel / Electrical drawing (to scale)
 - ☐ Include spine to spine dimensions
 - ☐ Note controlled circuits, **make sure client is aware**
 - ☐ Note all circuit #s
- ☐ Component drawing (doesn't have to be to scale)
 - ☐ Include wire management notes
 - ☐ Note what should get plugged into where (HAT, power strip,



power modules, etc)

- ☐ Monitor arm placement - if unknown, make note to review in field
- ☐ Make sure all part #s are legible!
- ☐ Panel elevations
- ☐ Validation Document - 2D / 3D, finishes, renderings
- ☐ Electrical Plans (for NYC projects only)
- ☐ *Generate pull list if re-configuring product

Notes:

- ☐ Field Cuts
- ☐ Whiteboards - provide height to mount (typically 36" AFF)
- ☐ Modesty panels - provide location & whether a wire gap is required

Punchlist & Day 2 Orders

- ☐ Assist PMs with part clarification for Claims
- ☐ BOMs for Non-Claim punchlist & Day 2 orders
- ☐ Submit all Punchlist via Punchlist Submission Email Template - Must cc WPC and Coordinator
- ☐ Must identify change order reason per the email template form. - see below

Change Order Reason ☐ He ☐ Cl

- GC / customer hold-to missed
- GC / customer-directed change
- PM Field verification error
- Design Spec error
- Installer Error
- Job-site Damage
- Lost / Late / Out of Stock Product
- Teknion error / claim denied
- Shipping damage (visible)
- Shipping damage (concealed)
- Coordinator Order Entry Error
- Reconsignment Fees for OW Providing wrong ship to address
- WPC concession / good faith accommodation
- SALES/WPC Error
- Vendor Chargeback
- Vendor Commission Payment
- Service PM Request
- Mock Up Conversion to Real Order
- Billable Add On Change Order



CR Example:

1	☒	2013100	TEK	RCA*	BMRWL24108N	Rectangular Worksurface, 24"d x 108"w, No Grommet (1-3/16")	\$ 1,346.00
					S	Storage (Not Included)	
					E	Semi-Supported Leg (Not Included)	
					~A	Foundation Laminate	
					7Z	Craft Walnut	
					6	Straight Trim	
					9D	Craft Walnut	
					Note	CR 2013100 / 108W / \$1346	

COM Example:

Qty	Special	Quote #	Mfg	Cat	Part Number	Part Description	List
1	☒	SU6387	TEK	TSC*	NCSMNPY	Nuova Contessa-Synchro-Tilt Task Chair, Assmbld, Dual Uphol Only, No Headrest, 4D Arms, w/Lumbar Element	\$ 2,309.00
					SB21	Lapis	
					~C1	Customer's Own Material	
					COM1	Tekniplate# SU6387 Maharam Messenger Depth (458640-038)	
					1	Standard	
					99	Tess Silver (Grey Plsto, Slvr Frm & Base)	
					~	Hard Casters	
					Ship	Tekniplate# SU6387 Maharam Messenger Depth (458640-038)	
1	☐				COM1	Maharam Messenger Depth (458640-038) (1 yard per chair)	\$ 0.00

Dummy Lines:

1	☐				TBD	Power Cube - Vendor TBD **WPC to add pricing**	\$ 0.00
1	☐				TBD	Power Strips - Vendor TBD **WPC to add pricing**	\$ 0.00
1	☐				TBD	Wire Management Basket - Vendor TBD **WPC to add pricing**	\$ 0.00