

U4 - Projeto de Software

Uso de Repositório de Artefatos em Gestão de Configuração

Aluno: Diego dos Santos Gonçalves

Professor: Marco Ikuro Hisatomi


Data: Junho/2026

Folha de Rosto


Disciplina: Projeto de Software

Atividade Prática: Uso de Repositório de Artefatos em Gestão de Configuração

Print 1 - Repositório criado no GitHub



Print 2 - Aplicação executando



Print 3 - Criação e commit dos arquivos

```
diego@developer:/dev/devops-faculdade/1/U4_Projeto_de_Software
- Python
- Tkinter
- Docker
- Git
- GitHub

## Execução

python calculadora_gui.py

## Autor
Diego dos Santos Gonçalves
EOF
→ U4_Projeto_de_Software git:(main) X ls
calculadora_gui.py Dockerfile README.md requirements.txt
→ U4_Projeto_de_Software git:(main) X python calculadora_gui.py
zsh: command not found: python
→ U4_Projeto_de_Software git:(main) X python3 calculadora_gui.py
^CTraceback (most recent call last):
  File "/home/diego/dev/devops-faculdade/1/U4_Projeto_de_Software/calculadora_gui.py", line 49, in <module>
    janela.mainloop()
  File "/usr/lib/python3.12/tkinter/__init__.py", line 1504, in mainloop
    self.tk.mainloop(n)
KeyboardInterrupt

→ U4_Projeto_de_Software git:(main) X python3 calculadora_gui.py
^C^C^CTraceback (most recent call last):
  File "/home/diego/dev/devops-faculdade/1/U4_Projeto_de_Software/calculadora_gui.py", line 49, in <module>
    janela.mainloop()
  File "/usr/lib/python3.12/tkinter/__init__.py", line 1504, in mainloop
    self.tk.mainloop(n)
KeyboardInterrupt

→ U4_Projeto_de_Software git:(main) X git init

git add

git commit -m "Projeto inicial calculadora com interface gráfica"

git branch -M main

git remote add origin git@github.com:diegobda/U4_Projeto_de_Software.git

git push -u origin main
```

Print 4 - Push para o GitHub

```
KeyboardInterrupt

→ U4_Projeto_de_Software git:(main) X python3 calculadora_gui.py
^C^C^CTraceback (most recent call last):
  File "/home/diego/dev/devops-faculdade/1/U4_Projeto_de_Software/calculadora_gui.py", line 49, in <module>
    janela.mainloop()
  File "/usr/lib/python3.12/tkinter/__init__.py", line 1504, in mainloop
    self.tk.mainloop(n)
KeyboardInterrupt

→ U4_Projeto_de_Software git:(main) X git init

git add .

git commit -m "Projeto inicial calculadora com interface gráfica"

git branch -M main

git remote add origin git@github.com:diegobda/U4_Projeto_de_Software.git

git push -u origin main
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/diego/dev/devops-faculdade/1/U4_Projeto_de_Software/.git/
[master (root-commit) 33f7d8d] Projeto inicial calculadora com interface gráfica
4 files changed, 84 insertions(+)
create mode 100644 Dockerfile
create mode 100644 README.md
create mode 100644 calculadora_gui.py
create mode 100644 requirements.txt
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 1.22 KiB | 1.22 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0

```

Print 5 - Verificação final com git status

```
diego@developer:~/dev/devops-faculdade/1/U4_Projeto_de_Software
KeyboardInterrupt

→ U4_Projeto_de_Software git:(main) X git init

git add .

git commit -m "Projeto inicial calculadora com interface gráfica"

git branch -M main

git remote add origin git@github.com:diegobda/U4_Projeto_de_Software.git

git push -u origin main
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/diego/dev/devops-faculdade/1/U4_Projeto_de_Software/.git/
[master (root-commit) 33f7d8d] Projeto inicial calculadora com interface gráfica
4 files changed, 84 insertions(+)
create mode 100644 Dockerfile
create mode 100644 README.md
create mode 100644 calculadora_gui.py
create mode 100644 requirements.txt
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 1.22 KiB | 1.22 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:diegobda/U4_Projeto_de_Software.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
→ U4_Projeto_de_Software git:(main) git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
→ U4_Projeto_de_Software git:(main) -
```

Questão Reflexiva

A atividade permitiu desenvolver conhecimentos em Git, GitHub e Gestão de Configuração, incluindo criação de repositórios, controle de versões, commits, sincronização remota e colaboração em projetos de software.

Referências

Git Documentation; GitHub Documentation; Sommerville; Pressman.