

# Projeto de Migração - Configuração OTM Unificada (BR100 + Projeto)

Código	MIG0001
Versão	1.1
Consultor	Diego Ferreira Alves
Ambiente Origem	https://otmgtm-dev1-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/
Ambiente Destino	https://otmgtm-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/

## Automação

### Saved Queries

Queries utilizadas por automações, conditions e agents

Sequência	1
Object Type	SAVED_QUERY
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT DOMAIN_NAME,
SAVED_QUERY_XID,
USER_QUERY_NAME,
QUERY_NAME,
USE_IN_FINDER,
IS_CONDITION
FROM
SAVED_QUERY
WHERE
DOMAIN_NAME = 'BAU'
AND SAVED_QUERY_GID NOT LIKE '%TEST%'
AND SAVED_QUERY_GID NOT LIKE '%TESTE%'
AND SAVED_QUERY_GID NOT LIKE '%MIG%'
AND SAVED_QUERY_GID NOT LIKE '%TEMP%'
ORDER BY
DOMAIN_NAME,
USER_QUERY_NAME,
SAVED_QUERY_XID
```

Query de Extração

```
SELECT DOMAIN_NAME,
       SAVED_QUERY_XID,
       USER_QUERY_NAME,
       QUERY_NAME,
       USE_IN_FINDER,
       IS_CONDITION
FROM   SAVED_QUERY
WHERE  DOMAIN_NAME = 'BAU'
       AND SAVED_QUERY_GID NOT LIKE '%TEST%'
       AND SAVED_QUERY_GID NOT LIKE '%TESTE%'
       AND SAVED_QUERY_GID NOT LIKE '%MIG%'
       AND SAVED_QUERY_GID NOT LIKE '%TEMP%'
ORDER BY
       DOMAIN_NAME,
       USER_QUERY_NAME,
       SAVED_QUERY_XID
```

### Saved Conditions

Conditions utilizadas por agents e eventos

Sequência	2
Object Type	SAVED_CONDITION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT SC.DOMAIN_NAME,
       SC.SAVED_CONDITION_XID,
       SC.QUERY_NAME,
       SC.USER_CONDITION_NAME,
       SCQ.SAVED_QUERY_GID,
       SC.OTM_RELEASE
FROM   SAVED_CONDITION SC,
       SAVED_CONDITION_QUERY SCQ
WHERE  SC.SAVED_CONDITION_GID = SCQ.SAVED_CONDITION_GID
       AND SC.DOMAIN_NAME = 'BAU'
       AND SC.SAVED_CONDITION_GID NOT LIKE '%TEST%'
       AND SC.SAVED_CONDITION_GID NOT LIKE '%TESTE%'
       AND SC.SAVED_CONDITION_GID NOT LIKE '%MIG%'
       AND SC.SAVED_CONDITION_GID NOT LIKE '%TEMP%'
ORDER BY
       SC.DOMAIN_NAME,
       SC.SAVED_CONDITION_XID,
       SCQ.SAVED_QUERY_GID
```

Query de Extração

```
SELECT SC.DOMAIN_NAME,  
SC.SAVED_CONDITION_XID,  
SC.QUERY_NAME,  
SC.USER_CONDITION_NAME,  
SCQ.SAVED_QUERY_GID,  
SC.OTM_RELEASE  
FROM  
  SAVED_CONDITION SC,  
  SAVED_CONDITION_QUERY SCQ  
WHERE  
  SC.SAVED_CONDITION_GID = SCQ.SAVED_CONDITION_GID  
  AND SC.DOMAIN_NAME = 'BAU'  
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEST%'  
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TESTE%'  
  AND SC.SAVED_CONDITION_GID NOT LIKE '%MIG%'  
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEMP%'  
ORDER BY  
  SC.DOMAIN_NAME,  
  SC.SAVED_CONDITION_XID,  
  SCQ.SAVED_QUERY_GID
```

---

Data Type Association

Associações de tipos de dados do sistema

Sequência	3
Object Type	DATA_TYPE_ASSOCIATION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT
  DOMAIN_NAME,
  DATA_TYPE_ASSOCIATION_GID,
  DATA_TYPE_ASSOCIATION_XID,
  IS_PRIMARY,
  FROM_DATA_QUERY_TYPE_GID,
  TO_DATA_QUERY_TYPE_GID,
  ASSOCIATION_QUERY,
  JAVA_PLUGIN_GID,
  OTM_RELEASE
FROM
  DATA_TYPE_ASSOCIATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DATA_TYPE_ASSOCIATION_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  DATA_TYPE_ASSOCIATION_GID,
  DATA_TYPE_ASSOCIATION_XID,
  IS_PRIMARY,
  FROM_DATA_QUERY_TYPE_GID,
  TO_DATA_QUERY_TYPE_GID,
  ASSOCIATION_QUERY,
  JAVA_PLUGIN_GID,
  OTM_RELEASE
FROM
  DATA_TYPE_ASSOCIATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DATA_TYPE_ASSOCIATION_XID
```

Agent Event

Eventos de agentes do sistema

Sequência	4
Object Type	AGENT_EVENT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT ae.DOMAIN_NAME,
ae.AGENT_EVENT_GID,
ae.AGENT_EVENT_XID,
ae.DATA_QUERY_TYPE_GID,
ae.NOTIFY_SUBJECT_GID,
ae.AGENT_EVENT_PARENT,
ae.EVENT_TOPIC_CLASS,
ae.IS_CUSTOM,
ae.IS_LIFETIME_MOD,
ae.DESCRPTION,
ae.OTM_RELEASE,
aed.AGENT_GID,
a.AGENT_XID,
a.IS_ACTIVE
FROM
AGENT_EVENT ae,
AGENT_EVENT_DETAILS aed,
AGENT a
WHERE
ae.AGENT_EVENT_GID = aed.AGENT_EVENT_GID
AND aed.AGENT_GID = a.AGENT_GID
AND ae.DOMAIN_NAME = 'BAU'
AND a.IS_ACTIVE = 'Y'
ORDER BY
ae.DATA_QUERY_TYPE_GID,
```

Query de Extração

```
SELECT ae.DOMAIN_NAME,
ae.AGENT_EVENT_GID,
ae.AGENT_EVENT_XID,
ae.DATA_QUERY_TYPE_GID,
ae.NOTIFY_SUBJECT_GID,
ae.AGENT_EVENT_PARENT,
ae.EVENT_TOPIC_CLASS,
ae.IS_CUSTOM,
ae.IS_LIFETIME_MOD,
ae.DESCRPTION,
ae.OTM_RELEASE,
aed.AGENT_GID,
a.AGENT_XID,
a.IS_ACTIVE
FROM
AGENT_EVENT ae,
AGENT_EVENT_DETAILS aed,
AGENT a
WHERE
ae.AGENT_EVENT_GID = aed.AGENT_EVENT_GID
AND aed.AGENT_GID = a.AGENT_GID
AND ae.DOMAIN_NAME = 'BAU'
AND a.IS_ACTIVE = 'Y'
ORDER BY
ae.DATA_QUERY_TYPE_GID,
```

Agents

Agentes ativos no domínio

Sequência	5
Object Type	AGENT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  ACTION
WHERE
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  ACTION
WHERE
```

App Actions

Ações de aplicação do OTM

Sequência	6
Object Type	APP_ACTION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  APP_ACTION
WHERE
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  APP_ACTION
WHERE
```

---

## Actions

*Ações gerais do sistema*



Sequência	7
Object Type	ACTION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
```

Batch Processes

*Processos batch de execução automática*

Sequência	8
Object Type	BATCH_PROCESS
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BP.DESRIPTION,
  BP.IS_ENABLED,
  BPD.SEQUENCE_NO,
  BPD.TOPIC_ALIAS_GID
FROM
  BATCH_PROCESS BP,
  BATCH_PROCESS_D BPD
WHERE
  BP.BATCH_PROCESS_GID = BPD.BATCH_PROCESS_GID
  AND BP.IS_ENABLED = 'Y'
ORDER BY
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BPD.SEQUENCE_NO
```

Query de Extração

```
SELECT
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BP.DESRIPTION,
  BP.IS_ENABLED,
  BPD.SEQUENCE_NO,
  BPD.TOPIC_ALIAS_GID
FROM
  BATCH_PROCESS BP,
  BATCH_PROCESS_D BPD
WHERE
  BP.BATCH_PROCESS_GID = BPD.BATCH_PROCESS_GID
  AND BP.IS_ENABLED = 'Y'
ORDER BY
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BPD.SEQUENCE_NO
```

Domains – Add Domain

Configuração de domínios OTM

Sequência	1
Object Type	DOMAIN
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT * FROM DOMAIN
```

Query de Extração

```
SELECT * FROM DOMAIN
```

---

## Domain Grants

Permissões de domínio

Sequência	2
Object Type	DOMAIN_GRANTS_MADE
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  GRANTOR_DOMAIN,
  GRANTEE_DOMAIN,
  TABLE_SET,
  IS_WRITE_ACCESS
FROM
  DOMAIN_GRANTS_MADE
ORDER BY
  GRANTOR_DOMAIN
```

### Query de Extração

```
SELECT
  GRANTOR_DOMAIN,
  GRANTEE_DOMAIN,
  TABLE_SET,
  IS_WRITE_ACCESS
FROM
  DOMAIN_GRANTS_MADE
ORDER BY
  GRANTOR_DOMAIN
```

## Domain Settings

Configurações de domínio

Sequência	3
Object Type	DOMAIN_SETTING
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
DOMAIN_NAME,
'Y' AS IS_DEFAULT,
PLANNING_PARAMETER_SET_GID,
POSTAL_CODE_VALIDATE_TYPE,
FUNCTIONAL_CURRENCY_GID
FROM
DOMAIN_SETTING
ORDER BY
DOMAIN_NAME
```

Query de Extração

```
SELECT
DOMAIN_NAME,
'Y' AS IS_DEFAULT,
PLANNING_PARAMETER_SET_GID,
POSTAL_CODE_VALIDATE_TYPE,
FUNCTIONAL_CURRENCY_GID
FROM
DOMAIN_SETTING
ORDER BY
DOMAIN_NAME
```

---

Properties


Propriedades do sistema

Sequência	4
Object Type	PROP_INSTRUCTION
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  PROP_SEQUENCE_NUM,
  INSTRUCTION,
  KEY,
  VALUE,
  DESCRIPTION
FROM
  PROP_INSTRUCTION
WHERE
  PROP_INSTRUCTION_SET_GID = 'CUSTOM'
ORDER BY
  PROP_SEQUENCE_NUM
```

Query de Extração

```
SELECT
  PROP_SEQUENCE_NUM,
  INSTRUCTION,
  KEY,
  VALUE,
  DESCRIPTION
FROM
  PROP_INSTRUCTION
WHERE
  PROP_INSTRUCTION_SET_GID = 'CUSTOM'
ORDER BY
  PROP_SEQUENCE_NUM
```



Units of Measure (UOM)

Unidades de medida utilizadas no domínio

Sequência	5
Object Type	UOM
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  TYPE,
  UOM_CODE,
  UOM_SHORT_DESCRIPTION,
  UOM_LONG_DESCRIPTION,
  UOM_RANK,
  IS_STORAGE_DEFAULT,
  IS_DISPLAY_DEFAULT
FROM
  UOM
ORDER BY
  TYPE
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  TYPE,
  UOM_CODE,
  UOM_SHORT_DESCRIPTION,
  UOM_LONG_DESCRIPTION,
  UOM_RANK,
  IS_STORAGE_DEFAULT,
  IS_DISPLAY_DEFAULT
FROM
  UOM
ORDER BY
  TYPE
```

## Postal Code Components

Componentes de código postal

Sequência	6
Object Type	HNAME_COMPONENT
OTM Table	
Deployment Type	DB_XML
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT * FROM HNAME_COMPONENT ORDER BY HNAME_COMPONENT_XID
```

Query de Extração

```
SELECT * FROM HNAME_COMPONENT ORDER BY HNAME_COMPONENT_XID
```

## Branding

Configuração de marca e identidade visual

Sequência	7
Object Type	BRANDING
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING



Business Number

Regras de números de negócio

Sequência	8
Object Type	BN_RULE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  BN_RULE_XID,
  BN_TYPE_GID,
  BN_GENERATOR_GID,
  RULE_DEFINITION,
  IS_DEFAULT,
  OTM_RELEASE
FROM
  BN_RULE
WHERE
  DOMAIN_NAME = 'BAU'
  AND BN_RULE_XID LIKE '%BAU%'
ORDER BY
  BN_RULE_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  BN_RULE_XID,
  BN_TYPE_GID,
  BN_GENERATOR_GID,
  RULE_DEFINITION,
  IS_DEFAULT,
  OTM_RELEASE
FROM
  BN_RULE
WHERE
  DOMAIN_NAME = 'BAU'
  AND BN_RULE_XID LIKE '%BAU%'
ORDER BY
  BN_RULE_XID
```

Reports

Relatórios do sistema

Sequência	9
Object Type	REPORT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
DOMAIN_NAME,
REPORT_GID,
REPORT_XID,
REPORT_DISPLAY_NAME,
REPORT_DESC,
REPORT_GROUP_GID,
REPORT_PHYSICAL_NAME,
SELECT_VIA_UI,
ADDITIONAL_URL_ARGUMENTS,
CAN_AUTO_GENERATE,
SECURITY_LEVEL,
REPORT_TYPE,
IS_RPT_MGR_DISPLAY,
USE_HTML_PARAMFORM,
DEFAULT_DESFORMAT,
REPORT_FROM_DB,
ICON_GID,
APP_ACTION_GID,
TRANSACTIONAL_EVENT_GID,
SEED_DATA,
USE_PARAMS_AS_BIND,
THIRD_PARTY_CONTENT_TYPE,
USE_THIRD_PARTY_DISTRIBUTION,
IS_CONSOLIDATED,
```

Query de Extração

```
SELECT
DOMAIN_NAME,
REPORT_GID,
REPORT_XID,
REPORT_DISPLAY_NAME,
REPORT_DESC,
REPORT_GROUP_GID,
REPORT_PHYSICAL_NAME,
SELECT_VIA_UI,
ADDITIONAL_URL_ARGUMENTS,
CAN_AUTO_GENERATE,
SECURITY_LEVEL,
REPORT_TYPE,
IS_RPT_MGR_DISPLAY,
USE_HTML_PARAMFORM,
DEFAULT_DESFORMAT,
REPORT_FROM_DB,
ICON_GID,
APP_ACTION_GID,
TRANSACTIONAL_EVENT_GID,
SEED_DATA,
USE_PARAMS_AS_BIND,
THIRD_PARTY_CONTENT_TYPE,
USE_THIRD_PARTY_DISTRIBUTION,
IS_CONSOLIDATED,
```

## Transport Mode

Modos de transporte

Sequência	10
Object Type	TRANSPORT_MODE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
DOMAIN_NAME,
TRANSPORT_MODE_GID,
TRANSPORT_MODE_XID,
TRANSPORT_MODE_NAME,
TRANSPORT_MODE_QUALIFIER,
PERFORM_SHIPPING_SPACE_CALC,
COLOR,
IS_MASTER_CARR_REF_REM_VISIBLE,
CONDITIONAL_BOOKING_PROF_GID,
IS_CONSIDER_COST,
THU_PROFILE_GID,
MODE_TYPE,
X12_FORMAT_CODE,
ALLOW_REPACK
FROM
TRANSPORT_MODE
WHERE
DOMAIN_NAME = 'BAU'
ORDER BY
TRANSPORT_MODE_XID
```

Query de Extração

```
SELECT
DOMAIN_NAME,
TRANSPORT_MODE_GID,
TRANSPORT_MODE_XID,
TRANSPORT_MODE_NAME,
TRANSPORT_MODE_QUALIFIER,
PERFORM_SHIPPING_SPACE_CALC,
COLOR,
IS_MASTER_CARR_REF_REM_VISIBLE,
CONDITIONAL_BOOKING_PROF_GID,
IS_CONSIDER_COST,
THU_PROFILE_GID,
MODE_TYPE,
X12_FORMAT_CODE,
ALLOW_REPACK
FROM
TRANSPORT_MODE
WHERE
DOMAIN_NAME = 'BAU'
ORDER BY
TRANSPORT_MODE_XID
```

## BN Named Range

Intervalo nomeado de números de negócio

Sequência	11
Object Type	BN_NAMED_RANGE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  BN_NAMED_RANGE_GID,
  BN_NAMED_RANGE_XID,
  RECYCLING_POLICY,
  USE_BN_CONTEXT
FROM
  BN_NAMED_RANGE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  BN_NAMED_RANGE_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  BN_NAMED_RANGE_GID,
  BN_NAMED_RANGE_XID,
  RECYCLING_POLICY,
  USE_BN_CONTEXT
FROM
  BN_NAMED_RANGE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  BN_NAMED_RANGE_XID
```

## Commodities

Cadastro de commodities vinculadas a itens

Sequência	1
Object Type	COMMODITY
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  COMMODITY_GID,
  COMMODITY_XID,
  COMMODITY_NAME,
  COMMODITY_DESCRIPTION,
  REQ_EQPMT_GROUP_PROFILE_GID
FROM
  COMMODITY
WHERE
  DOMAIN_NAME = 'BAU'
  AND COMMODITY_GID IN (
    SELECT COMMODITY_GID FROM ITEM WHERE DOMAIN_NAME = 'BAU' AND COMMODITY_GID IS NOT NULL
  )
ORDER BY COMMODITY_XID
```

### Query de Extração

```
SELECT
  DOMAIN_NAME,
  COMMODITY_GID,
  COMMODITY_XID,
  COMMODITY_NAME,
  COMMODITY_DESCRIPTION,
  REQ_EQPMT_GROUP_PROFILE_GID
FROM
  COMMODITY
WHERE
  DOMAIN_NAME = 'BAU'
  AND COMMODITY_GID IN (
    SELECT COMMODITY_GID FROM ITEM WHERE DOMAIN_NAME = 'BAU' AND COMMODITY_GID IS NOT NULL
  )
ORDER BY COMMODITY_XID
```

## Corporations

Entidades corporativas e empresas

Sequência	2
Object Type	CORPORATION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  CORPORATION_GID,
  CORPORATION_XID,
  CORPORATION_NAME,
  IS_DOMAIN_MASTER,
  IS_SHIPPING_AGENTS_ACTIVE,
  IS_ALLOW_HOUSE_COLLECT
FROM
  CORPORATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  CORPORATION_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  CORPORATION_GID,
  CORPORATION_XID,
  CORPORATION_NAME,
  IS_DOMAIN_MASTER,
  IS_SHIPPING_AGENTS_ACTIVE,
  IS_ALLOW_HOUSE_COLLECT
FROM
  CORPORATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  CORPORATION_XID
```

---

## Ship Unit Specs (THU)

Especificações de unidades de transporte

Sequência	3
Object Type	SHIP_UNIT_SPEC
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  SHIP_UNIT_SPEC_GID,
  SHIP_UNIT_SPEC_XID,
  SHIP_UNIT_SPEC_NAME,
  LENGTH,
  LENGTH_UOM_CODE,
  WIDTH,
  WIDTH_UOM_CODE,
  HEIGHT,
  HEIGHT_UOM_CODE,
  UNIT_TYPE,
  IS_IN_ON_MAX
FROM
  SHIP_UNIT_SPEC
WHERE
  DOMAIN_NAME = 'BAU'
  AND UNIT_TYPE = 'T'
ORDER BY
  SHIP_UNIT_SPEC_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  SHIP_UNIT_SPEC_GID,
  SHIP_UNIT_SPEC_XID,
  SHIP_UNIT_SPEC_NAME,
  LENGTH,
  LENGTH_UOM_CODE,
  WIDTH,
  WIDTH_UOM_CODE,
  HEIGHT,
  HEIGHT_UOM_CODE,
  UNIT_TYPE,
  IS_IN_ON_MAX
FROM
  SHIP_UNIT_SPEC
WHERE
  DOMAIN_NAME = 'BAU'
  AND UNIT_TYPE = 'T'
ORDER BY
  SHIP_UNIT_SPEC_XID
```

Service Providers

Transportadoras e prestadores de serviço

Sequência	4
Object Type	SERVPROV
OTM Table	
Deployment Type	CSV
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  S.SERVPROV_XID,
  S.ALLOW_TENDER,
  S.IS_FLEET,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  SERVPROV S,
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  S.SERVPROV_GID = L.LOCATION_GID
  AND L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Query de Extração

```
SELECT
  S.SERVPROV_XID,
  S.ALLOW_TENDER,
  S.IS_FLEET,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  SERVPROV S,
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  S.SERVPROV_GID = L.LOCATION_GID
  AND L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```



Locations

Localizações e endereços

Sequência	5
Object Type	LOCATION
OTM Table	
Deployment Type	INTEGRATION
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  L.DOMAIN_NAME,
  L.LOCATION_XID,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Query de Extração

```
SELECT
  L.DOMAIN_NAME,
  L.LOCATION_XID,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

## Contacts

Contatos e informações de pessoas

Sequência	6
Object Type	CONTACT
OTM Table	
Deployment Type	CSV
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  C.DOMAIN_NAME,
  C.CONTACT_XID,
  C.FIRST_NAME,
  C.LAST_NAME,
  C.EMAIL_ADDRESS,
  C.PHONE1,
  C.LANGUAGE_SPOKEN,
  C.IS_PRIMARY_CONTACT,
  C.CONTACT_TYPE,
  C.LOCATION_GID,
  CCM.COM_METHOD_GID
FROM
  CONTACT C,
  CONTACT_COM_METHOD CCM
WHERE
  C.CONTACT_GID = CCM.CONTACT_GID
ORDER BY
  FIRST_NAME
```

Query de Extração

```
SELECT
  C.DOMAIN_NAME,
  C.CONTACT_XID,
  C.FIRST_NAME,
  C.LAST_NAME,
  C.EMAIL_ADDRESS,
  C.PHONE1,
  C.LANGUAGE_SPOKEN,
  C.IS_PRIMARY_CONTACT,
  C.CONTACT_TYPE,
  C.LOCATION_GID,
  CCM.COM_METHOD_GID
FROM
  CONTACT C,
  CONTACT_COM_METHOD CCM
WHERE
  C.CONTACT_GID = CCM.CONTACT_GID
ORDER BY
  FIRST_NAME
```

## Equipment Groups

Grupos de equipamentos

Sequência	7
Object Type	EQUIPMENT_GROUP
OTM Table	
Deployment Type	CSV
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  EG.DOMAIN_NAME,
  EG.EQUIPMENT_GROUP_XID,
  EG.EQUIPMENT_GROUP_NAME,
  ROUND(EG.EFFECTIVE_WEIGHT,5) AS EFFECTIVE_WEIGHT,
  EG.EFFECTIVE_WEIGHT_UOM_CODE,
  ROUND(EG.EFFECTIVE_VOLUME,5) AS EFFECTIVE_VOLUME,
  EG.EFFECTIVE_VOLUME_UOM_CODE,
  ROUND(EG.WIDTH,5) AS WIDTH,
  EG.WIDTH_UOM_CODE,
  ROUND(EG.LENGTH,5) AS LENGTH,
  EG.LENGTH_UOM_CODE,
  ROUND(EG.HEIGHT,5) AS HEIGHT,
  EG.HEIGHT_UOM_CODE,
  EG.IS_CONTAINER,
  EG.ALLOW_LIFO_ONLY
FROM
  EQUIPMENT_GROUP EG
WHERE
  EG.DOMAIN_NAME = 'BAU'
ORDER BY
  EG.EQUIPMENT_GROUP_XID
```

Query de Extração

```
SELECT
  EG.DOMAIN_NAME,
  EG.EQUIPMENT_GROUP_XID,
  EG.EQUIPMENT_GROUP_NAME,
  ROUND(EG.EFFECTIVE_WEIGHT,5) AS EFFECTIVE_WEIGHT,
  EG.EFFECTIVE_WEIGHT_UOM_CODE,
  ROUND(EG.EFFECTIVE_VOLUME,5) AS EFFECTIVE_VOLUME,
  EG.EFFECTIVE_VOLUME_UOM_CODE,
  ROUND(EG.WIDTH,5) AS WIDTH,
  EG.WIDTH_UOM_CODE,
  ROUND(EG.LENGTH,5) AS LENGTH,
  EG.LENGTH_UOM_CODE,
  ROUND(EG.HEIGHT,5) AS HEIGHT,
  EG.HEIGHT_UOM_CODE,
  EG.IS_CONTAINER,
  EG.ALLOW_LIFO_ONLY
FROM
  EQUIPMENT_GROUP EG
WHERE
  EG.DOMAIN_NAME = 'BAU'
ORDER BY
  EG.EQUIPMENT_GROUP_XID
```

Items

Itens e produtos

Sequência	8
Object Type	ITEM
OTM Table	
Deployment Type	INTEGRATION
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
ssp.DOMAIN_NAME,
ssp.STYLESHEET_PROFILE_GID,
ssp.STYLESHEET_PROFILE_XID,
ssp.RAW_XML,
ssp.FORMAT,
ssp.SUBJECT_PROPKEY,
ssp.OUT_XML_PROFILE_GID,
ssp.DOCUMENT_ATTACH_TYPE,
ssp.DIRECTION,
ssp.TYPE,
ssp.IS_FOR_NOTIFICATION_XML,
ssp.IS_FOR_TRANSMISSION_XML,
ssp.IS_FOR_MESSAGE_XML,
ssp.CONTENT_GID,
ssp.OTM_RELEASE
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
```

Query de Extração

```
SELECT
ssp.DOMAIN_NAME,
ssp.STYLESHEET_PROFILE_GID,
ssp.STYLESHEET_PROFILE_XID,
ssp.RAW_XML,
ssp.FORMAT,
ssp.SUBJECT_PROPKEY,
ssp.OUT_XML_PROFILE_GID,
ssp.DOCUMENT_ATTACH_TYPE,
ssp.DIRECTION,
ssp.TYPE,
ssp.IS_FOR_NOTIFICATION_XML,
ssp.IS_FOR_TRANSMISSION_XML,
ssp.IS_FOR_MESSAGE_XML,
ssp.CONTENT_GID,
ssp.OTM_RELEASE
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
```

Packaged Items

*Itens embalados*

Sequência	9
Object Type	PACKAGED_ITEM
OTM Table	
Deployment Type	INTEGRATION
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT xt.DOMAIN_NAME,
xt.XML_TEMPLATE_GID,
xt.XML_TEMPLATE_XID,
xt.USE_DATA,
xt.DESCRPTION,
xt.GLOG_XML_ELEMENT_GID
FROM
XML_TEMPLATE xt
WHERE
xt.DOMAIN_NAME = 'BAU'
ORDER BY
xt.XML_TEMPLATE_XID
```

Query de Extração

```
SELECT xt.DOMAIN_NAME,
xt.XML_TEMPLATE_GID,
xt.XML_TEMPLATE_XID,
xt.USE_DATA,
xt.DESCRPTION,
xt.GLOG_XML_ELEMENT_GID
FROM
XML_TEMPLATE xt
WHERE
xt.DOMAIN_NAME = 'BAU'
ORDER BY
xt.XML_TEMPLATE_XID
```

### Contact Groups

Grupos de contatos

Sequência	10
Object Type	CONTACT_GROUP
OTM Table	
Deployment Type	CSV
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Location Refnum Qualifier

Qualificador de número de referência de localização

Sequência	1
Object Type	LOCATION_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID,
  LOCATION_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  LOCATION_REFNUM_QUAL
WHERE LOCATION_REFNUM_QUAL_GID IN (SELECT LOCATION_REFNUM_QUAL_GID FROM LOCATION_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID,
  LOCATION_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  LOCATION_REFNUM_QUAL
WHERE LOCATION_REFNUM_QUAL_GID IN (SELECT LOCATION_REFNUM_QUAL_GID FROM LOCATION_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID
```



Order Release Refnum Qualifier

Qualificador de número de referência de liberação de pedido

Sequência	2
Object Type	ORDER_RELEASE_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID,
  ORDER_RELEASE_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_REFNUM_QUAL
WHERE ORDER_RELEASE_REFNUM_QUAL_GID IN (SELECT ORDER_RELEASE_REFNUM_QUAL_GID FROM ORDER_RELEASE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID,
  ORDER_RELEASE_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_REFNUM_QUAL
WHERE ORDER_RELEASE_REFNUM_QUAL_GID IN (SELECT ORDER_RELEASE_REFNUM_QUAL_GID FROM ORDER_RELEASE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID
```

Order Release Line Refnum Qualifier

Qualificador de número de referência de linha de liberação

Sequência	3
Object Type	ORDER_RELEASE_LINE_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID,
  DESCRIPTION,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  OR_LINE_REFNUM_SEQUENCE_NO,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_LINE_REFNUM_QUAL
WHERE OR_LINE_REFNUM_QUAL_GID IN (SELECT OR_LINE_REFNUM_QUAL_GID FROM ORDER_RELEASE_LINE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID,
  DESCRIPTION,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  OR_LINE_REFNUM_SEQUENCE_NO,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_LINE_REFNUM_QUAL
WHERE OR_LINE_REFNUM_QUAL_GID IN (SELECT OR_LINE_REFNUM_QUAL_GID FROM ORDER_RELEASE_LINE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID
```

Packaged Item Refnum Qualifier

Qualificador de número de referência de item embalado

Sequência	4
Object Type	PACKAGED_ITEM_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID,
  PACKAGED_ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  PACKAGED_ITEM_REFNUM_QUAL
WHERE PACKAGED_ITEM_REFNUM_QUAL_GID IN (SELECT PACKAGED_ITEM_REFNUM_QUAL_GID FROM PACKAGED_ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID,
  PACKAGED_ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  PACKAGED_ITEM_REFNUM_QUAL
WHERE PACKAGED_ITEM_REFNUM_QUAL_GID IN (SELECT PACKAGED_ITEM_REFNUM_QUAL_GID FROM PACKAGED_ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID
```

Item Refnum Qualifier

Qualificador de número de referência de item

Sequência	5
Object Type	ITEM_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID,
  ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  ITEM_REFNUM_QUAL
WHERE ITEM_REFNUM_QUAL_GID IN (SELECT ITEM_REFNUM_QUAL_GID FROM ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID,
  ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  ITEM_REFNUM_QUAL
WHERE ITEM_REFNUM_QUAL_GID IN (SELECT ITEM_REFNUM_QUAL_GID FROM ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID
```

---

## Shipment Refnum Qualifier

Qualificador de número de referência de remessa

Sequência	6
Object Type	SHIPMENT_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID,
  SHIPMENT_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_REFNUM_QUAL
WHERE SHIPMENT_REFNUM_QUAL_GID IN (SELECT SHIPMENT_REFNUM_QUAL_GID FROM SHIPMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID
```

### Query de Extração

```
SELECT
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID,
  SHIPMENT_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_REFNUM_QUAL
WHERE SHIPMENT_REFNUM_QUAL_GID IN (SELECT SHIPMENT_REFNUM_QUAL_GID FROM SHIPMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID
```

## Shipment Stop Refnum Qualifier

Qualificador de número de referência de parada de remessa

Sequência	7
Object Type	SHIPMENT_STOP_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID,
  SHIPMENT_STOP_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_STOP_REFNUM_QUAL
WHERE SHIPMENT_STOP_REFNUM_QUAL_GID IN (SELECT SHIPMENT_STOP_REFNUM_QUAL_GID FROM SHIPMENT_STOP_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID
```

### Query de Extração

```
SELECT
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID,
  SHIPMENT_STOP_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_STOP_REFNUM_QUAL
WHERE SHIPMENT_STOP_REFNUM_QUAL_GID IN (SELECT SHIPMENT_STOP_REFNUM_QUAL_GID FROM SHIPMENT_STOP_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID
```

Rate Geo Refnum Qualifier

Qualificador de número de referência de taxa geográfica

Sequência	8
Object Type	RATE_GEO_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID,
  RATE_GEO_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  RATE_GEO_REFNUM_QUAL
WHERE RATE_GEO_REFNUM_QUAL_GID IN (SELECT RATE_GEO_REFNUM_QUAL_GID FROM RATE_GEO_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID,
  RATE_GEO_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  RATE_GEO_REFNUM_QUAL
WHERE RATE_GEO_REFNUM_QUAL_GID IN (SELECT RATE_GEO_REFNUM_QUAL_GID FROM RATE_GEO_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID
```

### Order Movement Refnum Qualifier

Qualificador de número de referência de movimento de pedido

Sequência	9
Object Type	OM_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT DOMAIN_NAME,
  OM_REFNUM_QUAL_GID,
  OM_REFNUM_QUAL_DESC,
  UPDATE_FLAG
FROM
  OM_REFNUM_QUAL
WHERE OM_REFNUM_QUAL_GID IN (SELECT OM_REFNUM_QUAL_GID FROM ORDER_MOVEMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OM_REFNUM_QUAL_XID
```

### Query de Extração

```
SELECT DOMAIN_NAME,
  OM_REFNUM_QUAL_GID,
  OM_REFNUM_QUAL_DESC,
  UPDATE_FLAG
FROM
  OM_REFNUM_QUAL
WHERE OM_REFNUM_QUAL_GID IN (SELECT OM_REFNUM_QUAL_GID FROM ORDER_MOVEMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OM_REFNUM_QUAL_XID
```

### Status Types and Values

Tipos e valores de status do sistema



Sequência	10
Object Type	STATUS_TYPE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  st.DOMAIN_NAME,
  st.STATUS_TYPE_GID,
  st.STATUS_TYPE_XID,
  st.OBJECT_TYPE,
  st.DESCRPTION AS STATUS_TYPE_DESCRIPTION,
  st.SEQUENCE AS STATUS_TYPE_SEQUENCE,
  st.IS_EXTERNAL,
  sv.STATUS_VALUE_XID,
  sv.DESCRPTION AS STATUS_VALUE_DESCRIPTION,
  sv.SEQUENCE AS STATUS_VALUE_SEQUENCE,
  sv.INITIAL_VALUE
FROM
  STATUS_VALUE sv,
  STATUS_TYPE st
WHERE
  sv.STATUS_TYPE_GID = st.STATUS_TYPE_GID
  AND st.IS_EXTERNAL = 'Y'
  AND (
    EXISTS (
      SELECT 1
      FROM SHIPMENT_STATUS ss
      WHERE ss.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ss.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
  )
```

Query de Extração

```
SELECT
  st.DOMAIN_NAME,
  st.STATUS_TYPE_GID,
  st.STATUS_TYPE_XID,
  st.OBJECT_TYPE,
  st.DESCRPTION AS STATUS_TYPE_DESCRIPTION,
  st.SEQUENCE AS STATUS_TYPE_SEQUENCE,
  st.IS_EXTERNAL,
  sv.STATUS_VALUE_XID,
  sv.DESCRPTION AS STATUS_VALUE_DESCRIPTION,
  sv.SEQUENCE AS STATUS_VALUE_SEQUENCE,
  sv.INITIAL_VALUE
FROM
  STATUS_VALUE sv,
  STATUS_TYPE st
WHERE
  sv.STATUS_TYPE_GID = st.STATUS_TYPE_GID
  AND st.IS_EXTERNAL = 'Y'
  AND (
    EXISTS (
      SELECT 1
      FROM SHIPMENT_STATUS ss
      WHERE ss.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ss.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
  )
```

Remarks Qualifiers

Qualificadores de observações

Sequência	11
Object Type	REMARK_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT rq.DOMAIN_NAME,
rq.REMARK_QUAL_GID,
rq.REMARK_QUAL_XID,
rq.REMARK_QUAL_DESC,
rq.REMARK_LEVEL,
rq.IS_VISIBLE_IF_MASTER_CARR,
rq.UPDATE_FLAG,
rq.TEXT_TEMPLATE_GID,
rq.QUAL_TYPE,
rq.DATA_QUERY_TYPE_GID
FROM
REMARK_QUAL rq
WHERE
rq.DOMAIN_NAME = 'BAU'
ORDER BY
rq.DATA_QUERY_TYPE_GID,
rq.REMARK_QUAL_XID
```

Query de Extração

```
SELECT rq.DOMAIN_NAME,
rq.REMARK_QUAL_GID,
rq.REMARK_QUAL_XID,
rq.REMARK_QUAL_DESC,
rq.REMARK_LEVEL,
rq.IS_VISIBLE_IF_MASTER_CARR,
rq.UPDATE_FLAG,
rq.TEXT_TEMPLATE_GID,
rq.QUAL_TYPE,
rq.DATA_QUERY_TYPE_GID
FROM
REMARK_QUAL rq
WHERE
rq.DOMAIN_NAME = 'BAU'
ORDER BY
rq.DATA_QUERY_TYPE_GID,
rq.REMARK_QUAL_XID
```

Sequência	1
Object Type	AUDIT_TRAIL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
c.DOMAIN_NAME AS CONTACT_DOMAIN_NAME,
c.CONTACT_GID,
c.CONTACT_XID,
c.CONTACT_TYPE,
c.IS_PRIMARY_CONTACT,
ccm.COM_METHOD_GID,
ccm.COM_METHOD_RANK,
nsc.NOTIFY_SUBJECT_GID,
nsc.CONSolidATED_NOTIFY_ONLY,
nsc.PARAMETERS
FROM
CONTACT c
LEFT JOIN CONTACT_COM_METHOD ccm ON ccm.CONTACT_GID = c.CONTACT_GID
LEFT JOIN NOTIFY_SUBJECT_CONTACT nsc ON nsc.CONTACT_GID = c.CONTACT_GID AND nsc.COM_METHOD_GID = ccm.COM_METHOD_GID
WHERE
c.DOMAIN_NAME = 'BAU'
AND
c.CONTACT_GID = 'BAU.AUD'
ORDER BY
c.CONTACT_GID,
ccm.COM_METHOD_RANK,
nsc.NOTIFY_SUBJECT_GID
```

Query de Extração

```
SELECT
c.DOMAIN_NAME AS CONTACT_DOMAIN_NAME,
c.CONTACT_GID,
c.CONTACT_XID,
c.CONTACT_TYPE,
c.IS_PRIMARY_CONTACT,
ccm.COM_METHOD_GID,
ccm.COM_METHOD_RANK,
nsc.NOTIFY_SUBJECT_GID,
nsc.CONSolidATED_NOTIFY_ONLY,
nsc.PARAMETERS
FROM
CONTACT c
LEFT JOIN CONTACT_COM_METHOD ccm ON ccm.CONTACT_GID = c.CONTACT_GID
LEFT JOIN NOTIFY_SUBJECT_CONTACT nsc ON nsc.CONTACT_GID = c.CONTACT_GID AND nsc.COM_METHOD_GID = ccm.COM_METHOD_GID
WHERE
c.DOMAIN_NAME = 'BAU'
AND
c.CONTACT_GID = 'BAU.AUD'
ORDER BY
c.CONTACT_GID,
ccm.COM_METHOD_RANK,
nsc.NOTIFY_SUBJECT_GID
```

---

## Logic Configs

Configurações de lógica de planejamento

Sequência	2
Object Type	LOGIC_PARAMETER
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID,
  LOGIC_SCENARIO_GID,
  PARAM_VALUE,
  PARAM_UOM_CODE
FROM
  LOGIC_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID,
  LOGIC_SCENARIO_GID,
  PARAM_VALUE,
  PARAM_UOM_CODE
FROM
  LOGIC_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID
```

## Parameter Sets

Conjuntos de parâmetros de planejamento

Sequência	3
Object Type	PLANNING_PARAMETER
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID,
  PLANNING_PARAM_VALUE
FROM
  PLANNING_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
  AND PLANNING_PARAMETER_SET_GID IN ('BAU.BAU_PARAMETER_OV', 'BAU.BAU_PARAMETER')
ORDER BY
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID
```

### Query de Extração

```
SELECT
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID,
  PLANNING_PARAM_VALUE
FROM
  PLANNING_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
  AND PLANNING_PARAMETER_SET_GID IN ('BAU.BAU_PARAMETER_OV', 'BAU.BAU_PARAMETER')
ORDER BY
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID
```

Accessorial Codes

Códigos de serviços acessórios

Sequência	4
Object Type	ACCESSORIAL_CODE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  ACCESSORIAL_CODE_XID,
  ACCESSORIAL_DESC,
  APPLY_GLOBALLY,
  IS_FLOW_THRU
FROM
  ACCESSORIAL_CODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACCESSORIAL_CODE_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ACCESSORIAL_CODE_XID,
  ACCESSORIAL_DESC,
  APPLY_GLOBALLY,
  IS_FLOW_THRU
FROM
  ACCESSORIAL_CODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACCESSORIAL_CODE_XID
```

Itinerary Leg

Trechos de itinerário

Sequência	5
Object Type	LEG
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  L.LEG_GID,
  L.LEG_NAME,
  ID.ITINERARY_GID
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Query de Extração

```
SELECT
  L.LEG_GID,
  L.LEG_NAME,
  ID.ITINERARY_GID
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Itineraries

Itinerários de transporte



Sequência	6
Object Type	ITINERARY
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  ID.DOMAIN_NAME,
  ID.ITINERARY_GID,
  ID.ITINERARY_XID,
  ITD.LEG_GID,
  ITD.SEQUENCE_NO,
  L.LEG_NAME,
  L.LEG_TYPE,
  L.EQUIPMENT_GROUP_PROFILE_GID,
  L.MODE_PROFILE_GID,
  L.DEST_LOCATION_GID,
  L.RATE_OFFERING_GID,
  L.AUTO_CONSOLIDATION_TYPE
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Query de Extração

```
SELECT
  ID.DOMAIN_NAME,
  ID.ITINERARY_GID,
  ID.ITINERARY_XID,
  ITD.LEG_GID,
  ITD.SEQUENCE_NO,
  L.LEG_NAME,
  L.LEG_TYPE,
  L.EQUIPMENT_GROUP_PROFILE_GID,
  L.MODE_PROFILE_GID,
  L.DEST_LOCATION_GID,
  L.RATE_OFFERING_GID,
  L.AUTO_CONSOLIDATION_TYPE
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Itinerary Profiles

Perfis de itinerários

Sequência	7
Object Type	ITINERARY_PROFILE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  IP.ITINERARY_PROFILE_GID,
  IP.ITINERARY_PROFILE_XID,
  IP.ITINERARY_PROFILE_NAME,
  IP.IS_COMPATIBLE,
  IP.DOMAIN_NAME,
  IPD.ITINERARY_GID,
  IPD.DOMAIN_NAME AS DETAIL_DOMAIN_NAME
FROM ITINERARY_PROFILE IP
JOIN ITINERARY_PROFILE_D IPD
  ON IP.ITINERARY_PROFILE_GID = IPD.ITINERARY_PROFILE_GID
WHERE
  IP.DOMAIN_NAME = 'BAU'
ORDER BY
  IP.ITINERARY_PROFILE_XID,
  IPD.ITINERARY_GID
```

Query de Extração

```
SELECT
  IP.ITINERARY_PROFILE_GID,
  IP.ITINERARY_PROFILE_XID,
  IP.ITINERARY_PROFILE_NAME,
  IP.IS_COMPATIBLE,
  IP.DOMAIN_NAME,
  IPD.ITINERARY_GID,
  IPD.DOMAIN_NAME AS DETAIL_DOMAIN_NAME
FROM ITINERARY_PROFILE IP
JOIN ITINERARY_PROFILE_D IPD
  ON IP.ITINERARY_PROFILE_GID = IPD.ITINERARY_PROFILE_GID
WHERE
  IP.DOMAIN_NAME = 'BAU'
ORDER BY
  IP.ITINERARY_PROFILE_XID,
  IPD.ITINERARY_GID
```

## Load Configuration Rules

Regras de configuração de carregamento

Sequência	8
Object Type	LOAD_CONFIG_RULE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  LOAD_CONFIG_SETUP_GID,
  SEQUENCE_NO,
  TRANSPORT_HANDLING_UNIT_GID
FROM
  LOAD_CONFIG_RULE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  LOAD_CONFIG_SETUP_GID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  LOAD_CONFIG_SETUP_GID,
  SEQUENCE_NO,
  TRANSPORT_HANDLING_UNIT_GID
FROM
  LOAD_CONFIG_RULE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  LOAD_CONFIG_SETUP_GID
```

---

## Load Configuration Setup

Configuração de carregamento

Sequência	9
Object Type	LOAD_CONFIG_SETUP
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  LCS.DOMAIN_NAME,
  LCS.LOAD_CONFIG_SETUP_GID,
  LCS.LOAD_CONFIG_SETUP_XID,
  LCSO.ORIENTATION_GID,
  LCSO.IS_PREFERRED,
  LCSO.IS_FLOOR_COMPATIBLE,
  LCSO.MAX_TOP_WEIGHT
FROM
  LOAD_CONFIG_SETUP LCS
JOIN LOAD_CONFIG_SETUP_ORIENTATION LCSO
  ON LCSO.LOAD_CONFIG_SETUP_GID = LCS.LOAD_CONFIG_SETUP_GID
  AND LCSO.DOMAIN_NAME = LCS.DOMAIN_NAME
WHERE
  LCS.DOMAIN_NAME = 'BAU'
ORDER BY
  LCS.LOAD_CONFIG_SETUP_GID,
  LCSO.ORIENTATION_GID
```

Query de Extração

```
SELECT
  LCS.DOMAIN_NAME,
  LCS.LOAD_CONFIG_SETUP_GID,
  LCS.LOAD_CONFIG_SETUP_XID,
  LCSO.ORIENTATION_GID,
  LCSO.IS_PREFERRED,
  LCSO.IS_FLOOR_COMPATIBLE,
  LCSO.MAX_TOP_WEIGHT
FROM
  LOAD_CONFIG_SETUP LCS
JOIN LOAD_CONFIG_SETUP_ORIENTATION LCSO
  ON LCSO.LOAD_CONFIG_SETUP_GID = LCS.LOAD_CONFIG_SETUP_GID
  AND LCSO.DOMAIN_NAME = LCS.DOMAIN_NAME
WHERE
  LCS.DOMAIN_NAME = 'BAU'
ORDER BY
  LCS.LOAD_CONFIG_SETUP_GID,
  LCSO.ORIENTATION_GID
```

## Order Release Types

*Tipos de liberação de pedido*

Sequência	10
Object Type	ORDER_RELEASE_TYPE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_TYPE_GID,
  ORDER_RELEASE_TYPE_XID,
  ORDER_RELEASE_TYPE_NAME
FROM
  ORDER_RELEASE_TYPE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ORDER_RELEASE_TYPE_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_TYPE_GID,
  ORDER_RELEASE_TYPE_XID,
  ORDER_RELEASE_TYPE_NAME
FROM
  ORDER_RELEASE_TYPE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ORDER_RELEASE_TYPE_XID
```

### Stylesheet Contents

Conteúdos de folhas de estilo

Sequência	1
Object Type	STYLESHEET_CONTENT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

### Query de Extração

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

### Stylesheet Profiles

Perfis de folhas de estilo

Sequência	2
Object Type	STYLESHEET_PROFILE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT ssp.STYLESHEET_PROFILE_GID,
ssp.STYLESHEET_PROFILE_XID,
ssp.TEMPLATE_NAME,
ssp.RAW_XML,
ssp.FORMAT,
ssp.SUBJECT_PROPKEY,
ssp.OUT_XML_PROFILE_GID,
ssp.DATA_GENERATOR_PLUGIN_GID,
ssp.NOTIFY_FUNCTION_GID,
ssp.DOCUMENT_ATTACH_TYPE,
ssp.DIRECTION,
ssp.TYPE,
ssp.IS_FOR_NOTIFICATION_XML,
ssp.IS_FOR_TRANSMISSION_XML,
ssp.IS_FOR_MESSAGE_XML,
ssp.CONTENT_GID,
ssp.VIEW_CONTENT_GID,
ssp.EDIT_CONTENT_GID,
ssp.OTM_RELEASE,
ssp.DOMAIN_NAME
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
```

Query de Extração

```
SELECT ssp.STYLESHEET_PROFILE_GID,
ssp.STYLESHEET_PROFILE_XID,
ssp.TEMPLATE_NAME,
ssp.RAW_XML,
ssp.FORMAT,
ssp.SUBJECT_PROPKEY,
ssp.OUT_XML_PROFILE_GID,
ssp.DATA_GENERATOR_PLUGIN_GID,
ssp.NOTIFY_FUNCTION_GID,
ssp.DOCUMENT_ATTACH_TYPE,
ssp.DIRECTION,
ssp.TYPE,
ssp.IS_FOR_NOTIFICATION_XML,
ssp.IS_FOR_TRANSMISSION_XML,
ssp.IS_FOR_MESSAGE_XML,
ssp.CONTENT_GID,
ssp.VIEW_CONTENT_GID,
ssp.EDIT_CONTENT_GID,
ssp.OTM_RELEASE,
ssp.DOMAIN_NAME
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
```

## XML Templates

Templates XML para integração

Sequência	3
Object Type	XML_TEMPLATE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT xt.DOMAIN_NAME,
xt.XML_TEMPLATE_GID,
xt.XML_TEMPLATE_XID,
xt.USE_DATA,
xt.DESCRPTION,
xt.GLOG_XML_ELEMENT_GID
FROM
XML_TEMPLATE xt
WHERE
xt.DOMAIN_NAME = 'BAU'
ORDER BY
xt.XML_TEMPLATE_XID
```

### Query de Extração

```
SELECT xt.DOMAIN_NAME,
xt.XML_TEMPLATE_GID,
xt.XML_TEMPLATE_XID,
xt.USE_DATA,
xt.DESCRPTION,
xt.GLOG_XML_ELEMENT_GID
FROM
XML_TEMPLATE xt
WHERE
xt.DOMAIN_NAME = 'BAU'
ORDER BY
xt.XML_TEMPLATE_XID
```



Outbound XML Profiles

Perfis de XML de saída

Sequência	4
Object Type	OUT_XML_PROFILE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT exp.DOMAIN_NAME,
exp.OUT_XML_PROFILE_GID,
exp.OUT_XML_PROFILE_XID,
exp.DEFAULT_MODE,
exp.SHOULD_VALIDATE,
exp.XML_TEMPLATE_GID,
exp.USE_TEMPLATE,
exp.INT_PREFERENCE_GID
FROM
OUT_XML_PROFILE exp
WHERE
exp.DOMAIN_NAME = 'BAU'
ORDER BY
exp.OUT_XML_PROFILE_XID
```

Query de Extração

```
SELECT exp.DOMAIN_NAME,
exp.OUT_XML_PROFILE_GID,
exp.OUT_XML_PROFILE_XID,
exp.DEFAULT_MODE,
exp.SHOULD_VALIDATE,
exp.XML_TEMPLATE_GID,
exp.USE_TEMPLATE,
exp.INT_PREFERENCE_GID
FROM
OUT_XML_PROFILE exp
WHERE
exp.DOMAIN_NAME = 'BAU'
ORDER BY
exp.OUT_XML_PROFILE_XID
```

Document

Documentos do sistema

Sequência	5
Object Type	DOCUMENT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT d.DOMAIN_NAME,
d.DOCUMENT_GID,
d.DOCUMENT_XID,
d.DOCUMENT_TYPE,
d.DOCUMENT_MIME_TYPE,
d.DOCUMENT_FILENAME,
d.MARKED_FOR_PURGE,
d.UPLOADED_AT,
d.DOCUMENT_CMS_ID,
d.CONTENT_MANAGEMENT_SYSTEM_GID,
d.USED_AS
FROM
DOCUMENT d
WHERE
d.DOMAIN_NAME = 'BAU'
ORDER BY
d.DOCUMENT_XID
```

Query de Extração

```
SELECT d.DOMAIN_NAME,
d.DOCUMENT_GID,
d.DOCUMENT_XID,
d.DOCUMENT_TYPE,
d.DOCUMENT_MIME_TYPE,
d.DOCUMENT_FILENAME,
d.MARKED_FOR_PURGE,
d.UPLOADED_AT,
d.DOCUMENT_CMS_ID,
d.CONTENT_MANAGEMENT_SYSTEM_GID,
d.USED_AS
FROM
DOCUMENT d
WHERE
d.DOMAIN_NAME = 'BAU'
ORDER BY
d.DOCUMENT_XID
```

Webservice

Serviços web para integração

Sequência	6
Object Type	WEB_SERVICE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT ws.DOMAIN_NAME,
ws.WEB_SERVICE_GID,
ws.WEB_SERVICE_XID,
ws.WSDL_DOCUMENT_GID,
ws.SERVICE_NAME,
ws.PORT_NAME,
ws.NAMESPACE,
ws.SOAP_ENCODING,
ws.USE_WSS,
ws.WEB_SERVICE_TYPE
FROM
WEB_SERVICE ws
WHERE
ws.DOMAIN_NAME = 'BAU'
ORDER BY
ws.WEB_SERVICE_XID
```

Query de Extração

```
SELECT ws.DOMAIN_NAME,
ws.WEB_SERVICE_GID,
ws.WEB_SERVICE_XID,
ws.WSDL_DOCUMENT_GID,
ws.SERVICE_NAME,
ws.PORT_NAME,
ws.NAMESPACE,
ws.SOAP_ENCODING,
ws.USE_WSS,
ws.WEB_SERVICE_TYPE
FROM
WEB_SERVICE ws
WHERE
ws.DOMAIN_NAME = 'BAU'
ORDER BY
ws.WEB_SERVICE_XID
```

External Systems

Configuração de sistemas externos

Sequência	7
Object Type	EXTERNAL_SYSTEM
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT es.DOMAIN_NAME,
es.EXTERNAL_SYSTEM_GID,
es.EXTERNAL_SYSTEM_XID,
es.DESCRPTION,
es.USE_GLCREDENTIAL,
es.ACTIVE_MODE,
es.IS_ENABLE_DEBUG,
es.IS_LOG_RESPONSE_MSG,
es.REATTEMPT_MODE,
es.FTP_APPEND_FILE,
es.HTTP_ACK_EXPECTED,
es.HTTP_USE_ACK_STATUS,
es.HTTP_READ_RESPONSE,
es.SERVICE_ACK_EXPECTED,
es.SERVICE_USE_ACK_STATUS,
es.HTTP_CLOSE_CONNECTION,
es.DELAYED_STREAM_TRANSPORT,
es.USE_FTPS,
es.INCLUDE_NAMESPACE,
es.TARGET_NAMESPACE,
es.CONTENT_TYPE,
es.USE_HTTP_POST_OVERRIDE,
es.HTTP_METHOD,
es.OTM_RELEASE,
es.ALLOW_FOLLOW_REDIRECT
```

Query de Extração

```
SELECT es.DOMAIN_NAME,
es.EXTERNAL_SYSTEM_GID,
es.EXTERNAL_SYSTEM_XID,
es.DESCRPTION,
es.USE_GLCREDENTIAL,
es.ACTIVE_MODE,
es.IS_ENABLE_DEBUG,
es.IS_LOG_RESPONSE_MSG,
es.REATTEMPT_MODE,
es.FTP_APPEND_FILE,
es.HTTP_ACK_EXPECTED,
es.HTTP_USE_ACK_STATUS,
es.HTTP_READ_RESPONSE,
es.SERVICE_ACK_EXPECTED,
es.SERVICE_USE_ACK_STATUS,
es.HTTP_CLOSE_CONNECTION,
es.DELAYED_STREAM_TRANSPORT,
es.USE_FTPS,
es.INCLUDE_NAMESPACE,
es.TARGET_NAMESPACE,
es.CONTENT_TYPE,
es.USE_HTTP_POST_OVERRIDE,
es.HTTP_METHOD,
es.OTM_RELEASE,
es.ALLOW_FOLLOW_REDIRECT
```

External System Contact

Contatos de sistemas externos

Sequência	8
Object Type	EXTERNAL_CONTACT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT c.CONTACT_GID,
c.CONTACT_XID,
c.IS_PRIMARY_CONTACT,
c.EXTERNAL_SYSTEM_GID,
c.CONTACT_TYPE,
c.IS_BROADCAST,
c.DOMAIN_NAME
FROM
CONTACT c
WHERE
c.DOMAIN_NAME = 'BAU'
AND c.EXTERNAL_SYSTEM_GID IS NOT NULL
ORDER BY
c.CONTACT_XID
```

Query de Extração

```
SELECT c.CONTACT_GID,
c.CONTACT_XID,
c.IS_PRIMARY_CONTACT,
c.EXTERNAL_SYSTEM_GID,
c.CONTACT_TYPE,
c.IS_BROADCAST,
c.DOMAIN_NAME
FROM
CONTACT c
WHERE
c.DOMAIN_NAME = 'BAU'
AND c.EXTERNAL_SYSTEM_GID IS NOT NULL
ORDER BY
c.CONTACT_XID
```

## Manager Layouts

Layouts de gerenciamento do OTM

Sequência	1
Object Type	MANAGER_LAYOUT
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
ml.DOMAIN_NAME,
ml.MANAGER_LAYOUT_GID,
ml.MANAGER_LAYOUT_XID,
ml.MANAGER_LAYOUT_NAME,
ml.ENTITY_NAME
FROM
MANAGER_LAYOUT ml
WHERE
ml.DOMAIN_NAME = 'BAU'
ORDER BY
ml.MANAGER_LAYOUT_XID
```

Query de Extração

```
SELECT
ml.DOMAIN_NAME,
ml.MANAGER_LAYOUT_GID,
ml.MANAGER_LAYOUT_XID,
ml.MANAGER_LAYOUT_NAME,
ml.ENTITY_NAME
FROM
MANAGER_LAYOUT ml
WHERE
ml.DOMAIN_NAME = 'BAU'
ORDER BY
ml.MANAGER_LAYOUT_XID
```

---

## Finder Sets

Conjuntos de busca e filtros

Sequência	2
Object Type	FINDER_SET
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
fs.DOMAIN_NAME,
fs.FINDER_SET_XID,
fs.FINDER_SET_NAME,
fs.QUERY_TABLE_GID,
fs.USE_IN_MIGRATION
FROM
FINDER_SET fs
WHERE
fs.DOMAIN_NAME = 'BAU'
AND (
EXISTS (
SELECT 1
FROM USER_MENU_LAYOUT uml
WHERE uml.DOMAIN_NAME = 'BAU'
AND uml.USER_MENU_LAYOUT_XML IS NOT NULL
AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_XML, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
)
OR EXISTS (
SELECT 1
FROM USER_MENU_LAYOUT uml
WHERE uml.DOMAIN_NAME = 'BAU'
AND uml.USER_MENU_LAYOUT_JSON IS NOT NULL
AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_JSON, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
)
)
```

Query de Extração

```
SELECT
fs.DOMAIN_NAME,
fs.FINDER_SET_XID,
fs.FINDER_SET_NAME,
fs.QUERY_TABLE_GID,
fs.USE_IN_MIGRATION
FROM
FINDER_SET fs
WHERE
fs.DOMAIN_NAME = 'BAU'
AND (
EXISTS (
SELECT 1
FROM USER_MENU_LAYOUT uml
WHERE uml.DOMAIN_NAME = 'BAU'
AND uml.USER_MENU_LAYOUT_XML IS NOT NULL
AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_XML, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
)
OR EXISTS (
SELECT 1
FROM USER_MENU_LAYOUT uml
WHERE uml.DOMAIN_NAME = 'BAU'
AND uml.USER_MENU_LAYOUT_JSON IS NOT NULL
AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_JSON, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
)
)
```

Workbenches

Bancadas de trabalho do OTM

Sequência	3
Object Type	TRANSPORTATION_WORKBENCH
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
tw.DOMAIN_NAME,
tw.LAYOUT_GID,
tw.LAYOUT_XID,
tw.DESCRPTION
FROM
TRANSPORTATION_WORKBENCH tw
WHERE
tw.DOMAIN_NAME = 'BAU'
ORDER BY
tw.LAYOUT_XID
```

Query de Extração

```
SELECT
tw.DOMAIN_NAME,
tw.LAYOUT_GID,
tw.LAYOUT_XID,
tw.DESCRPTION
FROM
TRANSPORTATION_WORKBENCH tw
WHERE
tw.DOMAIN_NAME = 'BAU'
ORDER BY
tw.LAYOUT_XID
```



Business Monitors

Monitores de negócio

Sequência	4
Object Type	BUSINESS_MONITOR_D
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  BUSINESS_MONITOR_GID,
  SEQUENCE,
  QUERY_TABLE_GID,
  SAVED_QUERY_GID,
  FINDER_SET_GID
FROM
  BUSINESS_MONITOR_D
WHERE
  DOMAIN_NAME = 'BAU'
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  BUSINESS_MONITOR_GID,
  SEQUENCE,
  QUERY_TABLE_GID,
  SAVED_QUERY_GID,
  FINDER_SET_GID
FROM
  BUSINESS_MONITOR_D
WHERE
  DOMAIN_NAME = 'BAU'
```

---

Access Control Lists (ACL)

Listas de controle de acesso

Sequência	5
Object Type	ACR_ROLE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  URAR.DOMAIN_NAME,
  URAR.USER_ROLE_GID,
  AR.ACR_ROLE_XID,
  URAR.IS_GRANTED
FROM
  ACR_ROLE AR,
  USER_ROLE_ACR_ROLE URAR
WHERE
  AR.ACR_ROLE_GID = URAR.ACR_ROLE_GID
ORDER BY
  URAR.USER_ROLE_GID
```

Query de Extração

```
SELECT
  URAR.DOMAIN_NAME,
  URAR.USER_ROLE_GID,
  AR.ACR_ROLE_XID,
  URAR.IS_GRANTED
FROM
  ACR_ROLE AR,
  USER_ROLE_ACR_ROLE URAR
WHERE
  AR.ACR_ROLE_GID = URAR.ACR_ROLE_GID
ORDER BY
  URAR.USER_ROLE_GID
```

User Roles

Papéis de usuário

Sequência	6
Object Type	USER_ROLE
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  USER_ROLE_GID,
  USER_ROLE_XID,
  USER_ROLE_NAME,
  DESCRIPTION,
  ACTIVE_STATUS
FROM
  USER_ROLE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_ROLE_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  USER_ROLE_GID,
  USER_ROLE_XID,
  USER_ROLE_NAME,
  DESCRIPTION,
  ACTIVE_STATUS
FROM
  USER_ROLE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_ROLE_XID
```

User Menus

Menus de usuário

Sequência	7
Object Type	USER_MENU
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  USER_MENU_GID,
  USER_MENU_XID,
  LABEL,
  MENU_TYPE,
  DESCRIPTION
FROM
  USER_MENU
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_MENU_XID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  USER_MENU_GID,
  USER_MENU_XID,
  LABEL,
  MENU_TYPE,
  DESCRIPTION
FROM
  USER_MENU
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_MENU_XID
```

## User Preferences

Preferências de usuário

Sequência	8
Object Type	USER_PREFERENCE_D
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  USER_PREFERENCE_GID,
  PREFERENCE_GID,
  USER_PREFERENCE_VALUE
FROM
  USER_PREFERENCE_D
ORDER BY
  USER_PREFERENCE_GID
```

Query de Extração

```
SELECT
  DOMAIN_NAME,
  USER_PREFERENCE_GID,
  PREFERENCE_GID,
  USER_PREFERENCE_VALUE
FROM
  USER_PREFERENCE_D
ORDER BY
  USER_PREFERENCE_GID
```

---

## Translation (Labels)

Traduções e rótulos do sistema

Sequência	9
Object Type	TRANSLATION
OTM Table	
Deployment Type	DB_XML
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT t.DOMAIN_NAME,
t.TRANSLATION_GID,
t.TRANSLATION_XID,
t.TRANSLATION_TYPE,
td.LANG,
td.COUNTRY,
td.VARIANT,
td.TEXT
FROM
TRANSLATION t,
TRANSLATION_D td
WHERE
t.TRANSLATION_GID = td.TRANSLATION_GID
AND t.TRANSLATION_GID LIKE '%BAU%'
ORDER BY
t.TRANSLATION_XID,
td.LANG,
td.COUNTRY,
td.VARIANT
```

Query de Extração

```
SELECT t.DOMAIN_NAME,
t.TRANSLATION_GID,
t.TRANSLATION_XID,
t.TRANSLATION_TYPE,
td.LANG,
td.COUNTRY,
td.VARIANT,
td.TEXT
FROM
TRANSLATION t,
TRANSLATION_D td
WHERE
t.TRANSLATION_GID = td.TRANSLATION_GID
AND t.TRANSLATION_GID LIKE '%BAU%'
ORDER BY
t.TRANSLATION_XID,
td.LANG,
td.COUNTRY,
td.VARIANT
```

## Manage User Access

Gerenciamento de acesso de usuário

Sequência	10
Object Type	USER_ACCESS
OTM Table	
Deployment Type	DB_XML
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  ua.DOMAIN_NAME,
  ua.USER_ACCESS_XID,
  ua.GL_USER_GID,
  ua.GL_LEVEL,
  ua.USER_ROLE_GID,
  uma.USER_MENU_LAYOUT_GID,
  upa.USER_PREFERENCE_GID,
  maa.MOBILE_ACTION_GID
FROM
  USER_ACCESS ua
  LEFT JOIN USER_MENU_ACCESS uma ON ua.USER_ACCESS_GID = uma.USER_ACCESS_GID
  LEFT JOIN USER_PREFERENCE_ACCESS upa ON ua.USER_ACCESS_GID = upa.USER_ACCESS_GID
  LEFT JOIN MOBILE_ACTION_ACCESS maa ON ua.USER_ACCESS_GID = maa.USER_ACCESS_GID
WHERE
  ua.DOMAIN_NAME = 'BAU'
ORDER BY
  ua.USER_ACCESS_GID
```

### Query de Extração

```
SELECT
  ua.DOMAIN_NAME,
  ua.USER_ACCESS_XID,
  ua.GL_USER_GID,
  ua.GL_LEVEL,
  ua.USER_ROLE_GID,
  uma.USER_MENU_LAYOUT_GID,
  upa.USER_PREFERENCE_GID,
  maa.MOBILE_ACTION_GID
FROM
  USER_ACCESS ua
  LEFT JOIN USER_MENU_ACCESS uma ON ua.USER_ACCESS_GID = uma.USER_ACCESS_GID
  LEFT JOIN USER_PREFERENCE_ACCESS upa ON ua.USER_ACCESS_GID = upa.USER_ACCESS_GID
  LEFT JOIN MOBILE_ACTION_ACCESS maa ON ua.USER_ACCESS_GID = maa.USER_ACCESS_GID
WHERE
  ua.DOMAIN_NAME = 'BAU'
ORDER BY
  ua.USER_ACCESS_GID
```

VPD Profile

Perfil de segurança em nível de dados

Sequência	11
Object Type	VPD_PROFILE
OTM Table	
Deployment Type	DB_XML
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
*
FROM
  VPD_PROFILE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  VPD_PROFILE_XID
```

Query de Extração

```
SELECT
*
FROM
  VPD_PROFILE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  VPD_PROFILE_XID
```



Relatórios (BI ZIP)

Relatórios e arquivos BI

Sequência	12
Object Type	BI_PUBLISHER_FILES
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING