Projeto de Migração - Configuração OTM Unificada (BR100 + Projeto)

VERSÃO 1.1   MIG0001

Informações do Projeto

MIG0001

1.1

Diego Ferreira Alves

https://otmgtm-dev1-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/

https://otmgtm-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/

Sumário

- Shipment Refnum Qualifier
- Shipment Stop Refnum Qualifier
- Rate Geo Refnum Qualifier
- Order Movement Refnum Qualifier
- Status Types and Values
- Remarks Qualifiers

- Grupo: Planejamento
  - Audit Trail
  - Logic Configs
  - Parameter Sets
  - Accessorial Codes
  - Itinerary Leg
  - Itineraries
  - Itinerary Profiles
  - Load Configuration Rules
  - Load Configuration Setup
  - Order Release Types

- Grupo: Integração
  - Stylesheet Contents
  - Stylesheet Profiles
  - XML Templates
  - Outbound XML Profiles
  - Document
  - Webservice
  - External Systems
  - External System Contact

- Grupo: Governança e UI
  - Manager Layouts
  - Finder Sets
  - Workbenches
  - Business Monitors
  - Access Control Lists (ACL)
  - User Roles
  - User Menus
  - User Preferences
  - Translation (Labels)
  - Manage User Access
  - VPD Profile
  - Relatórios (BI ZIP)

Objetivo do Projeto de Migração

Este projeto tem como objetivo executar a migração controlada e governada das configurações do Oracle Transportation Management (OTM), atualmente consolidadas e validadas no ambiente de homologação (HOM), para o ambiente de produção (PRD).

A migração visa unificar e padronizar o conjunto de objetos de configuração definidos no baseline BR100, incorporando também ajustes e extensões específicas do projeto Bauducco, garantindo consistência funcional, estabilidade operacional e aderência às melhores práticas de governança do OTM.

Com a execução desta migração em PROD, espera-se:

- disponibilizar integralmente as configurações necessárias para o planejamento, execução e monitoramento logístico;
- eliminar divergências entre ambientes que possam impactar comportamento de planejamento, rating, integração ou visibilidade operacional;
- assegurar rastreabilidade, capacidade de rollback e validação pós-migração, reduzindo riscos de impacto nas operações produtivas.

Controle de Versão

Versão Atual: 1.1

Última Atualização: 2026-02-02

Autor: Diego Ferreira Alves

Histórico de Alterações

Data	Versão	Descrição	Autor
2026-02-02	1.1	Atualização do objetivo e alinhamento das seções de automação.	Diego Ferreira Alves
2026-01-28	1.3	Remoção do ícone de diamante das seções da tabela de roadmap e publicação do novo agrupamento de tipos de deploy (MANUAL, MIGRATION, CSV, DB.XML, ARQUIVO ZIP BI).	Diego Ferreira Alves
2026-01-27	1.2	Adoção do novo deploy type BUILDER-CONTROL e reforço na ordenação e no preenchimento automático das colunas da tabela Migration Project.	Diego Ferreira Alves
2026-01-21	1.1	Ajustes consolidados do painel de migração e da tabela Migration Project (tipos de deploy, colunas, links), reordenação dos objetos e atualização dos caches.	Diego Ferreira Alves
2026-01-18	1.0	Criação inicial do documento.	Diego Ferreira Alves

Grupos e Objetos de Migração OTM

Esta seção apresenta os conjuntos de objetos do Oracle Transportation Management (OTM) contemplados no escopo de migração.

Grupo: Automação

Esta seção concentra os objetos responsáveis pela execução automática de regras e fluxos operacionais no OTM, como Saved Queries, Conditions e lógicas de acionamento utilizadas por Agents e processos batch. O conteúdo evidencia como cada automação está associada a um deploy type específico (MANUAL, MIGRATION, CSV, DB.XML, ZIP BI), permitindo rastrear impactos da migração sobre fluxos automáticos, dependências técnicas e a ordem correta de implantação no roadmap do projeto.

Saved Queries

Queries utilizadas por automações, conditions e agents

1

SAVED_QUERY

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```sql
SELECT DOMAIN_NAME,
  SAVED_QUERY_XID,
  USER_QUERY_NAME,
  QUERY_NAME,
  USE_IN_FINDER,
  IS_CONDITION
FROM
  SAVED_QUERY
WHERE
  DOMAIN_NAME = 'BAU'
  AND SAVED_QUERY_GID NOT LIKE '%TEST%'
  AND SAVED_QUERY_GID NOT LIKE '%TESTE%'
  AND SAVED_QUERY_GID NOT LIKE '%MIG%'
  AND SAVED_QUERY_GID NOT LIKE '%TEMP%'
ORDER BY
  DOMAIN_NAME,
  USER_QUERY_NAME,
  SAVED_QUERY_XID
```

Query de Extração

SQL

```sql
SELECT DOMAIN_NAME,
  SAVED_QUERY_XID,
  USER_QUERY_NAME,
  QUERY_NAME,
  USE_IN_FINDER,
  IS_CONDITION
FROM
  SAVED_QUERY
WHERE
  DOMAIN_NAME = 'BAU'
  AND SAVED_QUERY_GID NOT LIKE '%TEST%'
  AND SAVED_QUERY_GID NOT LIKE '%TESTE%'
  AND SAVED_QUERY_GID NOT LIKE '%MIG%'
  AND SAVED_QUERY_GID NOT LIKE '%TEMP%'
ORDER BY
  DOMAIN_NAME,
  USER_QUERY_NAME,
  SAVED_QUERY_XID
```

Saved Conditions

2

SAVED_CONDITION

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```
SELECT SC.DOMAIN_NAME,
  SC.SAVED_CONDITION_XID,
  SC.QUERY_NAME,
  SC.USER_CONDITION_NAME,
  SCQ.SAVED_QUERY_GID,
  SC.OTM_RELEASE
FROM
  SAVED_CONDITION SC,
  SAVED_CONDITION_QUERY SCQ
WHERE
  SC.SAVED_CONDITION_GID = SCQ.SAVED_CONDITION_GID
  AND SC.DOMAIN_NAME = 'BAU'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEST%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TESTE%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%MIG%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEMP%'
ORDER BY
  SC.DOMAIN_NAME,
  SC.SAVED_CONDITION_XID,
  SCQ.SAVED_QUERY_GID
```

Query de Extração

SQL

```sql
SELECT SC.DOMAIN_NAME,
  SC.SAVED_CONDITION_XID,
  SC.QUERY_NAME,
  SC.USER_CONDITION_NAME,
  SCQ.SAVED_QUERY_GID,
  SC.OTM_RELEASE
FROM
  SAVED_CONDITION SC,
  SAVED_CONDITION_QUERY SCQ
WHERE
  SC.SAVED_CONDITION_GID = SCQ.SAVED_CONDITION_GID
  AND SC.DOMAIN_NAME = 'BAU'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEST%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TESTE%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%MIG%'
  AND SC.SAVED_CONDITION_GID NOT LIKE '%TEMP%'
ORDER BY
  SC.DOMAIN_NAME,
  SC.SAVED_CONDITION_XID,
  SCQ.SAVED_QUERY_GID
```

Data Type Association

Associações de tipos de dados do sistema

3

DATA_TYPE_ASSOCIATION

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  DATA_TYPE_ASSOCIATION_GID,
  DATA_TYPE_ASSOCIATION_XID,
  IS_PRIMARY,
  FROM_DATA_QUERY_TYPE_GID,
  TO_DATA_QUERY_TYPE_GID,
  ASSOCIATION_QUERY,
  JAVA_PLUGIN_GID,
  OTM_RELEASE
FROM
  DATA_TYPE_ASSOCIATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DATA_TYPE_ASSOCIATION_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  DATA_TYPE_ASSOCIATION_GID,
  DATA_TYPE_ASSOCIATION_XID,
  IS_PRIMARY,
  FROM_DATA_QUERY_TYPE_GID,
  TO_DATA_QUERY_TYPE_GID,
  ASSOCIATION_QUERY,
  JAVA_PLUGIN_GID,
  OTM_RELEASE
FROM
  DATA_TYPE_ASSOCIATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DATA_TYPE_ASSOCIATION_XID
```

Agent Event

Eventos de agentes do sistema

4

AGENT_EVENT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```sql
SELECT ae.DOMAIN_NAME,
  ae.AGENT_EVENT_GID,
  ae.AGENT_EVENT_XID,
  ae.DATA_QUERY_TYPE_GID,
  ae.NOTIFY_SUBJECT_GID,
  ae.AGENT_EVENT_PARENT,
  ae.EVENT_TOPIC_CLASS,
  ae.IS_CUSTOM,
  ae.IS_LIFETIME_MOD,
  ae.DESCRIPTION,
  ae.OTM_RELEASE,
  aed.AGENT_GID,
  a.AGENT_XID,
  a.IS_ACTIVE
FROM
  AGENT_EVENT ae,
  AGENT_EVENT_DETAILS aed,
  AGENT a
WHERE
  ae.AGENT_EVENT_GID = aed.AGENT_EVENT_GID
  AND aed.AGENT_GID = a.AGENT_GID
  AND ae.DOMAIN_NAME = 'BAU'
  AND a.IS_ACTIVE = 'Y'
ORDER BY
  ae.DATA_QUERY_TYPE_GID,
  ae.AGENT_EVENT_XID,
  a.AGENT_XID
```

Query de Extração

SQL

```
SELECT ae.DOMAIN_NAME,
  ae.AGENT_EVENT_GID,
  ae.AGENT_EVENT_XID,
  ae.DATA_QUERY_TYPE_GID,
  ae.NOTIFY_SUBJECT_GID,
  ae.AGENT_EVENT_PARENT,
  ae.EVENT_TOPIC_CLASS,
  ae.IS_CUSTOM,
  ae.IS_LIFETIME_MOD,
  ae.DESCRIPTION,
  ae.OTM_RELEASE,
  aed.AGENT_GID,
  a.AGENT_XID,
  a.IS_ACTIVE
FROM
  AGENT_EVENT ae,
  AGENT_EVENT_DETAILS aed,
  AGENT a
WHERE
  ae.AGENT_EVENT_GID = aed.AGENT_EVENT_GID
  AND aed.AGENT_GID = a.AGENT_GID
  AND ae.DOMAIN_NAME = 'BAU'
  AND a.IS_ACTIVE = 'Y'
ORDER BY
  ae.DATA_QUERY_TYPE_GID,
  ae.AGENT_EVENT_XID,
  a.AGENT_XID
```

Agents

Agentes ativos no domínio

5

AGENT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID
```

App Actions

Ações de aplicação do OTM

6

APP_ACTION

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  APP_ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  APP_ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID
```

Actions

Ações gerais do sistema

7

ACTION

MIGRATION_PROJECT

ITC

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
```

Batch Processes

Processos batch de execução automática

8

BATCH_PROCESS

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

Conteúdo Técnico

SQL

```sql
SELECT
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BP.DESCRIPTION,
  BP.IS_ENABLED,
  BPD.SEQUENCE_NO,
  BPD.TOPIC_ALIAS_GID
FROM
  BATCH_PROCESS BP,
  BATCH_PROCESS_D BPD
WHERE
  BP.BATCH_PROCESS_GID = BPD.BATCH_PROCESS_GID
  AND BP.IS_ENABLED = 'Y'
ORDER BY
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BPD.SEQUENCE_NO
```

Query de Extração

SQL

```sql
SELECT
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BP.DESCRIPTION,
  BP.IS_ENABLED,
  BPD.SEQUENCE_NO,
  BPD.TOPIC_ALIAS_GID
FROM
  BATCH_PROCESS BP,
  BATCH_PROCESS_D BPD
WHERE
  BP.BATCH_PROCESS_GID = BPD.BATCH_PROCESS_GID
  AND BP.IS_ENABLED = 'Y'
ORDER BY
  BP.DOMAIN_NAME,
  BP.BATCH_PROCESS_XID,
  BPD.SEQUENCE_NO
```

Grupo: Configuração

Reúne configurações centrais do domínio OTM, incluindo domínios, grants, parâmetros e propriedades que sustentam a operação e o baseline de migração.

Domains – Add Domain

Configuração de domínios OTM

1

DOMAIN

MANUAL

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT * FROM DOMAIN
```

Query de Extração

SQL

```
SELECT * FROM DOMAIN
```

Domain Grants

Permissões de domínio

2

DOMAIN_GRANTS_MADE

MANUAL

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  GRANTOR_DOMAIN,
  GRANTEE_DOMAIN,
  TABLE_SET,
  IS_WRITE_ACCESS
FROM
  DOMAIN_GRANTS_MADE
ORDER BY
  GRANTOR_DOMAIN
```

Query de Extração

SQL

```sql
SELECT
  GRANTOR_DOMAIN,
  GRANTEE_DOMAIN,
  TABLE_SET,
  IS_WRITE_ACCESS
FROM
  DOMAIN_GRANTS_MADE
ORDER BY
  GRANTOR_DOMAIN
```

Domain Settings

Configurações de domínio

3

DOMAIN_SETTING

MANUAL

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  'Y' AS IS_DEFAULT,
  PLANNING_PARAMETER_SET_GID,
  POSTAL_CODE_VALIDATE_TYPE,
  FUNCTIONAL_CURRENCY_GID
FROM
  DOMAIN_SETTING
ORDER BY
  DOMAIN_NAME
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  'Y' AS IS_DEFAULT,
  PLANNING_PARAMETER_SET_GID,
  POSTAL_CODE_VALIDATE_TYPE,
  FUNCTIONAL_CURRENCY_GID
FROM
  DOMAIN_SETTING
ORDER BY
  DOMAIN_NAME
```

Properties

Propriedades do sistema

4

PROP_INSTRUCTION

MANUAL

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  PROP_SEQUENCE_NUM,
  INSTRUCTION,
  KEY,
  VALUE,
  DESCRIPTION
FROM
  PROP_INSTRUCTION
WHERE
  PROP_INSTRUCTION_SET_GID = 'CUSTOM'
ORDER BY
  PROP_SEQUENCE_NUM
```

Query de Extração

SQL

```
SELECT
  PROP_SEQUENCE_NUM,
  INSTRUCTION,
  KEY,
  VALUE,
  DESCRIPTION
FROM
  PROP_INSTRUCTION
WHERE
  PROP_INSTRUCTION_SET_GID = 'CUSTOM'
ORDER BY
  PROP_SEQUENCE_NUM
```

Units of Measure (UOM)

Unidades de medida utilizadas no domínio

5

UOM

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  TYPE,
  UOM_CODE,
  UOM_SHORT_DESCRIPTION,
  UOM_LONG_DESCRIPTION,
  UOM_RANK,
  IS_STORAGE_DEFAULT,
  IS_DISPLAY_DEFAULT
FROM
  UOM
ORDER BY
  TYPE
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  TYPE,
  UOM_CODE,
  UOM_SHORT_DESCRIPTION,
  UOM_LONG_DESCRIPTION,
  UOM_RANK,
  IS_STORAGE_DEFAULT,
  IS_DISPLAY_DEFAULT
FROM
  UOM
ORDER BY
  TYPE
```

Postal Code Components

Componentes de código postal

6

HNAME_COMPONENT

DB_XML

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT * FROM HNAME_COMPONENT ORDER BY HNAME_COMPONENT_XID
```

Query de Extração

SQL

```
SELECT * FROM HNAME_COMPONENT ORDER BY HNAME_COMPONENT_XID
```

Branding

Configuração de marca e identidade visual

7

BRANDING

MANUAL

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Business Number

Regras de números de negócio

8

BN_RULE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  BN_RULE_XID,
  BN_TYPE_GID,
  BN_GENERATOR_GID,
  RULE_DEFINITION,
  IS_DEFAULT,
  OTM_RELEASE
FROM
  BN_RULE
WHERE
  DOMAIN_NAME = 'BAU'
  AND BN_RULE_XID LIKE '%BAU%'
ORDER BY
  BN_RULE_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  BN_RULE_XID,
  BN_TYPE_GID,
  BN_GENERATOR_GID,
  RULE_DEFINITION,
  IS_DEFAULT,
  OTM_RELEASE
FROM
  BN_RULE
WHERE
  DOMAIN_NAME = 'BAU'
  AND BN_RULE_XID LIKE '%BAU%'
ORDER BY
  BN_RULE_XID
```

Reports

Relatórios do sistema

9

REPORT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  REPORT_GID,
  REPORT_XID,
  REPORT_DISPLAY_NAME,
  REPORT_DESC,
  REPORT_GROUP_GID,
  REPORT_PHYSICAL_NAME,
  SELECT_VIA_UI,
  ADDITIONAL_URL_ARGUMENTS,
  CAN_AUTO_GENERATE,
  SECURITY_LEVEL,
  REPORT_TYPE,
  IS_RPT_MGR_DISPLAY,
  USE_HTML_PARAMFORM,
  DEFAULT_DESFORMAT,
  REPORT_FROM_DB,
  ICON_GID,
  APP_ACTION_GID,
  TRANSACTIONAL_EVENT_GID,
  SEED_DATA,
  USE_PARAMS_AS_BIND,
  THIRD_PARTY_CONTENT_TYPE,
  USE_THIRD_PARTY_DISTRIBUTION,
  IS_CONSOLIDATED,
  REPORT_SYSTEM_GID,
  REPORT_PATH,
  USE_PARAM_OPERATORS,
  DATA_QUERY_TYPE_GID,
  OTM_RELEASE
FROM
  REPORT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  REPORT_XID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  REPORT_GID,
  REPORT_XID,
  REPORT_DISPLAY_NAME,
  REPORT_DESC,
  REPORT_GROUP_GID,
  REPORT_PHYSICAL_NAME,
  SELECT_VIA_UI,
  ADDITIONAL_URL_ARGUMENTS,
  CAN_AUTO_GENERATE,
  SECURITY_LEVEL,
  REPORT_TYPE,
  IS_RPT_MGR_DISPLAY,
  USE_HTML_PARAMFORM,
  DEFAULT_DESFORMAT,
  REPORT_FROM_DB,
  ICON_GID,
  APP_ACTION_GID,
  TRANSACTIONAL_EVENT_GID,
  SEED_DATA,
  USE_PARAMS_AS_BIND,
  THIRD_PARTY_CONTENT_TYPE,
  USE_THIRD_PARTY_DISTRIBUTION,
  IS_CONSOLIDATED,
  REPORT_SYSTEM_GID,
  REPORT_PATH,
  USE_PARAM_OPERATORS,
  DATA_QUERY_TYPE_GID,
  OTM_RELEASE
FROM
  REPORT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  REPORT_XID
```

Transport Mode

Modos de transporte

10

TRANSPORT_MODE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  TRANSPORT_MODE_GID,
  TRANSPORT_MODE_XID,
  TRANSPORT_MODE_NAME,
  TRANSPORT_MODE_QUALIFIER,
  PERFORM_SHIPPING_SPACE_CALC,
  COLOR,
  IS_MASTER_CARR_REF_REM_VISIBLE,
  CONDITIONAL_BOOKING_PROF_GID,
  IS_CONSIDER_COST,
  THU_PROFILE_GID,
  MODE_TYPE,
  X12_FORMAT_CODE,
  ALLOW_REPACK
FROM
  TRANSPORT_MODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  TRANSPORT_MODE_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  TRANSPORT_MODE_GID,
  TRANSPORT_MODE_XID,
  TRANSPORT_MODE_NAME,
  TRANSPORT_MODE_QUALIFIER,
  PERFORM_SHIPPING_SPACE_CALC,
  COLOR,
  IS_MASTER_CARR_REF_REM_VISIBLE,
  CONDITIONAL_BOOKING_PROF_GID,
  IS_CONSIDER_COST,
  THU_PROFILE_GID,
  MODE_TYPE,
  X12_FORMAT_CODE,
  ALLOW_REPACK
FROM
  TRANSPORT_MODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  TRANSPORT_MODE_XID
```

BN Named Range

Intervalo nomeado de números de negócio

11

BN_NAMED_RANGE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  BN_NAMED_RANGE_GID,
  BN_NAMED_RANGE_XID,
  RECYCLING_POLICY,
  USE_BN_CONTEXT
FROM
  BN_NAMED_RANGE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  BN_NAMED_RANGE_XID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  BN_NAMED_RANGE_GID,
  BN_NAMED_RANGE_XID,
  RECYCLING_POLICY,
  USE_BN_CONTEXT
FROM
  BN_NAMED_RANGE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  BN_NAMED_RANGE_XID
```

Grupo: Dados Mestres

Contém cadastros mestres essenciais para planejamento e execução logística (commodities, corporações, unidades de embarque, transportadoras etc.), garantindo consistência entre ambientes.

Commodities

Cadastro de commodities vinculadas a itens

1

COMMODITY

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  COMMODITY_GID,
  COMMODITY_XID,
  COMMODITY_NAME,
  COMMODITY_DESCRIPTION,
  REQ_EQPMT_GROUP_PROFILE_GID
FROM
  COMMODITY
WHERE
  DOMAIN_NAME = 'BAU'
  AND COMMODITY_GID IN (
    SELECT COMMODITY_GID FROM ITEM WHERE DOMAIN_NAME = 'BAU' AND COMMODITY_GID IS NOT NULL
  )
ORDER BY COMMODITY_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  COMMODITY_GID,
  COMMODITY_XID,
  COMMODITY_NAME,
  COMMODITY_DESCRIPTION,
  REQ_EQPMT_GROUP_PROFILE_GID
FROM
  COMMODITY
WHERE
  DOMAIN_NAME = 'BAU'
  AND COMMODITY_GID IN (
    SELECT COMMODITY_GID FROM ITEM WHERE DOMAIN_NAME = 'BAU' AND COMMODITY_GID IS NOT NULL
  )
ORDER BY COMMODITY_XID
```

Corporations

Entidades corporativas e empresas

2

CORPORATION

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  CORPORATION_GID,
  CORPORATION_XID,
  CORPORATION_NAME,
  IS_DOMAIN_MASTER,
  IS_SHIPPING_AGENTS_ACTIVE,
  IS_ALLOW_HOUSE_COLLECT
FROM
  CORPORATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  CORPORATION_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  CORPORATION_GID,
  CORPORATION_XID,
  CORPORATION_NAME,
  IS_DOMAIN_MASTER,
  IS_SHIPPING_AGENTS_ACTIVE,
  IS_ALLOW_HOUSE_COLLECT
FROM
  CORPORATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  CORPORATION_XID
```

Ship Unit Specs (THU)

Especificações de unidades de transporte

3

SHIP_UNIT_SPEC

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIP_UNIT_SPEC_GID,
  SHIP_UNIT_SPEC_XID,
  SHIP_UNIT_SPEC_NAME,
  LENGTH,
  LENGTH_UOM_CODE,
  WIDTH,
  WIDTH_UOM_CODE,
  HEIGHT,
  HEIGHT_UOM_CODE,
  UNIT_TYPE,
  IS_IN_ON_MAX
FROM
  SHIP_UNIT_SPEC
WHERE
  DOMAIN_NAME = 'BAU'
  AND UNIT_TYPE = 'T'
ORDER BY
  SHIP_UNIT_SPEC_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIP_UNIT_SPEC_GID,
  SHIP_UNIT_SPEC_XID,
  SHIP_UNIT_SPEC_NAME,
  LENGTH,
  LENGTH_UOM_CODE,
  WIDTH,
  WIDTH_UOM_CODE,
  HEIGHT,
  HEIGHT_UOM_CODE,
  UNIT_TYPE,
  IS_IN_ON_MAX
FROM
  SHIP_UNIT_SPEC
WHERE
  DOMAIN_NAME = 'BAU'
  AND UNIT_TYPE = 'T'
ORDER BY
  SHIP_UNIT_SPEC_XID
```

Service Providers

Transportadoras e prestadores de serviço

4

SERVPROV

CSV

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  S.SERVPROV_XID,
  S.ALLOW_TENDER,
  S.IS_FLEET,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRIPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  SERVPROV S,
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  S.SERVPROV_GID = L.LOCATION_GID
  AND L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Query de Extração

SQL

```sql
SELECT
  S.SERVPROV_XID,
  S.ALLOW_TENDER,
  S.IS_FLEET,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRIPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  SERVPROV S,
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  S.SERVPROV_GID = L.LOCATION_GID
  AND L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Locations

Localizações e endereços

5

LOCATION

INTEGRATION

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  L.DOMAIN_NAME,
  L.LOCATION_XID,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRIPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Query de Extração

SQL

```sql
SELECT
  L.DOMAIN_NAME,
  L.LOCATION_XID,
  L.LOCATION_NAME,
  L.CITY,
  L.PROVINCE_CODE,
  L.POSTAL_CODE,
  L.COUNTRY_CODE3_GID,
  L.ZONE4,
  L.LAT,
  L.LON,
  L.DESCRIPTION,
  LR.LOCATION_REFNUM_QUAL_GID,
  LR.LOCATION_REFNUM_VALUE
FROM
  LOCATION L,
  LOCATION_REFNUM LR
WHERE
  L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
  L.LOCATION_NAME
```

Contacts

Contatos e informações de pessoas

6

CONTACT

CSV

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  C.DOMAIN_NAME,
  C.CONTACT_XID,
  C.FIRST_NAME,
  C.LAST_NAME,
  C.EMAIL_ADDRESS,
  C.PHONE1,
  C.LANGUAGE_SPOKEN,
  C.IS_PRIMARY_CONTACT,
  C.CONTACT_TYPE,
  C.LOCATION_GID,
  CCM.COM_METHOD_GID
FROM
  CONTACT C,
  CONTACT_COM_METHOD CCM
WHERE
  C.CONTACT_GID = CCM.CONTACT_GID
ORDER BY
  FIRST_NAME
```

Query de Extração

SQL

```sql
SELECT
  C.DOMAIN_NAME,
  C.CONTACT_XID,
  C.FIRST_NAME,
  C.LAST_NAME,
  C.EMAIL_ADDRESS,
  C.PHONE1,
  C.LANGUAGE_SPOKEN,
  C.IS_PRIMARY_CONTACT,
  C.CONTACT_TYPE,
  C.LOCATION_GID,
  CCM.COM_METHOD_GID
FROM
  CONTACT C,
  CONTACT_COM_METHOD CCM
WHERE
  C.CONTACT_GID = CCM.CONTACT_GID
ORDER BY
  FIRST_NAME
```

Equipment Groups

Grupos de equipamentos

7

EQUIPMENT_GROUP

CSV

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  EG.DOMAIN_NAME,
  EG.EQUIPMENT_GROUP_XID,
  EG.EQUIPMENT_GROUP_NAME,
  ROUND(EG.EFFECTIVE_WEIGHT,5) AS EFFECTIVE_WEIGHT,
  EG.EFFECTIVE_WEIGHT_UOM_CODE,
  ROUND(EG.EFFECTIVE_VOLUME,5) AS EFFECTIVE_VOLUME,
  EG.EFFECTIVE_VOLUME_UOM_CODE,
  ROUND(EG.WIDTH,5) AS WIDTH,
  EG.WIDTH_UOM_CODE,
  ROUND(EG.LENGTH,5) AS LENGTH,
  EG.LENGTH_UOM_CODE,
  ROUND(EG.HEIGHT,5) AS HEIGHT,
  EG.HEIGHT_UOM_CODE,
  EG.IS_CONTAINER,
  EG.ALLOW_LIFO_ONLY
FROM
  EQUIPMENT_GROUP EG
WHERE
  EG.DOMAIN_NAME = 'BAU'
ORDER BY
  EG.EQUIPMENT_GROUP_XID
```

Query de Extração

SQL

```sql
SELECT
  EG.DOMAIN_NAME,
  EG.EQUIPMENT_GROUP_XID,
  EG.EQUIPMENT_GROUP_NAME,
  ROUND(EG.EFFECTIVE_WEIGHT,5) AS EFFECTIVE_WEIGHT,
  EG.EFFECTIVE_WEIGHT_UOM_CODE,
  ROUND(EG.EFFECTIVE_VOLUME,5) AS EFFECTIVE_VOLUME,
  EG.EFFECTIVE_VOLUME_UOM_CODE,
  ROUND(EG.WIDTH,5) AS WIDTH,
  EG.WIDTH_UOM_CODE,
  ROUND(EG.LENGTH,5) AS LENGTH,
  EG.LENGTH_UOM_CODE,
  ROUND(EG.HEIGHT,5) AS HEIGHT,
  EG.HEIGHT_UOM_CODE,
  EG.IS_CONTAINER,
  EG.ALLOW_LIFO_ONLY
FROM
  EQUIPMENT_GROUP EG
WHERE
  EG.DOMAIN_NAME = 'BAU'
ORDER BY
  EG.EQUIPMENT_GROUP_XID
```

Items

Itens e produtos

8

ITEM

INTEGRATION

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  ssp.DOMAIN_NAME,
  ssp.STYLESHEET_PROFILE_GID,
  ssp.STYLESHEET_PROFILE_XID,
  ssp.RAW_XML,
  ssp.FORMAT,
  ssp.SUBJECT_PROPKEY,
  ssp.OUT_XML_PROFILE_GID,
  ssp.DOCUMENT_ATTACH_TYPE,
  ssp.DIRECTION,
  ssp.TYPE,
  ssp.IS_FOR_NOTIFICATION_XML,
  ssp.IS_FOR_TRANSMISSION_XML,
  ssp.IS_FOR_MESSAGE_XML,
  ssp.CONTENT_GID,
  ssp.OTM_RELEASE
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
      sc.DOMAIN_NAME = 'BAU'
  )
```

Query de Extração

SQL

```sql
SELECT
  ssp.DOMAIN_NAME,
  ssp.STYLESHEET_PROFILE_GID,
  ssp.STYLESHEET_PROFILE_XID,
  ssp.RAW_XML,
  ssp.FORMAT,
  ssp.SUBJECT_PROPKEY,
  ssp.OUT_XML_PROFILE_GID,
  ssp.DOCUMENT_ATTACH_TYPE,
  ssp.DIRECTION,
  ssp.TYPE,
  ssp.IS_FOR_NOTIFICATION_XML,
  ssp.IS_FOR_TRANSMISSION_XML,
  ssp.IS_FOR_MESSAGE_XML,
  ssp.CONTENT_GID,
  ssp.OTM_RELEASE
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
      sc.DOMAIN_NAME = 'BAU'
  )
```

Packaged Items

Itens embalados

9

PACKAGED_ITEM

INTEGRATION

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT xt.DOMAIN_NAME,
  xt.XML_TEMPLATE_GID,
  xt.XML_TEMPLATE_XID,
  xt.USE_DATA,
  xt.DESCRIPTION,
  xt.GLOG_XML_ELEMENT_GID
FROM
  XML_TEMPLATE xt
WHERE
  xt.DOMAIN_NAME = 'BAU'
ORDER BY
  xt.XML_TEMPLATE_XID
```

Query de Extração

SQL

```sql
SELECT xt.DOMAIN_NAME,
  xt.XML_TEMPLATE_GID,
  xt.XML_TEMPLATE_XID,
  xt.USE_DATA,
  xt.DESCRIPTION,
  xt.GLOG_XML_ELEMENT_GID
FROM
  XML_TEMPLATE xt
WHERE
  xt.DOMAIN_NAME = 'BAU'
ORDER BY
  xt.XML_TEMPLATE_XID
```

Contact Groups

Grupos de contatos

10

CONTACT_GROUP

CSV

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Grupo: Extensão e Qualificadores

Agrupa qualificadores, códigos e extensões necessárias para classificação, tributação ou regras específicas de negócio do projeto.

Location Refnum Qualifier

Qualificador de número de referência de localização

1

LOCATION_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID,
  LOCATION_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  LOCATION_REFNUM_QUAL
WHERE LOCATION_REFNUM_QUAL_GID IN (SELECT LOCATION_REFNUM_QUAL_GID FROM LOCATION_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID,
  LOCATION_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  LOCATION_REFNUM_QUAL
WHERE LOCATION_REFNUM_QUAL_GID IN (SELECT LOCATION_REFNUM_QUAL_GID FROM LOCATION_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID
```

Order Release Refnum Qualifier

Qualificador de número de referência de liberação de pedido

2

ORDER_RELEASE_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID,
  ORDER_RELEASE_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_REFNUM_QUAL
WHERE ORDER_RELEASE_REFNUM_QUAL_GID IN (SELECT ORDER_RELEASE_REFNUM_QUAL_GID FROM ORDER_RELEASE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID,
  ORDER_RELEASE_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_REFNUM_QUAL
WHERE ORDER_RELEASE_REFNUM_QUAL_GID IN (SELECT ORDER_RELEASE_REFNUM_QUAL_GID FROM ORDER_RELEASE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID
```

Order Release Line Refnum Qualifier

Qualificador de número de referência de linha de liberação

3

ORDER_RELEASE_LINE_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID,
  DESCRIPTION,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  OR_LINE_REFNUM_SEQUENCE_NO,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_LINE_REFNUM_QUAL
WHERE OR_LINE_REFNUM_QUAL_GID IN (SELECT OR_LINE_REFNUM_QUAL_GID FROM ORDER_RELEASE_LINE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID,
  DESCRIPTION,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  OR_LINE_REFNUM_SEQUENCE_NO,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_LINE_REFNUM_QUAL
WHERE OR_LINE_REFNUM_QUAL_GID IN (SELECT OR_LINE_REFNUM_QUAL_GID FROM ORDER_RELEASE_LINE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID
```

Packaged Item Refnum Qualifier

Qualificador de número de referência de item embalado

4

PACKAGED_ITEM_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID,
  PACKAGED_ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  PACKAGED_ITEM_REFNUM_QUAL
WHERE PACKAGED_ITEM_REFNUM_QUAL_GID IN (SELECT PACKAGED_ITEM_REFNUM_QUAL_GID FROM PACKAGED_ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID,
  PACKAGED_ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  PACKAGED_ITEM_REFNUM_QUAL
WHERE PACKAGED_ITEM_REFNUM_QUAL_GID IN (SELECT PACKAGED_ITEM_REFNUM_QUAL_GID FROM PACKAGED_ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID
```

Item Refnum Qualifier

Qualificador de número de referência de item

5

ITEM_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID,
  ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  ITEM_REFNUM_QUAL
WHERE ITEM_REFNUM_QUAL_GID IN (SELECT ITEM_REFNUM_QUAL_GID FROM ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID,
  ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  ITEM_REFNUM_QUAL
WHERE ITEM_REFNUM_QUAL_GID IN (SELECT ITEM_REFNUM_QUAL_GID FROM ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID
```

Shipment Refnum Qualifier

Qualificador de número de referência de remessa

6

SHIPMENT_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID,
  SHIPMENT_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_REFNUM_QUAL
WHERE SHIPMENT_REFNUM_QUAL_GID IN (SELECT SHIPMENT_REFNUM_QUAL_GID FROM SHIPMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID,
  SHIPMENT_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_REFNUM_QUAL
WHERE SHIPMENT_REFNUM_QUAL_GID IN (SELECT SHIPMENT_REFNUM_QUAL_GID FROM SHIPMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_REFNUM_QUAL_XID
```

Shipment Stop Refnum Qualifier

Qualificador de número de referência de parada de remessa

SHIPMENT_STOP_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID,
  SHIPMENT_STOP_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_STOP_REFNUM_QUAL
WHERE SHIPMENT_STOP_REFNUM_QUAL_GID IN (SELECT SHIPMENT_STOP_REFNUM_QUAL_GID FROM SHIPMENT_STOP_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID,
  SHIPMENT_STOP_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  SHIPMENT_STOP_REFNUM_QUAL
WHERE SHIPMENT_STOP_REFNUM_QUAL_GID IN (SELECT SHIPMENT_STOP_REFNUM_QUAL_GID FROM SHIPMENT_STOP_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  SHIPMENT_STOP_REFNUM_QUAL_XID
```

Rate Geo Refnum Qualifier

Qualificador de número de referência de taxa geográfica

8

RATE_GEO_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID,
  RATE_GEO_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  RATE_GEO_REFNUM_QUAL
WHERE RATE_GEO_REFNUM_QUAL_GID IN (SELECT RATE_GEO_REFNUM_QUAL_GID FROM RATE_GEO_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID,
  RATE_GEO_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  RATE_GEO_REFNUM_QUAL
WHERE RATE_GEO_REFNUM_QUAL_GID IN (SELECT RATE_GEO_REFNUM_QUAL_GID FROM RATE_GEO_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID
```

Order Movement Refnum Qualifier

Qualificador de número de referência de movimento de pedido

9

OM_REFNUM_QUAL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT DOMAIN_NAME,
  OM_REFNUM_QUAL_GID,
  OM_REFNUM_QUAL_DESC,
  UPDATE_FLAG
FROM
  OM_REFNUM_QUAL
WHERE OM_REFNUM_QUAL_GID IN (SELECT OM_REFNUM_QUAL_GID FROM ORDER_MOVEMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OM_REFNUM_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT DOMAIN_NAME,
  OM_REFNUM_QUAL_GID,
  OM_REFNUM_QUAL_DESC,
  UPDATE_FLAG
FROM
  OM_REFNUM_QUAL
WHERE OM_REFNUM_QUAL_GID IN (SELECT OM_REFNUM_QUAL_GID FROM ORDER_MOVEMENT_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OM_REFNUM_QUAL_XID
```

Status Types and Values

Tipos e valores de status do sistema

10

STATUS_TYPE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  st.DOMAIN_NAME,
  st.STATUS_TYPE_GID,
  st.STATUS_TYPE_XID,
  st.OBJECT_TYPE,
  st.DESCRIPTION AS STATUS_TYPE_DESCRIPTION,
  st.SEQUENCE AS STATUS_TYPE_SEQUENCE,
  st.IS_EXTERNAL,
  sv.STATUS_VALUE_XID,
  sv.DESCRIPTION AS STATUS_VALUE_DESCRIPTION,
  sv.SEQUENCE AS STATUS_VALUE_SEQUENCE,
  sv.INITIAL_VALUE
FROM
  STATUS_VALUE sv,
  STATUS_TYPE st
WHERE
  sv.STATUS_TYPE_GID = st.STATUS_TYPE_GID
  AND st.IS_EXTERNAL = 'Y'
  AND (
    EXISTS (
      SELECT 1
      FROM SHIPMENT_STATUS ss
      WHERE ss.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ss.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
    OR EXISTS (
      SELECT 1
      FROM ORDER_RELEASE_STATUS ors
      WHERE ors.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ors.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
  )
ORDER BY
  st.DOMAIN_NAME,
  st.OBJECT_TYPE,
  st.STATUS_TYPE_GID,
  sv.SEQUENCE
```

Query de Extração

SQL

```sql
SELECT
  st.DOMAIN_NAME,
  st.STATUS_TYPE_GID,
  st.STATUS_TYPE_XID,
  st.OBJECT_TYPE,
  st.DESCRIPTION AS STATUS_TYPE_DESCRIPTION,
  st.SEQUENCE AS STATUS_TYPE_SEQUENCE,
  st.IS_EXTERNAL,
  sv.STATUS_VALUE_XID,
  sv.DESCRIPTION AS STATUS_VALUE_DESCRIPTION,
  sv.SEQUENCE AS STATUS_VALUE_SEQUENCE,
  sv.INITIAL_VALUE
FROM
  STATUS_VALUE sv,
  STATUS_TYPE st
WHERE
  sv.STATUS_TYPE_GID = st.STATUS_TYPE_GID
  AND st.IS_EXTERNAL = 'Y'
  AND (
    EXISTS (
      SELECT 1
      FROM SHIPMENT_STATUS ss
      WHERE ss.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ss.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
    OR EXISTS (
      SELECT 1
      FROM ORDER_RELEASE_STATUS ors
      WHERE ors.STATUS_TYPE_GID = st.STATUS_TYPE_GID
        AND ors.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
    )
  )
ORDER BY
  st.DOMAIN_NAME,
  st.OBJECT_TYPE,
  st.STATUS_TYPE_GID,
  sv.SEQUENCE
```

Remarks Qualifiers

Qualificadores de observações

11

REMARK_QUAL

MIGRATION_PROJECT

ITC

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT rq.DOMAIN_NAME,
  rq.REMARK_QUAL_GID,
  rq.REMARK_QUAL_XID,
  rq.REMARK_QUAL_DESC,
  rq.REMARK_LEVEL,
  rq.IS_VISIBLE_IF_MASTER_CARR,
  rq.UPDATE_FLAG,
  rq.TEXT_TEMPLATE_GID,
  rq.QUAL_TYPE,
  rq.DATA_QUERY_TYPE_GID
FROM
  REMARK_QUAL rq
WHERE
  rq.DOMAIN_NAME = 'BAU'
ORDER BY
  rq.DATA_QUERY_TYPE_GID,
  rq.REMARK_QUAL_XID
```

Query de Extração

SQL

```sql
SELECT rq.DOMAIN_NAME,
  rq.REMARK_QUAL_GID,
  rq.REMARK_QUAL_XID,
  rq.REMARK_QUAL_DESC,
  rq.REMARK_LEVEL,
  rq.IS_VISIBLE_IF_MASTER_CARR,
  rq.UPDATE_FLAG,
  rq.TEXT_TEMPLATE_GID,
  rq.QUAL_TYPE,
  rq.DATA_QUERY_TYPE_GID
FROM
  REMARK_QUAL rq
WHERE
  rq.DOMAIN_NAME = 'BAU'
ORDER BY
  rq.DATA_QUERY_TYPE_GID,
  rq.REMARK_QUAL_XID
```

Grupo: Planejamento

Foca em tabelas e estruturas que suportam o planejamento e execução de cargas, perfis de roteirização e configuração de transporte.

Audit Trail

Trilha de auditoria do sistema

1

AUDIT_TRAIL

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  c.DOMAIN_NAME AS CONTACT_DOMAIN_NAME,
  c.CONTACT_GID,
  c.CONTACT_XID,
  c.CONTACT_TYPE,
  c.IS_PRIMARY_CONTACT,
  ccm.COM_METHOD_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY_SUBJECT_GID,
  nsc.CONSOLIDATED_NOTIFY_ONLY,
  nsc.PARAMETERS
FROM
  CONTACT c
  LEFT JOIN CONTACT_COM_METHOD ccm ON ccm.CONTACT_GID = c.CONTACT_GID
  LEFT JOIN NOTIFY_SUBJECT_CONTACT nsc ON nsc.CONTACT_GID = c.CONTACT_GID AND nsc.COM_METHOD_GID = ccm.COM_METHOD_GID
WHERE
  c.DOMAIN_NAME = 'BAU'
  AND
  c.CONTACT_GID = 'BAU.AUD'
ORDER BY
  c.CONTACT_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY_SUBJECT_GID
```

Query de Extração

SQL

```
SELECT
  c.DOMAIN_NAME AS CONTACT_DOMAIN_NAME,
  c.CONTACT_GID,
  c.CONTACT_XID,
  c.CONTACT_TYPE,
  c.IS_PRIMARY_CONTACT,
  ccm.COM_METHOD_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY_SUBJECT_GID,
  nsc.CONSOLIDATED_NOTIFY_ONLY,
  nsc.PARAMETERS
FROM
  CONTACT c
  LEFT JOIN CONTACT_COM_METHOD ccm ON ccm.CONTACT_GID = c.CONTACT_GID
  LEFT JOIN NOTIFY_SUBJECT_CONTACT nsc ON nsc.CONTACT_GID = c.CONTACT_GID AND nsc.COM_METHOD_GID = ccm.COM_METHOD_GID
WHERE
  c.DOMAIN_NAME = 'BAU'
  AND
  c.CONTACT_GID = 'BAU.AUD'
ORDER BY
  c.CONTACT_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY_SUBJECT_GID
```

Logic Configs

Configurações de lógica de planejamento

2

LOGIC_PARAMETER

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID,
  LOGIC_SCENARIO_GID,
  PARAM_VALUE,
  PARAM_UOM_CODE
FROM
  LOGIC_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID,
  LOGIC_SCENARIO_GID,
  PARAM_VALUE,
  PARAM_UOM_CODE
FROM
  LOGIC_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID
```

Parameter Sets

Conjuntos de parâmetros de planejamento

3

PLANNING_PARAMETER

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID,
  PLANNING_PARAM_VALUE
FROM
  PLANNING_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
  AND PLANNING_PARAMETER_SET_GID IN ('BAU.BAU_PARAMETER_OV', 'BAU.BAU_PARAMETER')
ORDER BY
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID,
  PLANNING_PARAM_VALUE
FROM
  PLANNING_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
  AND PLANNING_PARAMETER_SET_GID IN ('BAU.BAU_PARAMETER_OV', 'BAU.BAU_PARAMETER')
ORDER BY
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID
```

Accessorial Codes

Códigos de serviços acessórios

4

ACCESSORIAL_CODE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  ACCESSORIAL_CODE_XID,
  ACCESSORIAL_DESC,
  APPLY_GLOBALLY,
  IS_FLOW_THRU
FROM
  ACCESSORIAL_CODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACCESSORIAL_CODE_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ACCESSORIAL_CODE_XID,
  ACCESSORIAL_DESC,
  APPLY_GLOBALLY,
  IS_FLOW_THRU
FROM
  ACCESSORIAL_CODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACCESSORIAL_CODE_XID
```

Itinerary Leg

Trechos de itinerário

5

LEG

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  L.LEG_GID,
  L.LEG_NAME,
  ID.ITINERARY_GID
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Query de Extração

SQL

```sql
SELECT
  L.LEG_GID,
  L.LEG_NAME,
  ID.ITINERARY_GID
FROM
  ITINERARY ID,
  ITINERARY_DETAIL ITD,
  LEG L
WHERE
  ID.ITINERARY_GID = ITD.ITINERARY_GID
  AND ITD.LEG_GID = L.LEG_GID
  AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
  ID.ITINERARY_XID,
  ITD.SEQUENCE_NO
```

Itineraries

Itinerários de transporte

6

ITINERARY

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
    ID.DOMAIN_NAME,
    ID.ITINERARY_GID,
    ID.ITINERARY_XID,
    ITD.LEG_GID,
    ITD.SEQUENCE_NO,
    L.LEG_NAME,
    L.LEG_TYPE,
    L.EQUIPMENT_GROUP_PROFILE_GID,
    L.MODE_PROFILE_GID,
    L.DEST_LOCATION_GID,
    L.RATE_OFFERING_GID,
    L.AUTO_CONSOLIDATION_TYPE
FROM
    ITINERARY ID,
    ITINERARY_DETAIL ITD,
    LEG L
WHERE
    ID.ITINERARY_GID = ITD.ITINERARY_GID
    AND ITD.LEG_GID = L.LEG_GID
    AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
    ID.ITINERARY_XID,
    ITD.SEQUENCE_NO
```

Query de Extração

SQL

```sql
SELECT
    ID.DOMAIN_NAME,
    ID.ITINERARY_GID,
    ID.ITINERARY_XID,
    ITD.LEG_GID,
    ITD.SEQUENCE_NO,
    L.LEG_NAME,
    L.LEG_TYPE,
    L.EQUIPMENT_GROUP_PROFILE_GID,
    L.MODE_PROFILE_GID,
    L.DEST_LOCATION_GID,
    L.RATE_OFFERING_GID,
    L.AUTO_CONSOLIDATION_TYPE
FROM
    ITINERARY ID,
    ITINERARY_DETAIL ITD,
    LEG L
WHERE
    ID.ITINERARY_GID = ITD.ITINERARY_GID
    AND ITD.LEG_GID = L.LEG_GID
    AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
    ID.ITINERARY_XID,
    ITD.SEQUENCE_NO
```

Itinerary Profiles

Perfis de itinerários

7

ITINERARY_PROFILE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  IP.ITINERARY_PROFILE_GID,
  IP.ITINERARY_PROFILE_XID,
  IP.ITINERARY_PROFILE_NAME,
  IP.IS_COMPATIBLE,
  IP.DOMAIN_NAME,
  IPD.ITINERARY_GID,
  IPD.DOMAIN_NAME AS DETAIL_DOMAIN_NAME
FROM ITINERARY_PROFILE IP
JOIN ITINERARY_PROFILE_D IPD
  ON IP.ITINERARY_PROFILE_GID = IPD.ITINERARY_PROFILE_GID
WHERE
  IP.DOMAIN_NAME = 'BAU'
ORDER BY
  IP.ITINERARY_PROFILE_XID,
  IPD.ITINERARY_GID
```

Query de Extração

SQL

```sql
SELECT
  IP.ITINERARY_PROFILE_GID,
  IP.ITINERARY_PROFILE_XID,
  IP.ITINERARY_PROFILE_NAME,
  IP.IS_COMPATIBLE,
  IP.DOMAIN_NAME,
  IPD.ITINERARY_GID,
  IPD.DOMAIN_NAME AS DETAIL_DOMAIN_NAME
FROM ITINERARY_PROFILE IP
JOIN ITINERARY_PROFILE_D IPD
  ON IP.ITINERARY_PROFILE_GID = IPD.ITINERARY_PROFILE_GID
WHERE
  IP.DOMAIN_NAME = 'BAU'
ORDER BY
  IP.ITINERARY_PROFILE_XID,
  IPD.ITINERARY_GID
```

Load Configuration Rules

Regras de configuração de carregamento

8

LOAD_CONFIG_RULE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOAD_CONFIG_SETUP_GID,
  SEQUENCE_NO,
  TRANSPORT_HANDLING_UNIT_GID
FROM
  LOAD_CONFIG_RULE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  LOAD_CONFIG_SETUP_GID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  LOAD_CONFIG_SETUP_GID,
  SEQUENCE_NO,
  TRANSPORT_HANDLING_UNIT_GID
FROM
  LOAD_CONFIG_RULE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  LOAD_CONFIG_SETUP_GID
```

Load Configuration Setup

Configuração de carregamento

9

LOAD_CONFIG_SETUP

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  LCS.DOMAIN_NAME,
  LCS.LOAD_CONFIG_SETUP_GID,
  LCS.LOAD_CONFIG_SETUP_XID,
  LCSO.ORIENTATION_GID,
  LCSO.IS_PREFERRED,
  LCSO.IS_FLOOR_COMPATIBLE,
  LCSO.MAX_TOP_WEIGHT
FROM
  LOAD_CONFIG_SETUP LCS
  JOIN LOAD_CONFIG_SETUP_ORIENTATION LCSO
    ON LCSO.LOAD_CONFIG_SETUP_GID = LCS.LOAD_CONFIG_SETUP_GID
    AND LCSO.DOMAIN_NAME = LCS.DOMAIN_NAME
WHERE
  LCS.DOMAIN_NAME = 'BAU'
ORDER BY
  LCS.LOAD_CONFIG_SETUP_GID,
  LCSO.ORIENTATION_GID
```

Query de Extração

SQL

```sql
SELECT
  LCS.DOMAIN_NAME,
  LCS.LOAD_CONFIG_SETUP_GID,
  LCS.LOAD_CONFIG_SETUP_XID,
  LCSO.ORIENTATION_GID,
  LCSO.IS_PREFERRED,
  LCSO.IS_FLOOR_COMPATIBLE,
  LCSO.MAX_TOP_WEIGHT
FROM
  LOAD_CONFIG_SETUP LCS
  JOIN LOAD_CONFIG_SETUP_ORIENTATION LCSO
    ON LCSO.LOAD_CONFIG_SETUP_GID = LCS.LOAD_CONFIG_SETUP_GID
    AND LCSO.DOMAIN_NAME = LCS.DOMAIN_NAME
WHERE
  LCS.DOMAIN_NAME = 'BAU'
ORDER BY
  LCS.LOAD_CONFIG_SETUP_GID,
  LCSO.ORIENTATION_GID
```

Order Release Types

Tipos de liberação de pedido

10

ORDER_RELEASE_TYPE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_TYPE_GID,
  ORDER_RELEASE_TYPE_XID,
  ORDER_RELEASE_TYPE_NAME
FROM
  ORDER_RELEASE_TYPE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ORDER_RELEASE_TYPE_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_TYPE_GID,
  ORDER_RELEASE_TYPE_XID,
  ORDER_RELEASE_TYPE_NAME
FROM
  ORDER_RELEASE_TYPE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ORDER_RELEASE_TYPE_XID
```

Grupo: Integração

Inclui objetos relacionados a integração e mensageria (templates, perfis XML, web services e sistemas externos) assegurando comunicação entre OTM e sistemas parceiros.

Stylesheet Contents

Conteúdos de folhas de estilo

1

STYLESHEET_CONTENT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

Stylesheet Profiles

Perfis de folhas de estilo

2

STYLESHEET_PROFILE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT ssp.STYLESHEET_PROFILE_GID,
  ssp.STYLESHEET_PROFILE_XID,
  ssp.TEMPLATE_NAME,
  ssp.RAW_XML,
  ssp.FORMAT,
  ssp.SUBJECT_PROPKEY,
  ssp.OUT_XML_PROFILE_GID,
  ssp.DATA_GENERATOR_PLUGIN_GID,
  ssp.NOTIFY_FUNCTION_GID,
  ssp.DOCUMENT_ATTACH_TYPE,
  ssp.DIRECTION,
  ssp.TYPE,
  ssp.IS_FOR_NOTIFICATION_XML,
  ssp.IS_FOR_TRANSMISSION_XML,
  ssp.IS_FOR_MESSAGE_XML,
  ssp.CONTENT_GID,
  ssp.VIEW_CONTENT_GID,
  ssp.EDIT_CONTENT_GID,
  ssp.OTM_RELEASE,
  ssp.DOMAIN_NAME
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
      sc.DOMAIN_NAME = 'BAU'
  )
```

Query de Extração

SQL

```
SELECT ssp.STYLESHEET_PROFILE_GID,
  ssp.STYLESHEET_PROFILE_XID,
  ssp.TEMPLATE_NAME,
  ssp.RAW_XML,
  ssp.FORMAT,
  ssp.SUBJECT_PROPKEY,
  ssp.OUT_XML_PROFILE_GID,
  ssp.DATA_GENERATOR_PLUGIN_GID,
  ssp.NOTIFY_FUNCTION_GID,
  ssp.DOCUMENT_ATTACH_TYPE,
  ssp.DIRECTION,
  ssp.TYPE,
  ssp.IS_FOR_NOTIFICATION_XML,
  ssp.IS_FOR_TRANSMISSION_XML,
  ssp.IS_FOR_MESSAGE_XML,
  ssp.CONTENT_GID,
  ssp.VIEW_CONTENT_GID,
  ssp.EDIT_CONTENT_GID,
  ssp.OTM_RELEASE,
  ssp.DOMAIN_NAME
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
      sc.DOMAIN_NAME = 'BAU'
  )
```

XML Templates

Templates XML para integração

3

XML_TEMPLATE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT xt.DOMAIN_NAME,
  xt.XML_TEMPLATE_GID,
  xt.XML_TEMPLATE_XID,
  xt.USE_DATA,
  xt.DESCRIPTION,
  xt.GLOG_XML_ELEMENT_GID
FROM
  XML_TEMPLATE xt
WHERE
  xt.DOMAIN_NAME = 'BAU'
ORDER BY
  xt.XML_TEMPLATE_XID
```

Query de Extração

SQL

```sql
SELECT xt.DOMAIN_NAME,
  xt.XML_TEMPLATE_GID,
  xt.XML_TEMPLATE_XID,
  xt.USE_DATA,
  xt.DESCRIPTION,
  xt.GLOG_XML_ELEMENT_GID
FROM
  XML_TEMPLATE xt
WHERE
  xt.DOMAIN_NAME = 'BAU'
ORDER BY
  xt.XML_TEMPLATE_XID
```

Outbound XML Profiles

Perfis de XML de saída

4

OUT_XML_PROFILE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT oxp.DOMAIN_NAME,
  oxp.OUT_XML_PROFILE_GID,
  oxp.OUT_XML_PROFILE_XID,
  oxp.DEFAULT_MODE,
  oxp.SHOULD_VALIDATE,
  oxp.XML_TEMPLATE_GID,
  oxp.USE_TEMPLATE,
  oxp.INT_PREFERENCE_GID
FROM
  OUT_XML_PROFILE oxp
WHERE
  oxp.DOMAIN_NAME = 'BAU'
ORDER BY
  oxp.OUT_XML_PROFILE_XID
```

Query de Extração

SQL

```sql
SELECT oxp.DOMAIN_NAME,
  oxp.OUT_XML_PROFILE_GID,
  oxp.OUT_XML_PROFILE_XID,
  oxp.DEFAULT_MODE,
  oxp.SHOULD_VALIDATE,
  oxp.XML_TEMPLATE_GID,
  oxp.USE_TEMPLATE,
  oxp.INT_PREFERENCE_GID
FROM
  OUT_XML_PROFILE oxp
WHERE
  oxp.DOMAIN_NAME = 'BAU'
ORDER BY
  oxp.OUT_XML_PROFILE_XID
```

Document

Documentos do sistema

5

DOCUMENT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT d.DOMAIN_NAME,
  d.DOCUMENT_GID,
  d.DOCUMENT_XID,
  d.DOCUMENT_TYPE,
  d.DOCUMENT_MIME_TYPE,
  d.DOCUMENT_FILENAME,
  d.MARKED_FOR_PURGE,
  d.UPLOADED_AT,
  d.DOCUMENT_CMS_ID,
  d.CONTENT_MANAGEMENT_SYSTEM_GID,
  d.USED_AS
FROM
  DOCUMENT d
WHERE
  d.DOMAIN_NAME = 'BAU'
ORDER BY
  d.DOCUMENT_XID
```

Query de Extração

SQL

```sql
SELECT d.DOMAIN_NAME,
  d.DOCUMENT_GID,
  d.DOCUMENT_XID,
  d.DOCUMENT_TYPE,
  d.DOCUMENT_MIME_TYPE,
  d.DOCUMENT_FILENAME,
  d.MARKED_FOR_PURGE,
  d.UPLOADED_AT,
  d.DOCUMENT_CMS_ID,
  d.CONTENT_MANAGEMENT_SYSTEM_GID,
  d.USED_AS
FROM
  DOCUMENT d
WHERE
  d.DOMAIN_NAME = 'BAU'
ORDER BY
  d.DOCUMENT_XID
```

Webservice

Serviços web para integração

6

WEB_SERVICE

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT ws.DOMAIN_NAME,
  ws.WEB_SERVICE_GID,
  ws.WEB_SERVICE_XID,
  ws.WSDL_DOCUMENT_GID,
  ws.SERVICE_NAME,
  ws.PORT_NAME,
  ws.NAMESPACE,
  ws.SOAP_ENCODING,
  ws.USE_WSS,
  ws.WEB_SERVICE_TYPE
FROM
  WEB_SERVICE ws
WHERE
  ws.DOMAIN_NAME = 'BAU'
ORDER BY
  ws.WEB_SERVICE_XID
```

Query de Extração

SQL

```sql
SELECT ws.DOMAIN_NAME,
  ws.WEB_SERVICE_GID,
  ws.WEB_SERVICE_XID,
  ws.WSDL_DOCUMENT_GID,
  ws.SERVICE_NAME,
  ws.PORT_NAME,
  ws.NAMESPACE,
  ws.SOAP_ENCODING,
  ws.USE_WSS,
  ws.WEB_SERVICE_TYPE
FROM
  WEB_SERVICE ws
WHERE
  ws.DOMAIN_NAME = 'BAU'
ORDER BY
  ws.WEB_SERVICE_XID
```

External Systems

Configuração de sistemas externos

7

EXTERNAL_SYSTEM

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT es.DOMAIN_NAME,
  es.EXTERNAL_SYSTEM_GID,
  es.EXTERNAL_SYSTEM_XID,
  es.DESCRIPTION,
  es.USE_GLCREDENTIAL,
  es.ACTIVE_MODE,
  es.IS_ENABLE_DEBUG,
  es.IS_LOG_RESPONSE_MSG,
  es.REATTEMPT_MODE,
  es.FTP_APPEND_FILE,
  es.HTTP_ACK_EXPECTED,
  es.HTTP_USE_ACK_STATUS,
  es.HTTP_READ_RESPONSE,
  es.SERVICE_ACK_EXPECTED,
  es.SERVICE_USE_ACK_STATUS,
  es.HTTP_CLOSE_CONNECTION,
  es.DELAYED_STREAM_TRANSPORT,
  es.USE_FTPS,
  es.INCLUDE_NAMESPACE,
  es.TARGET_NAMESPACE,
  es.CONTENT_TYPE,
  es.USE_HTTP_POST_OVERRIDE,
  es.HTTP_METHOD,
  es.OTM_RELEASE,
  es.ALLOW_FOLLOW_REDIRECT
FROM
  EXTERNAL_SYSTEM es
WHERE
  es.DOMAIN_NAME = 'BAU'
ORDER BY
  es.EXTERNAL_SYSTEM_XID
```

Query de Extração

SQL

```
SELECT es.DOMAIN_NAME,
  es.EXTERNAL_SYSTEM_GID,
  es.EXTERNAL_SYSTEM_XID,
  es.DESCRIPTION,
  es.USE_GLCREDENTIAL,
  es.ACTIVE_MODE,
  es.IS_ENABLE_DEBUG,
  es.IS_LOG_RESPONSE_MSG,
  es.REATTEMPT_MODE,
  es.FTP_APPEND_FILE,
  es.HTTP_ACK_EXPECTED,
  es.HTTP_USE_ACK_STATUS,
  es.HTTP_READ_RESPONSE,
  es.SERVICE_ACK_EXPECTED,
  es.SERVICE_USE_ACK_STATUS,
  es.HTTP_CLOSE_CONNECTION,
  es.DELAYED_STREAM_TRANSPORT,
  es.USE_FTPS,
  es.INCLUDE_NAMESPACE,
  es.TARGET_NAMESPACE,
  es.CONTENT_TYPE,
  es.USE_HTTP_POST_OVERRIDE,
  es.HTTP_METHOD,
  es.OTM_RELEASE,
  es.ALLOW_FOLLOW_REDIRECT
FROM
  EXTERNAL_SYSTEM es
WHERE
  es.DOMAIN_NAME = 'BAU'
ORDER BY
  es.EXTERNAL_SYSTEM_XID
```

External System Contact

Contatos de sistemas externos

8

EXTERNAL_CONTACT

MIGRATION_PROJECT

ITC

Documentação	`DONE`
Migration Project	`PENDING`
Exportação	`PENDING`
Deploy	`DONE`
Validação	`PENDING`

Conteúdo Técnico

SQL

```sql
SELECT c.CONTACT_GID,
  c.CONTACT_XID,
  c.IS_PRIMARY_CONTACT,
  c.EXTERNAL_SYSTEM_GID,
  c.CONTACT_TYPE,
  c.IS_BROADCAST,
  c.DOMAIN_NAME
FROM
  CONTACT c
WHERE
  c.DOMAIN_NAME = 'BAU'
  AND c.EXTERNAL_SYSTEM_GID IS NOT NULL
ORDER BY
  c.CONTACT_XID
```

Query de Extração

SQL

```sql
SELECT c.CONTACT_GID,
  c.CONTACT_XID,
  c.IS_PRIMARY_CONTACT,
  c.EXTERNAL_SYSTEM_GID,
  c.CONTACT_TYPE,
  c.IS_BROADCAST,
  c.DOMAIN_NAME
FROM
  CONTACT c
WHERE
  c.DOMAIN_NAME = 'BAU'
  AND c.EXTERNAL_SYSTEM_GID IS NOT NULL
ORDER BY
  c.CONTACT_XID
```

Grupo: Governança e UI

Abriga objetos de governança, segurança e experiência do usuário (layouts, ACLs, roles, menus, traduções), garantindo aderência às políticas de acesso e usabilidade.

Manager Layouts

1

MANAGER_LAYOUT

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  ml.DOMAIN_NAME,
  ml.MANAGER_LAYOUT_GID,
  ml.MANAGER_LAYOUT_XID,
  ml.MANAGER_LAYOUT_NAME,
  ml.ENTITY_NAME
FROM
  MANAGER_LAYOUT ml
WHERE
  ml.DOMAIN_NAME = 'BAU'
ORDER BY
  ml.MANAGER_LAYOUT_XID
```

Query de Extração

SQL

```sql
SELECT
  ml.DOMAIN_NAME,
  ml.MANAGER_LAYOUT_GID,
  ml.MANAGER_LAYOUT_XID,
  ml.MANAGER_LAYOUT_NAME,
  ml.ENTITY_NAME
FROM
  MANAGER_LAYOUT ml
WHERE
  ml.DOMAIN_NAME = 'BAU'
ORDER BY
  ml.MANAGER_LAYOUT_XID
```

Finder Sets

Conjuntos de busca e filtros

2

FINDER_SET

MIGRATION_PROJECT

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  fs.DOMAIN_NAME,
  fs.FINDER_SET_XID,
  fs.FINDER_SET_NAME,
  fs.QUERY_TABLE_GID,
  fs.USE_IN_MIGRATION
FROM
  FINDER_SET fs
WHERE
  fs.DOMAIN_NAME = 'BAU'
  AND (
    EXISTS (
      SELECT 1
      FROM USER_MENU_LAYOUT uml
      WHERE uml.DOMAIN_NAME = 'BAU'
        AND uml.USER_MENU_LAYOUT_XML IS NOT NULL
        AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_XML, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
    )
    OR EXISTS (
      SELECT 1
      FROM USER_MENU_LAYOUT uml
      WHERE uml.DOMAIN_NAME = 'BAU'
        AND uml.USER_MENU_LAYOUT_JSON IS NOT NULL
        AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_JSON, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
    )
    OR EXISTS (
      SELECT 1
      FROM DEFAULT_FINDER_SET_ACCESS dfa
      WHERE dfa.DOMAIN_NAME = 'BAU'
        AND dfa.FINDER_SET_GID = fs.FINDER_SET_GID
    )
  )
ORDER BY
  fs.FINDER_SET_XID
```

Query de Extração

SQL

```sql
SELECT
  fs.DOMAIN_NAME,
  fs.FINDER_SET_XID,
  fs.FINDER_SET_NAME,
  fs.QUERY_TABLE_GID,
  fs.USE_IN_MIGRATION
FROM
  FINDER_SET fs
WHERE
  fs.DOMAIN_NAME = 'BAU'
  AND (
    EXISTS (
      SELECT 1
      FROM USER_MENU_LAYOUT uml
      WHERE uml.DOMAIN_NAME = 'BAU'
        AND uml.USER_MENU_LAYOUT_XML IS NOT NULL
        AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_XML, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
    )
    OR EXISTS (
      SELECT 1
      FROM USER_MENU_LAYOUT uml
      WHERE uml.DOMAIN_NAME = 'BAU'
        AND uml.USER_MENU_LAYOUT_JSON IS NOT NULL
        AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_JSON, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
    )
    OR EXISTS (
      SELECT 1
      FROM DEFAULT_FINDER_SET_ACCESS dfa
      WHERE dfa.DOMAIN_NAME = 'BAU'
        AND dfa.FINDER_SET_GID = fs.FINDER_SET_GID
    )
  )
ORDER BY
  fs.FINDER_SET_XID
```

Workbenches

Bancadas de trabalho do OTM

3

TRANSPORTATION_WORKBENCH

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  tw.DOMAIN_NAME,
  tw.LAYOUT_GID,
  tw.LAYOUT_XID,
  tw.DESCRIPTION
FROM
  TRANSPORTATION_WORKBENCH tw
WHERE
  tw.DOMAIN_NAME = 'BAU'
ORDER BY
  tw.LAYOUT_XID
```

Query de Extração

SQL

```sql
SELECT
  tw.DOMAIN_NAME,
  tw.LAYOUT_GID,
  tw.LAYOUT_XID,
  tw.DESCRIPTION
FROM
  TRANSPORTATION_WORKBENCH tw
WHERE
  tw.DOMAIN_NAME = 'BAU'
ORDER BY
  tw.LAYOUT_XID
```

Business Monitors

Monitores de negócio

4

BUSINESS_MONITOR_D

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  BUSINESS_MONITOR_GID,
  SEQUENCE,
  QUERY_TABLE_GID,
  SAVED_QUERY_GID,
  FINDER_SET_GID
FROM
  BUSINESS_MONITOR_D
WHERE
  DOMAIN_NAME = 'BAU'
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  BUSINESS_MONITOR_GID,
  SEQUENCE,
  QUERY_TABLE_GID,
  SAVED_QUERY_GID,
  FINDER_SET_GID
FROM
  BUSINESS_MONITOR_D
WHERE
  DOMAIN_NAME = 'BAU'
```

Access Control Lists (ACL)

Listas de controle de acesso

5

ACR_ROLE

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  URAR.DOMAIN_NAME,
  URAR.USER_ROLE_GID,
  AR.ACR_ROLE_XID,
  URAR.IS_GRANTED
FROM
  ACR_ROLE AR,
  USER_ROLE_ACR_ROLE URAR
WHERE
  AR.ACR_ROLE_GID = URAR.ACR_ROLE_GID
ORDER BY
  URAR.USER_ROLE_GID
```

Query de Extração

SQL

```
SELECT
  URAR.DOMAIN_NAME,
  URAR.USER_ROLE_GID,
  AR.ACR_ROLE_XID,
  URAR.IS_GRANTED
FROM
  ACR_ROLE AR,
  USER_ROLE_ACR_ROLE URAR
WHERE
  AR.ACR_ROLE_GID = URAR.ACR_ROLE_GID
ORDER BY
  URAR.USER_ROLE_GID
```

User Roles

Papéis de usuário

USER_ROLE

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  DOMAIN_NAME,
  USER_ROLE_GID,
  USER_ROLE_XID,
  USER_ROLE_NAME,
  DESCRIPTION,
  ACTIVE_STATUS
FROM
  USER_ROLE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_ROLE_XID
```

Query de Extração

SQL

```sql
SELECT
  DOMAIN_NAME,
  USER_ROLE_GID,
  USER_ROLE_XID,
  USER_ROLE_NAME,
  DESCRIPTION,
  ACTIVE_STATUS
FROM
  USER_ROLE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_ROLE_XID
```

User Menus

Menus de usuário

7

USER_MENU

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  USER_MENU_GID,
  USER_MENU_XID,
  LABEL,
  MENU_TYPE,
  DESCRIPTION
FROM
  USER_MENU
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_MENU_XID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  USER_MENU_GID,
  USER_MENU_XID,
  LABEL,
  MENU_TYPE,
  DESCRIPTION
FROM
  USER_MENU
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_MENU_XID
```

User Preferences

Preferências de usuário

8

USER_PREFERENCE_D

MIGRATION_PROJECT

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
  DOMAIN_NAME,
  USER_PREFERENCE_GID,
  PREFERENCE_GID,
  USER_PREFERENCE_VALUE
FROM
  USER_PREFERENCE_D
ORDER BY
  USER_PREFERENCE_GID
```

Query de Extração

SQL

```
SELECT
  DOMAIN_NAME,
  USER_PREFERENCE_GID,
  PREFERENCE_GID,
  USER_PREFERENCE_VALUE
FROM
  USER_PREFERENCE_D
ORDER BY
  USER_PREFERENCE_GID
```

Translation (Labels)

Traduções e rótulos do sistema

9

TRANSLATION

DB_XML

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT t.DOMAIN_NAME,
  t.TRANSLATION_GID,
  t.TRANSLATION_XID,
  t.TRANSLATION_TYPE,
  td.LANG,
  td.COUNTRY,
  td.VARIANT,
  td.TEXT
FROM
  TRANSLATION t,
  TRANSLATION_D td
WHERE
  t.TRANSLATION_GID = td.TRANSLATION_GID
  AND t.TRANSLATION_GID LIKE '%BAU%'
ORDER BY
  t.TRANSLATION_XID,
  td.LANG,
  td.COUNTRY,
  td.VARIANT
```

Query de Extração

SQL

```sql
SELECT t.DOMAIN_NAME,
  t.TRANSLATION_GID,
  t.TRANSLATION_XID,
  t.TRANSLATION_TYPE,
  td.LANG,
  td.COUNTRY,
  td.VARIANT,
  td.TEXT
FROM
  TRANSLATION t,
  TRANSLATION_D td
WHERE
  t.TRANSLATION_GID = td.TRANSLATION_GID
  AND t.TRANSLATION_GID LIKE '%BAU%'
ORDER BY
  t.TRANSLATION_XID,
  td.LANG,
  td.COUNTRY,
  td.VARIANT
```

Manage User Access

Gerenciamento de acesso de usuário

10

USER_ACCESS

DB_XML

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```sql
SELECT
  ua.DOMAIN_NAME,
  ua.USER_ACCESS_XID,
  ua.GL_USER_GID,
  ua.GL_LEVEL,
  ua.USER_ROLE_GID,
  uma.USER_MENU_LAYOUT_GID,
  upa.USER_PREFERENCE_GID,
  maa.MOBILE_ACTION_GID
FROM
  USER_ACCESS ua
  LEFT JOIN USER_MENU_ACCESS uma ON ua.USER_ACCESS_GID = uma.USER_ACCESS_GID
  LEFT JOIN USER_PREFERENCE_ACCESS upa ON ua.USER_ACCESS_GID = upa.USER_ACCESS_GID
  LEFT JOIN MOBILE_ACTION_ACCESS maa ON ua.USER_ACCESS_GID = maa.USER_ACCESS_GID
WHERE
  ua.DOMAIN_NAME = 'BAU'
ORDER BY
  ua.USER_ACCESS_GID
```

Query de Extração

SQL

```sql
SELECT
  ua.DOMAIN_NAME,
  ua.USER_ACCESS_XID,
  ua.GL_USER_GID,
  ua.GL_LEVEL,
  ua.USER_ROLE_GID,
  uma.USER_MENU_LAYOUT_GID,
  upa.USER_PREFERENCE_GID,
  maa.MOBILE_ACTION_GID
FROM
  USER_ACCESS ua
  LEFT JOIN USER_MENU_ACCESS uma ON ua.USER_ACCESS_GID = uma.USER_ACCESS_GID
  LEFT JOIN USER_PREFERENCE_ACCESS upa ON ua.USER_ACCESS_GID = upa.USER_ACCESS_GID
  LEFT JOIN MOBILE_ACTION_ACCESS maa ON ua.USER_ACCESS_GID = maa.USER_ACCESS_GID
WHERE
  ua.DOMAIN_NAME = 'BAU'
ORDER BY
  ua.USER_ACCESS_GID
```

VPD Profile

Perfil de segurança em nível de dados

11

VPD_PROFILE

DB_XML

ITC

STATUS

Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

Conteúdo Técnico

SQL

```
SELECT
 *
FROM
 VPD_PROFILE
WHERE
 DOMAIN_NAME = 'BAU'
ORDER BY
 VPD_PROFILE_XID
```

Query de Extração

SQL

```
SELECT
 *
FROM
 VPD_PROFILE
WHERE
 DOMAIN_NAME = 'BAU'
ORDER BY
 VPD_PROFILE_XID
```

Relatórios (BI ZIP)

Relatórios e arquivos BI

12

BI_PUBLISHER_FILES

MANUAL

ITC

STATUS

Documentação	PENDING
Migration Project	PENDING
Exportação	PENDING
Deploy	PENDING
Validação	PENDING