

# Projeto de Migração - Configuração OTM Unificada (BR100 + Projeto)

Código	MIG0001
Versão	1.1
Consultor	Diego Ferreira Alves
Ambiente Origem	<a href="https://otmgtm-dev1-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/">https://otmgtm-dev1-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/</a>
Ambiente Destino	<a href="https://otmgtm-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/">https://otmgtm-bauducco.otmgtm.us-phoenix-1.ocs.oraclecloud.com/</a>

## Automação

### Saved Queries

Queries utilizadas por automações, conditions e agents

Sequência	1
Object Type	SAVED_QUERY
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	DONE
Exportação	DONE
Deploy	DONE
Validação	DONE

```
SELECT DOMAIN_NAME,
       SAVED_QUERY_XID,
       USER_QUERY_NAME,
       QUERY_NAME,
       USE_IN_FINDER,
       IS_CONDITION
  FROM SAVED_QUERY
 WHERE DOMAIN_NAME = 'BAU'
   AND SAVED_QUERY_GID NOT LIKE '%TEST%'
   AND SAVED_QUERY_GID NOT LIKE '%TESTE%'
   AND SAVED_QUERY_GID NOT LIKE '%MIG%'
   AND SAVED_QUERY_GID NOT LIKE '%TEMP%'
 ORDER BY DOMAIN_NAME,
          USER_QUERY_NAME,
          SAVED_QUERY_XID
```

### Saved Conditions

Conditions utilizadas por agents e eventos

Sequência	2
Object Type	SAVED_CONDITION
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	

<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT SC.DOMAIN_NAME,
SC.SAVED_CONDITION_XID,
SC.QUERY_NAME,
SC.USER_CONDITION_NAME,
SCQ.SAVED_QUERY_GID,
SC.OTM_RELEASE
FROM
SAVED_CONDITION SC,
SAVED_CONDITION_QUERY SCQ
WHERE
SC.SAVED_CONDITION_GID = SCQ.SAVED_CONDITION_GID
AND SC.DOMAIN_NAME = 'BAU'
AND SC.SAVED_CONDITION_GID NOT LIKE '%TEST%'
AND SC.SAVED_CONDITION_GID NOT LIKE '%TESTE%'
AND SC.SAVED_CONDITION_GID NOT LIKE '%MIG%'
AND SC.SAVED_CONDITION_GID NOT LIKE '%TEMP%'
ORDER BY
SC.DOMAIN_NAME,
SC.SAVED_CONDITION_XID,
SCQ.SAVED_QUERY_GID

```

## Data Type Association

Associações de tipos de dados do sistema

<b>Sequência</b>	3
<b>Object Type</b>	DATA_TYPE_ASSOCIATION
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT
DOMAIN_NAME,
DATA_TYPE_ASSOCIATION_GID,
DATA_TYPE_ASSOCIATION_XID,
IS_PRIMARY,
FROM_DATA_QUERY_TYPE_GID,
TO_DATA_QUERY_TYPE_GID,
ASSOCIATION_QUERY,
JAVA_PLUGIN_GID,
OTM_RELEASE
FROM
DATA_TYPE_ASSOCIATION
WHERE
DOMAIN_NAME = 'BAU'
ORDER BY
DATA_TYPE_ASSOCIATION_XID

```

## Agent Event

## Eventos de agentes do sistema

<b>Sequência</b>	4
<b>Object Type</b>	AGENT_EVENT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT ae.DOMAIN_NAME,
ae.AGENT_EVENT_GID,
ae.AGENT_EVENT_XID,
ae.DATA_QUERY_TYPE_GID,
ae.NOTIFY SUBJECT_GID,
ae.AGENT_EVENT_PARENT,
ae.EVENT_TOPIC_CLASS,
ae.IS_CUSTOM,
ae.IS_LIFETIME_MOD,
ae.DESCRIPTION,
ae.OTM_RELEASE,
aed.AGENT_GID,
a.AGENT_XID,
a.IS_ACTIVE
FROM
AGENT_EVENT ae,
AGENT_EVENT_DETAILS aed,
AGENT a
WHERE
ae.AGENT_EVENT_GID = aed.AGENT_EVENT_GID
AND aed.AGENT_GID = a.AGENT_GID
AND ae.DOMAIN_NAME = 'BAU'
AND a.IS_ACTIVE = 'Y'
ORDER BY
ae.DATA_QUERY_TYPE_GID,
ae.AGENT_EVENT_XID,
a.AGENT_XID

```

## Agents

### Agentes ativos no domínio

<b>Sequência</b>	5
<b>Object Type</b>	AGENT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID

```

## App Actions

Ações de aplicação do OTM

<b>Sequência</b>	6
<b>Object Type</b>	APP_ACTION
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT
  DOMAIN_NAME,
  ACTION_GID,
  ACTION_XID,
  LABEL_KEY,
  DISPLAY_IGNORE_CRITERIA,
  ACTION_DEF_GID,
  APP_ACTION_GID,
  MANAGER_LAYOUT_GID,
  IS_LONG_RUNNING_TASK,
  LRT_INTERRUPTABILITY,
  LRT_INTERRUPT_ON_SQL,
  LRT_OBJECT_COUNT_THRESHOLD,
  OPT_FEATURE_GID,
  OTM_RELEASE,
  RESULT_MESSAGE_TEXT,
  RESULT_AUTOCLOSE_TIMEOUT,
  DEFAULT_LOG_PROFILE_GID,
  INSERT_USER,
  INSERT_DATE,
  UPDATE_USER,
  UPDATE_DATE
FROM
  APP_ACTION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACTION_XID

```

## Actions

Ações gerais do sistema

<b>Sequência</b>	7
<b>Object Type</b>	ACTION
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'

```

## Batch Processes

Processos batch de execução automática

<b>Sequência</b>	8
<b>Object Type</b>	BATCH_PROCESS

<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	DONE
<b>Exportação</b>	DONE
<b>Deploy</b>	DONE
<b>Validação</b>	DONE

```

SELECT
    BP.DOMAIN_NAME,
    BP.BATCH_PROCESS_XID,
    BP.DESCRIPTION,
    BP.IS_ENABLED,
    BPD.SEQUENCE_NO,
    BPD.TOPIC_ALIAS_GID
FROM
    BATCH_PROCESS BP,
    BATCH_PROCESS_D BPD
WHERE
    BP.BATCH_PROCESS_GID = BPD.BATCH_PROCESS_GID
    AND BP.IS_ENABLED = 'Y'
ORDER BY
    BP.DOMAIN_NAME,
    BP.BATCH_PROCESS_XID,
    BPD.SEQUENCE_NO

```

## Configuração

### Domains – Add Domain

Configuração de domínios OTM

<b>Sequência</b>	1
<b>Object Type</b>	DOMAIN
<b>OTM Table</b>	
<b>Deployment Type</b>	MANUAL
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```
SELECT * FROM DOMAIN
```

### Domain Grants

Permissões de domínio

<b>Sequência</b>	2
------------------	---

Object Type	DOMAIN_GRANTS_MADE
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```

SELECT
  GRANTOR_DOMAIN,
  GRANTEE_DOMAIN,
  TABLE_SET,
  IS_WRITE_ACCESS
FROM
  DOMAIN_GRANTS_MADE
ORDER BY
  GRANTOR_DOMAIN

```

## Domain Settings

Configurações de domínio

Sequência	3
Object Type	DOMAIN_SETTING
OTM Table	
Deployment Type	MANUAL
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```

SELECT
  DOMAIN_NAME,
  'Y' AS IS_DEFAULT,
  PLANNING_PARAMETER_SET_GID,
  POSTAL_CODE_VALIDATE_TYPE,
  FUNCTIONAL_CURRENCY_GID
FROM
  DOMAIN_SETTING
ORDER BY
  DOMAIN_NAME

```

## Properties

Propriedades do sistema

Sequência	4
-----------	---

<b>Object Type</b>	PROP_INSTRUCTION
<b>OTM Table</b>	
<b>Deployment Type</b>	MANUAL
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  PROP_SEQUENCE_NUM,
  INSTRUCTION,
  KEY,
  VALUE,
  DESCRIPTION
FROM
  PROP_INSTRUCTION
WHERE
  PROP_INSTRUCTION_SET_GID = 'CUSTOM'
ORDER BY
  PROP_SEQUENCE_NUM

```

## Units of Measure (UOM)

Unidades de medida utilizadas no domínio

<b>Sequência</b>	5
<b>Object Type</b>	UOM
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  TYPE,
  UOM_CODE,
  UOM_SHORT_DESCRIPTION,
  UOM_LONG_DESCRIPTION,
  UOM_RANK,
  IS_STORAGE_DEFAULT,
  IS_DISPLAY_DEFAULT
FROM
  UOM
ORDER BY
  TYPE

```

## Postal Code Components

## Componentes de código postal

<b>Sequência</b>	6
<b>Object Type</b>	HNAME_COMPONENT
<b>OTM Table</b>	
<b>Deployment Type</b>	DB_XML
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```
SELECT * FROM HNAME_COMPONENT ORDER BY HNAME_COMPONENT_XID
```

## Branding

Configuração de marca e identidade visual

<b>Sequência</b>	7
<b>Object Type</b>	BRANDING
<b>OTM Table</b>	
<b>Deployment Type</b>	MANUAL
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

## Business Number

Regras de números de negócio

<b>Sequência</b>	8
<b>Object Type</b>	BN_RULE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING

<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  BN_RULE_XID,
  BN_TYPE_GID,
  BN_GENERATOR_GID,
  RULE_DEFINITION,
  IS_DEFAULT,
  OTM_RELEASE
FROM
  BN_RULE
WHERE
  DOMAIN_NAME = 'BAU'
  AND BN_RULE_XID LIKE '%BAU%'
ORDER BY
  BN_RULE_XID

```

## Reports

Relatórios do sistema

<b>Sequência</b>	9
<b>Object Type</b>	REPORT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  REPORT_GID,
  REPORT_XID,
  REPORT_DISPLAY_NAME,
  REPORT_DESC,
  REPORT_GROUP_GID,
  REPORT_PHYSICAL_NAME,
  SELECT_VIA_UI,
  ADDITIONAL_URL_ARGUMENTS,
  CAN_AUTO_GENERATE,
  SECURITY_LEVEL,
  REPORT_TYPE,
  IS_RPT_MGR_DISPLAY,
  USE_HTML_PARAMFORM,
  DEFAULT_DESFORMAT,
  REPORT_FROM_DB,
  ICON_GID,
  APP_ACTION_GID,
  TRANSACTIONAL_EVENT_GID,
  SEED_DATA,
  USE_PARAMS_AS_BIND,
  THIRD_PARTY_CONTENT_TYPE,
  USE_THIRD_PARTY_DISTRIBUTION,
  IS_CONsolidATED,
  REPORT_SYSTEM_GID,
  REPORT_PATH,
  USE_PARAM_OPERATORS,
  DATA_QUERY_TYPE_GID,
  OTM_RELEASE
FROM
  REPORT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  REPORT_XID

```

## Transport Mode

Modos de transporte

<b>Sequência</b>	10
<b>Object Type</b>	TRANSPORT_MODE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  TRANSPORT_MODE_GID,
  TRANSPORT_MODE_XID,
  TRANSPORT_MODE_NAME,
  TRANSPORT_MODE_QUALIFIER,
  PERFORM_SHIPPING_SPACE_CALC,
  COLOR,
  IS_MASTER_CARR_REFREM_VISIBLE,
  CONDITIONAL_BOOKING_PROF_GID,
  IS_CONSIDER_COST,
  THU_PROFILE_GID,
  MODE_TYPE,
  X12_FORMAT_CODE,
  ALLOW_REPACK
FROM
  TRANSPORT_MODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  TRANSPORT_MODE_XID

```

## BN Named Range

Intervalo nomeado de números de negócio

<b>Sequência</b>	11
<b>Object Type</b>	BN_NAMED_RANGE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  BN_NAMED_RANGE_GID,
  BN_NAMED_RANGE_XID,
  RECYCLING_POLICY,
  USE_BN_CONTEXT
FROM
  BN_NAMED_RANGE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  BN_NAMED_RANGE_XID

```

## Dados Mestres

### Commodities

Cadastro de commodities vinculadas a itens

<b>Sequência</b>	1
<b>Object Type</b>	COMMODITY
<b>OTM Table</b>	

<b>Deployment Type</b>	Migration_Project
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  COMMODITY_GID,
  COMMODITY_XID,
  COMMODITY_NAME,
  COMMODITY_DESCRIPTION,
  REQ_EQPMT_GROUP_PROFILE_GID
FROM
  COMMODITY
WHERE
  DOMAIN_NAME = 'BAU'
  AND COMMODITY_GID IN (
    SELECT COMMODITY_GID FROM ITEM WHERE DOMAIN_NAME = 'BAU' AND COMMODITY_GID IS NOT NULL
  )
ORDER BY COMMODITY_XID

```

## Corporations

Entidades corporativas e empresas

<b>Sequência</b>	2
<b>Object Type</b>	CORPORATION
<b>OTM Table</b>	
<b>Deployment Type</b>	Migration_Project
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  CORPORATION_GID,
  CORPORATION_XID,
  CORPORATION_NAME,
  IS_DOMAIN_MASTER,
  IS SHIPPING AGENTS ACTIVE,
  IS ALLOW HOUSE COLLECT
FROM
  CORPORATION
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  CORPORATION_XID

```

## Ship Unit Specs (THU)

## Especificações de unidades de transporte

<b>Sequência</b>	3
<b>Object Type</b>	SHIP_UNIT_SPEC
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  SHIP_UNIT_SPEC_GID,
  SHIP_UNIT_SPEC_XID,
  SHIP_UNIT_SPEC_NAME,
  LENGTH,
  LENGTH_UOM_CODE,
  WIDTH,
  WIDTH_UOM_CODE,
  HEIGHT,
  HEIGHT_UOM_CODE,
  UNIT_TYPE,
  IS_IN_ON_MAX
FROM
  SHIP_UNIT_SPEC
WHERE
  DOMAIN_NAME = 'BAU'
  AND UNIT_TYPE = 'T'
ORDER BY
  SHIP_UNIT_SPEC_XID

```

## Service Providers

Transportadoras e prestadores de serviço

<b>Sequência</b>	4
<b>Object Type</b>	SERVPROV
<b>OTM Table</b>	
<b>Deployment Type</b>	CSV
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
S.SERVPROV_XID,
S.ALLOW_TENDER,
S.IS_FLEET,
L.LOCATION_NAME,
L.CITY,
L.PROVINCE_CODE,
L.POSTAL_CODE,
L.COUNTRY_CODE3_GID,
L.ZONE4,
L.LAT,
L.LON,
L.DESCRIPTION,
LR.LOCATION_REFNUM_QUAL_GID,
LR.LOCATION_REFNUM_VALUE
FROM
SERVPROV S,
LOCATION L,
LOCATION_REFNUM LR
WHERE
S.SERVPROV_GID = L.LOCATION_GID
AND L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
L.LOCATION_NAME

```

## Locations

Localizações e endereços

<b>Sequência</b>	5
<b>Object Type</b>	LOCATION
<b>OTM Table</b>	
<b>Deployment Type</b>	INTEGRATION
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
L.DOMAIN_NAME,
L.LOCATION_XID,
L.LOCATION_NAME,
L.CITY,
L.PROVINCE_CODE,
L.POSTAL_CODE,
L.COUNTRY_CODE3_GID,
L.ZONE4,
L.LAT,
L.LON,
L.DESCRIPTION,
LR.LOCATION_REFNUM_QUAL_GID,
LR.LOCATION_REFNUM_VALUE
FROM
LOCATION L,
LOCATION_REFNUM LR
WHERE
L.LOCATION_GID = LR.LOCATION_GID
ORDER BY
L.LOCATION_NAME

```

## Contacts

Contatos e informações de pessoas

<b>Sequência</b>	6
<b>Object Type</b>	CONTACT
<b>OTM Table</b>	
<b>Deployment Type</b>	CSV
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
  C.DOMAIN_NAME,
  C.CONTACT_XID,
  C.FIRST_NAME,
  C.LAST_NAME,
  C.EMAIL_ADDRESS,
  C.PHONE1,
  C.LANGUAGE_SPOKEN,
  C.IS_PRIMARY_CONTACT,
  C.CONTACT_TYPE,
  C.LOCATION_GID,
  CCM.COM_METHOD_GID
FROM
  CONTACT C,
  CONTACT_COM_METHOD CCM
WHERE
  C.CONTACT_GID = CCM.CONTACT_GID
ORDER BY
  FIRST_NAME

```

## Equipment Groups

Grupos de equipamentos

<b>Sequência</b>	7
<b>Object Type</b>	EQUIPMENT_GROUP
<b>OTM Table</b>	
<b>Deployment Type</b>	CSV
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
EG.DOMAIN_NAME,
EG.EQUIPMENT_GROUP_XID,
EG.EQUIPMENT_GROUP_NAME,
ROUND(EG.EFFECTIVE_WEIGHT,5) AS EFFECTIVE_WEIGHT,
EG.EFFECTIVE_WEIGHT_UOM_CODE,
ROUND(EG.EFFECTIVE_VOLUME,5) AS EFFECTIVE_VOLUME,
EG.EFFECTIVE_VOLUME_UOM_CODE,
ROUND(EG.WIDTH,5) AS WIDTH,
EG.WIDTH_UOM_CODE,
ROUND(EG.LENGTH,5) AS LENGTH,
EG.LENGTH_UOM_CODE,
ROUND(EG.HEIGHT,5) AS HEIGHT,
EG.HEIGHT_UOM_CODE,
EG.IS_CONTAINER,
EG.ALLOW_LIFO_ONLY
FROM
EQUIPMENT_GROUP EG
WHERE
EG.DOMAIN_NAME = 'BAU'
ORDER BY
EG.EQUIPMENT_GROUP_XID

```

## Items

Itens e produtos

<b>Sequência</b>	8
<b>Object Type</b>	ITEM
<b>OTM Table</b>	
<b>Deployment Type</b>	INTEGRATION
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
ssp.DOMAIN_NAME,
ssp.STYLESHEET_PROFILE_GID,
ssp.STYLESHEET_PROFILE_XID,
ssp.RAW_XML,
ssp.FORMAT,
ssp.SUBJECT_PROPKEY,
ssp.OUT_XML_PROFILE_GID,
ssp.DOCUMENT_ATTACH_TYPE,
ssp.DIRECTION,
ssp.TYPE,
ssp.IS_FOR_NOTIFICATION_XML,
ssp.IS_FOR_TRANSMISSION_XML,
ssp.IS_FOR_MESSAGE_XML,
ssp.CONTENT_GID,
ssp.OTM_RELEASE
FROM
STYLESHEET_PROFILE ssp
WHERE
ssp.CONTENT_GID IN (
  SELECT
    sc.STYLESHEET_CONTENT_GID
  FROM
    STYLESHEET_CONTENT sc
  WHERE
    sc.DOMAIN_NAME = 'BAU'
)

```

## Packaged Items

## Itens embalados

<b>Sequência</b>	9
<b>Object Type</b>	PACKAGED_ITEM
<b>OTM Table</b>	
<b>Deployment Type</b>	INTEGRATION
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```
SELECT xt.DOMAIN_NAME,
       xt.XML_TEMPLATE_GID,
       xt.XML_TEMPLATE_XID,
       xt.USE_DATA,
       xt.DESCRIPTION,
       xt.GLOG_XML_ELEMENT_GID
  FROM XML_TEMPLATE xt
 WHERE xt.DOMAIN_NAME = 'BAU'
 ORDER BY xt.XML_TEMPLATE_XID
```

## Contact Groups

### Grupos de contatos

<b>Sequência</b>	10
<b>Object Type</b>	CONTACT_GROUP
<b>OTM Table</b>	
<b>Deployment Type</b>	CSV
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```
SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
  FROM
  STYLESHEET_CONTENT
 WHERE
  DOMAIN_NAME = 'BAU'
 ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID
```

## Extensão e Qualificadores

### Location Refnum Qualifier

Qualificador de número de referência de localização

Sequência	1
Object Type	LOCATION_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```
SELECT
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID,
  LOCATION_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  LOCATION_REFNUM_QUAL
WHERE LOCATION_REFNUM_QUAL_GID IN (SELECT LOCATION_REFNUM_QUAL_GID FROM LOCATION_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOCATION_REFNUM_QUAL_XID
```

### Order Release Refnum Qualifier

Qualificador de número de referência de liberação de pedido

Sequência	2
Object Type	ORDER_RELEASE_REFNUM_QUAL
OTM Table	
Deployment Type	MIGRATION_PROJECT
Responsável	ITC
Tipo de Migração	
Documentação	DONE
Migration Project	PENDING
Exportação	PENDING
Deploy	DONE
Validação	PENDING

```

SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID,
  ORDER_RELEASE_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_REFNUM_QUAL
WHERE ORDER_RELEASE_REFNUM_QUAL_GID IN (SELECT ORDER_RELEASE_REFNUM_QUAL_GID FROM ORDER_RELEASE
  AND DOMAIN_NAME = 'BAU')
ORDER BY
  DOMAIN_NAME,
  ORDER_RELEASE_REFNUM_QUAL_XID

```

## Order Release Line Refnum Qualifier

Qualificador de número de referência de linha de liberação

<b>Sequência</b>	3
<b>Object Type</b>	ORDER_RELEASE_LINE_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID,
  DESCRIPTION,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  OR_LINE_REFNUM_SEQUENCE_Nº,
  UPDATE_FLAG
FROM
  ORDER_RELEASE_LINE_REFNUM_QUAL
WHERE OR_LINE_REFNUM_QUAL_GID IN (SELECT OR_LINE_REFNUM_QUAL_GID FROM ORDER_RELEASE_LINE_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  OR_LINE_REFNUM_QUAL_XID

```

## Packaged Item Refnum Qualifier

Qualificador de número de referência de item embalado

<b>Sequência</b>	4
<b>Object Type</b>	PACKAGED_ITEM_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	

<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID,
  PACKAGED_ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  PACKAGED_ITEM_REFNUM_QUAL
WHERE PACKAGED_ITEM_REFNUM_QUAL_GID IN (SELECT PACKAGED_ITEM_REFNUM_QUAL_GID FROM PACKAGED_ITEM_F
  AND DOMAIN_NAME = 'BAU')
ORDER BY
  DOMAIN_NAME,
  PACKAGED_ITEM_REFNUM_QUAL_XID

```

## Item Refnum Qualifier

Qualificador de número de referência de item

<b>Sequência</b>	5
<b>Object Type</b>	ITEM_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID,
  ITEM_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  UPDATE_FLAG
FROM
  ITEM_REFNUM_QUAL
WHERE ITEM_REFNUM_QUAL_GID IN (SELECT ITEM_REFNUM_QUAL_GID FROM ITEM_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  ITEM_REFNUM_QUAL_XID

```

## Shipment Refnum Qualifier

Qualificador de número de referência de remessa

<b>Sequência</b>	6
<b>Object Type</b>	SHIPMENT_REFNUM_QUAL

OTM Table	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
DOMAIN_NAME,
SHIPMENT_REFNUM_QUAL_XID,
SHIPMENT_REFNUM_QUAL_DESC,
IS_VISIBLE_IF_MASTER_CARR,
UPDATE_FLAG
FROM
SHIPMENT_REFNUM_QUAL
WHERE SHIPMENT_REFNUM_QUAL_GID IN (SELECT SHIPMENT_REFNUM_QUAL_GID FROM SHIPMENT_REFNUM)
AND DOMAIN_NAME = 'BAU'
ORDER BY
DOMAIN_NAME,
SHIPMENT_REFNUM_QUAL_XID

```

## Shipment Stop Refnum Qualifier

Qualificador de número de referência de parada de remessa

<b>Sequência</b>	7
<b>Object Type</b>	SHIPMENT_STOP_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
DOMAIN_NAME,
SHIPMENT_STOP_REFNUM_QUAL_XID,
SHIPMENT_STOP_REFNUM_QUAL_DESC,
IS_VISIBLE_IF_MASTER_CARR,
UPDATE_FLAG
FROM
SHIPMENT_STOP_REFNUM_QUAL
WHERE SHIPMENT_STOP_REFNUM_QUAL_GID IN (SELECT SHIPMENT_STOP_REFNUM_QUAL_GID FROM SHIPMENT_STOP_F
AND DOMAIN_NAME = 'BAU')
ORDER BY
DOMAIN_NAME,
SHIPMENT_STOP_REFNUM_QUAL_XID

```

## Rate Geo Refnum Qualifier

Qualificador de número de referência de taxa geográfica

<b>Sequência</b>	8
<b>Object Type</b>	RATE_GEO_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```
SELECT
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID,
  RATE_GEO_REFNUM_QUAL_DESC,
  IS_VISIBLE_IF_MASTER_CARR,
  DEFAULT_REFNUM_BN_TYPE_GID,
  UPDATE_FLAG
FROM
  RATE_GEO_REFNUM_QUAL
WHERE RATE_GEO_REFNUM_QUAL_GID IN (SELECT RATE_GEO_REFNUM_QUAL_GID FROM RATE_GEO_REFNUM)
  AND DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  RATE_GEO_REFNUM_QUAL_XID
```

## Order Movement Refnum Qualifier

Qualificador de número de referência de movimento de pedido

<b>Sequência</b>	9
<b>Object Type</b>	OM_REFNUM_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT DOMAIN_NAME,
OM_REFNUM_QUAL_GID,
OM_REFNUM_QUAL_DESC,
UPDATE_FLAG
FROM
OM_REFNUM_QUAL
WHERE OM_REFNUM_QUAL_GID IN (SELECT OM_REFNUM_QUAL_GID FROM ORDER_MOVEMENT_REFNUM)
AND DOMAIN_NAME = 'BAU'
ORDER BY
DOMAIN_NAME,
OM_REFNUM_QUAL_XID

```

## Status Types and Values

Tipos e valores de status do sistema

<b>Sequência</b>	10
<b>Object Type</b>	STATUS_TYPE
<b>OTM Table</b>	
<b>Deployment Type</b>	Migration_Project
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
st.DOMAIN_NAME,
st.STATUS_TYPE_GID,
st.STATUS_TYPE_XID,
st.OBJECT_TYPE,
st.DESCRIPTION AS STATUS_TYPE_DESCRIPTION,
st.SEQUENCE AS STATUS_TYPE_SEQUENCE,
st.IS_EXTERNAL,
sv.STATUS_VALUE_XID,
sv.DESCRIPTION AS STATUS_VALUE_DESCRIPTION,
sv.SEQUENCE AS STATUS_VALUE_SEQUENCE,
sv.INITIAL_VALUE
FROM
STATUS_VALUE sv,
STATUS_TYPE st
WHERE
sv.STATUS_TYPE_GID = st.STATUS_TYPE_GID
AND st.IS_EXTERNAL = 'Y'
AND (
EXISTS (
SELECT 1
FROM SHIPMENT_STATUS ss
WHERE ss.STATUS_TYPE_GID = st.STATUS_TYPE_GID
AND ss.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
)
OR EXISTS (
SELECT 1
FROM ORDER_RELEASE_STATUS ors
WHERE ors.STATUS_TYPE_GID = st.STATUS_TYPE_GID
AND ors.UPDATE_DATE >= TO_DATE('02/01/2026','DD/MM/YYYY')
)
)
ORDER BY
st.DOMAIN_NAME,
st.OBJECT_TYPE,
st.STATUS_TYPE_GID,
sv.SEQUENCE

```

## Remarks Qualifiers

## Qualificadores de observações

<b>Sequência</b>	11
<b>Object Type</b>	REMARK_QUAL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT rq.DOMAIN_NAME,
rq.REMARK_QUAL_GID,
rq.REMARK_QUAL_XID,
rq.REMARK_QUAL_DESC,
rq.REMARK_LEVEL,
rq.IS_VISIBLE_IF_MASTER_CARR,
rq.UPDATE_FLAG,
rq.TEXT_TEMPLATE_GID,
rq.QUAL_TYPE,
rq.DATA_QUERY_TYPE_GID
FROM
REMARK_QUAL rq
WHERE
rq.DOMAIN_NAME = 'BAU'
ORDER BY
rq.DATA_QUERY_TYPE_GID,
rq.REMARK_QUAL_XID

```

## Planejamento

---

### Audit Trail

Trilha de auditoria do sistema

<b>Sequência</b>	1
<b>Object Type</b>	AUDIT_TRAIL
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  c.DOMAIN_NAME AS CONTACT_DOMAIN_NAME,
  c.CONTACT_GID,
  c.CONTACT_XID,
  c.CONTACT_TYPE,
  c.IS_PRIMARY_CONTACT,
  ccm.COM_METHOD_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY SUBJECT_GID,
  nsc.CONsolidated_NOTIFY_ONLY,
  nsc.PARAMETERS
FROM
  CONTACT c
  LEFT JOIN CONTACT_COM_METHOD ccm ON ccm.CONTACT_GID = c.CONTACT_GID
  LEFT JOIN NOTIFY SUBJECT_CONTACT nsc ON nsc.CONTACT_GID = c.CONTACT_GID AND nsc.COM_METHOD_GID = ccm.CO
WHERE
  c.DOMAIN_NAME = 'BAU'
  AND
  c.CONTACT_GID = 'BAU.AUD'
ORDER BY
  c.CONTACT_GID,
  ccm.COM_METHOD_RANK,
  nsc.NOTIFY SUBJECT_GID

```

## Logic Configs

Configurações de lógica de planejamento

<b>Sequência</b>	2
<b>Object Type</b>	LOGIC_PARAMETER
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID,
  LOGIC_SCENARIO_GID,
  PARAM_VALUE,
  PARAM_UOM_CODE
FROM
  LOGIC_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  LOGIC_CONFIG_GID,
  LOGIC_PARAM_QUAL_GID

```

## Parameter Sets

Conjuntos de parâmetros de planejamento

<b>Sequência</b>	3
<b>Object Type</b>	PLANNING_PARAMETER

<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID,
  PLANNING_PARAM_VALUE
FROM
  PLANNING_PARAMETER
WHERE
  DOMAIN_NAME = 'BAU'
  AND PLANNING_PARAMETER_SET_GID IN ('BAU.BAU_PARAMETER_OV', 'BAU.BAU_PARAMETER')
ORDER BY
  DOMAIN_NAME,
  PLANNING_PARAMETER_SET_GID,
  PLANNING_PARAM_QUALIFIER_GID

```

## Accessory Codes

Códigos de serviços acessórios

<b>Sequência</b>	4
<b>Object Type</b>	ACCESSORIAL_CODE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  ACCESSORIAL_CODE_XID,
  ACCESSORIAL_DESC,
  APPLY_GLOBALLY,
  IS_FLOW_THRU
FROM
  ACCESSORIAL_CODE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ACCESSORIAL_CODE_XID

```

## Itinerary Leg

## Trechos de itinerário

<b>Sequência</b>	5
<b>Object Type</b>	LEG
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
    L.LEG_GID,
    L.LEG_NAME,
    ID.ITINERARY_GID
FROM
    ITINERARY ID,
    ITINERARY_DETAIL ITD,
    LEG L
WHERE
    ID.ITINERARY_GID = ITD.ITINERARY_GID
    AND ITD.LEG_GID = L.LEG_GID
    AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
    ID.ITINERARY_XID,
    ITD.SEQUENCE_NO

```

## Itineraries

### Itinerários de transporte

<b>Sequência</b>	6
<b>Object Type</b>	ITINERARY
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
    ID.DOMAIN_NAME,
    ID.ITINERARY_GID,
    ID.ITINERARY_XID,
    ITD.LEG_GID,
    ITD.SEQUENCE_NO,
    L.LEG_NAME,
    L.LEG_TYPE,
    L.EQUIPMENT_GROUP_PROFILE_GID,
    L.MODE_PROFILE_GID,
    L.DEST_LOCATION_GID,
    L.RATE_OFFERING_GID,
    L.AUTO_CONSOLIDATION_TYPE
FROM
    ITINERARY ID,
    ITINERARY_DETAIL ITD,
    LEG L
WHERE
    ID.ITINERARY_GID = ITD.ITINERARY_GID
    AND ITD.LEG_GID = L.LEG_GID
    AND ID.DOMAIN_NAME = 'BAU'
ORDER BY
    ID.ITINERARY_XID,
    ITD.SEQUENCE_NO

```

## Itinerary Profiles

Perfis de itinerários

<b>Sequência</b>	7
<b>Object Type</b>	ITINERARY_PROFILE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
    IP.ITINERARY_PROFILE_GID,
    IP.ITINERARY_PROFILE_XID,
    IP.ITINERARY_PROFILE_NAME,
    IP.IS_COMPATIBLE,
    IP.DOMAIN_NAME,
    IPD.ITINERARY_GID,
    IPD.DOMAIN_NAME AS DETAIL_DOMAIN_NAME
FROM ITINERARY_PROFILE IP
JOIN ITINERARY_PROFILE_D IPD
    ON IP.ITINERARY_PROFILE_GID = IPD.ITINERARY_PROFILE_GID
WHERE
    IP.DOMAIN_NAME = 'BAU'
ORDER BY
    IP.ITINERARY_PROFILE_XID,
    IPD.ITINERARY_GID

```

## Load Configuration Rules

Regras de configuração de carregamento

<b>Sequência</b>	8
<b>Object Type</b>	LOAD_CONFIG_RULE

OTM Table	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  LOAD_CONFIG_SETUP_GID,
  SEQUENCE_NO,
  TRANSPORT_HANDLING_UNIT_GID
FROM
  LOAD_CONFIG_RULE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  LOAD_CONFIG_SETUP_GID

```

## Load Configuration Setup

Configuração de carregamento

<b>Sequência</b>	9
<b>Object Type</b>	LOAD_CONFIG_SETUP
OTM Table	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  LCS.DOMAIN_NAME,
  LCS.LOAD_CONFIG_SETUP_GID,
  LCS.LOAD_CONFIG_SETUP_XID,
  LCSO.ORIENTATION_GID,
  LCSO.IS_PREFERRED,
  LCSO.IS_FLOOR_COMPATIBLE,
  LCSO.MAX_TOP_WEIGHT
FROM
  LOAD_CONFIG_SETUP LCS
JOIN LOAD_CONFIG_SETUP_ORIENTATION LCSO
  ON LCSO.LOAD_CONFIG_SETUP_GID = LCS.LOAD_CONFIG_SETUP_GID
  AND LCSO.DOMAIN_NAME = LCS.DOMAIN_NAME
WHERE
  LCS.DOMAIN_NAME = 'BAU'
ORDER BY
  LCS.LOAD_CONFIG_SETUP_GID,
  LCSO.ORIENTATION_GID

```

## Order Release Types

Tipos de liberação de pedido

<b>Sequência</b>	10
<b>Object Type</b>	ORDER_RELEASE_TYPE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```
SELECT
  DOMAIN_NAME,
  ORDER_RELEASE_TYPE_GID,
  ORDER_RELEASE_TYPE_XID,
  ORDER_RELEASE_TYPE_NAME
FROM
  ORDER_RELEASE_TYPE
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  ORDER_RELEASE_TYPE_XID
```

## Integração

### Stylesheet Contents

Conteúdos de folhas de estilo

<b>Sequência</b>	1
<b>Object Type</b>	STYLESHEET_CONTENT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  STYLESHEET_CONTENT_GID,
  STYLESHEET_CONTENT_XID,
  USED_FOR_VIEW,
  USED_FOR_EDIT,
  MEDIA_TYPE
FROM
  STYLESHEET_CONTENT
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  DOMAIN_NAME,
  STYLESHEET_CONTENT_XID

```

## Stylesheet Profiles

Perfis de folhas de estilo

<b>Sequência</b>	2
<b>Object Type</b>	STYLESHEET_PROFILE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT ssp.STYLESHEET_PROFILE_GID,
  ssp.STYLESHEET_PROFILE_XID,
  ssp.TEMPLATE_NAME,
  ssp.RAW_XML,
  ssp.FORMAT,
  ssp.SUBJECT_PROPKEY,
  ssp.OUT_XML_PROFILE_GID,
  ssp.DATA_GENERATOR_PLUGIN_GID,
  ssp.NOTIFY_FUNCTION_GID,
  ssp.DOCUMENT_ATTACH_TYPE,
  ssp DIRECTION,
  ssp.TYPE,
  ssp.IS_FOR_NOTIFICATION_XML,
  ssp.IS_FOR_TRANSMISSION_XML,
  ssp.IS_FOR_MESSAGE_XML,
  ssp.CONTENT_GID,
  ssp.VIEW_CONTENT_GID,
  ssp.EDIT_CONTENT_GID,
  ssp.OTM_RELEASE,
  ssp.DOMAIN_NAME
FROM
  STYLESHEET_PROFILE ssp
WHERE
  ssp.CONTENT_GID IN (
    SELECT
      sc.STYLESHEET_CONTENT_GID
    FROM
      STYLESHEET_CONTENT sc
    WHERE
      sc.DOMAIN_NAME = 'BAU'
  )

```

## XML Templates

Templates XML para integração

<b>Sequência</b>	3
<b>Object Type</b>	XML_TEMPLATE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT xt.DOMAIN_NAME,
       xt.XML_TEMPLATE_GID,
       xt.XML_TEMPLATE_XID,
       xt.USE_DATA,
       xt.DESCRIPTION,
       xt.GLOG_XML_ELEMENT_GID
  FROM XML_TEMPLATE xt
 WHERE xt.DOMAIN_NAME = 'BAU'
 ORDER BY xt.XML_TEMPLATE_XID
  
```

## Outbound XML Profiles

Perfis de XML de saída

<b>Sequência</b>	4
<b>Object Type</b>	OUT_XML_PROFILE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT oxp.DOMAIN_NAME,
       oxp.OUT_XML_PROFILE_GID,
       oxp.OUT_XML_PROFILE_XID,
       oxp.DEFAULT_MODE,
       oxp.SHOULD_VALIDATE,
       oxp.XML_TEMPLATE_GID,
       oxp.USE_TEMPLATE,
       oxp.INT_PREFERENCE_GID
  FROM OUT_XML_PROFILE oxp
 WHERE oxp.DOMAIN_NAME = 'BAU'
 ORDER BY oxp.OUT_XML_PROFILE_XID
  
```

## Document

Documentos do sistema

<b>Sequência</b>	5
<b>Object Type</b>	DOCUMENT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```
SELECT d.DOMAIN_NAME,
d.DOCUMENT_GID,
d.DOCUMENT_XID,
d.DOCUMENT_TYPE,
d.DOCUMENT_MIME_TYPE,
d.DOCUMENT_FILENAME,
d.MARKED_FOR_PURGE,
d.UPLOADED_AT,
d.DOCUMENT_CMS_ID,
d.CONTENT_MANAGEMENT_SYSTEM_GID,
d.USED_AS
FROM
DOCUMENT d
WHERE
d.DOMAIN_NAME = 'BAU'
ORDER BY
d.DOCUMENT_XID
```

## Webservice

Serviços web para integração

<b>Sequência</b>	6
<b>Object Type</b>	WEB_SERVICE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT ws.DOMAIN_NAME,
ws.WEB_SERVICE_GID,
ws.WEB_SERVICE_XID,
ws.WSDL_DOCUMENT_GID,
ws.SERVICE_NAME,
ws.PORT_NAME,
ws.NAMESPACE,
ws.SOAP_ENCODING,
ws.USE_WSS,
ws.WEB_SERVICE_TYPE
FROM
WEB_SERVICE ws
WHERE
ws.DOMAIN_NAME = 'BAU'
ORDER BY
ws.WEB_SERVICE_XID

```

## External Systems

Configuração de sistemas externos

<b>Sequência</b>	7
<b>Object Type</b>	EXTERNAL_SYSTEM
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT es.DOMAIN_NAME,
es.EXTERNAL_SYSTEM_GID,
es.EXTERNAL_SYSTEM_XID,
es.DESCRIPTION,
es.USE_GLCREDENTIAL,
es.ACTIVE_MODE,
es.IS_ENABLE_DEBUG,
es.IS_LOG_RESPONSE_MSG,
es.REATTEMPT_MODE,
es.FTP_APPEND_FILE,
es.HTTP_ACK_EXPECTED,
es.HTTP_USE_ACK_STATUS,
es.HTTP_READ_RESPONSE,
es.SERVICE_ACK_EXPECTED,
es.SERVICE_USE_ACK_STATUS,
es.HTTP_CLOSE_CONNECTION,
es.DELAYED_STREAM_TRANSPORT,
es.USE_FTPS,
es.INCLUDE_NAMESPACE,
es.TARGET_NAMESPACE,
es.CONTENT_TYPE,
es.USE_HTTP_POST_OVERRIDE,
es.HTTP_METHOD,
es.OTM_RELEASE,
es.ALLOW_FOLLOW_REDIRECT
FROM
EXTERNAL_SYSTEM es
WHERE
es.DOMAIN_NAME = 'BAU'
ORDER BY
es.EXTERNAL_SYSTEM_XID

```

## External System Contact

## Contatos de sistemas externos

<b>Sequência</b>	8
<b>Object Type</b>	EXTERNAL_CONTACT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT c.CONTACT_GID,
       c.CONTACT_XID,
       c.IS_PRIMARY_CONTACT,
       c.EXTERNAL_SYSTEM_GID,
       c.CONTACT_TYPE,
       c.IS_BROADCAST,
       c.DOMAIN_NAME
  FROM
    CONTACT c
 WHERE
   c.DOMAIN_NAME = 'BAU'
   AND c.EXTERNAL_SYSTEM_GID IS NOT NULL
 ORDER BY
   c.CONTACT_XID
  
```

## Governança e UI

### Manager Layouts

Layouts de gerenciamento do OTM

<b>Sequência</b>	1
<b>Object Type</b>	MANAGER_LAYOUT
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
    ml.DOMAIN_NAME,
    ml.MANAGER_LAYOUT_GID,
    ml.MANAGER_LAYOUT_XID,
    ml.MANAGER_LAYOUT_NAME,
    ml.ENTITY_NAME
FROM
    MANAGER_LAYOUT ml
WHERE
    ml.DOMAIN_NAME = 'BAU'
ORDER BY
    ml.MANAGER_LAYOUT_XID

```

## Finder Sets

Conjuntos de busca e filtros

<b>Sequência</b>	2
<b>Object Type</b>	FINDER_SET
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
    fs.DOMAIN_NAME,
    fs.FINDER_SET_XID,
    fs.FINDER_SET_NAME,
    fs.QUERY_TABLE_GID,
    fs.USE_IN_MIGRATION
FROM
    FINDER_SET fs
WHERE
    fs.DOMAIN_NAME = 'BAU'
    AND (
        EXISTS (
            SELECT 1
            FROM USER_MENU_LAYOUT uml
            WHERE uml.DOMAIN_NAME = 'BAU'
                AND uml.USER_MENU_LAYOUT_XML IS NOT NULL
                AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_XML, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
        )
        OR EXISTS (
            SELECT 1
            FROM USER_MENU_LAYOUT uml
            WHERE uml.DOMAIN_NAME = 'BAU'
                AND uml.USER_MENU_LAYOUT_JSON IS NOT NULL
                AND DBMS_LOB.INSTR(uml.USER_MENU_LAYOUT_JSON, 'finder_set_gid=' || fs.FINDER_SET_GID, 1, 1) > 0
        )
        OR EXISTS (
            SELECT 1
            FROM DEFAULT_FINDER_SET_ACCESS dfa
            WHERE dfa.DOMAIN_NAME = 'BAU'
                AND dfa.FINDER_SET_GID = fs.FINDER_SET_GID
        )
    )
ORDER BY
    fs.FINDER_SET_XID

```

## Workbenches

Bancadas de trabalho do OTM

<b>Sequência</b>	3
<b>Object Type</b>	TRANSPORTATION_WORKBENCH
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
tw.DOMAIN_NAME,
tw.LAYOUT_GID,
tw.LAYOUT_XID,
tw.DESCRIPTION
FROM
TRANSPORTATION_WORKBENCH tw
WHERE
tw.DOMAIN_NAME = 'BAU'
ORDER BY
tw.LAYOUT_XID

```

## Business Monitors

Monitores de negócio

<b>Sequência</b>	4
<b>Object Type</b>	BUSINESS_MONITOR_D
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
DOMAIN_NAME,
BUSINESS_MONITOR_GID,
SEQUENCE,
QUERY_TABLE_GID,
SAVED_QUERY_GID,
FINDER_SET_GID
FROM
BUSINESS_MONITOR_D
WHERE
DOMAIN_NAME = 'BAU'

```

## Access Control Lists (ACL)

## Listas de controle de acesso

<b>Sequência</b>	5
<b>Object Type</b>	ACR_ROLE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
    URAR.DOMAIN_NAME,
    URAR.USER_ROLE_GID,
    AR.ACR_ROLE_XID,
    URAR.IS_GRANTED
FROM
    ACR_ROLE AR,
    USER_ROLE_ACR_ROLE URAR
WHERE
    AR.ACR_ROLE_GID = URAR.ACR_ROLE_GID
ORDER BY
    URAR.USER_ROLE_GID

```

## User Roles

### Papéis de usuário

<b>Sequência</b>	6
<b>Object Type</b>	USER_ROLE
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
    DOMAIN_NAME,
    USER_ROLE_GID,
    USER_ROLE_XID,
    USER_ROLE_NAME,
    DESCRIPTION,
    ACTIVE_STATUS
FROM
    USER_ROLE
WHERE
    DOMAIN_NAME = 'BAU'
ORDER BY
    USER_ROLE_XID

```

## User Menus

Menus de usuário

<b>Sequência</b>	7
<b>Object Type</b>	USER_MENU
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```
SELECT
  DOMAIN_NAME,
  USER_MENU_GID,
  USER_MENU_XID,
  LABEL,
  MENU_TYPE,
  DESCRIPTION
FROM
  USER_MENU
WHERE
  DOMAIN_NAME = 'BAU'
ORDER BY
  USER_MENU_XID
```

## User Preferences

Preferências de usuário

<b>Sequência</b>	8
<b>Object Type</b>	USER_PREFERENCE_D
<b>OTM Table</b>	
<b>Deployment Type</b>	MIGRATION_PROJECT
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING

```

SELECT
  DOMAIN_NAME,
  USER_PREFERENCE_GID,
  PREFERENCE_GID,
  USER_PREFERENCE_VALUE
FROM
  USER_PREFERENCE_D
ORDER BY
  USER_PREFERENCE_GID

```

## Translation (Labels)

Traduções e rótulos do sistema

<b>Sequência</b>	9
<b>Object Type</b>	TRANSLATION
<b>OTM Table</b>	
<b>Deployment Type</b>	DB_XML
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT t.DOMAIN_NAME,
  t.TRANSLATION_GID,
  t.TRANSLATION_XID,
  t.TRANSLATION_TYPE,
  td.LANG,
  td.COUNTRY,
  td.VARIANT,
  td.TEXT
FROM
  TRANSLATION t,
  TRANSLATION_D td
WHERE
  t.TRANSLATION_GID = td.TRANSLATION_GID
  AND t.TRANSLATION_GID LIKE '%BAU%'
ORDER BY
  t.TRANSLATION_XID,
  td.LANG,
  td.COUNTRY,
  td.VARIANT

```

## Manage User Access

Gerenciamento de acesso de usuário

<b>Sequência</b>	10
<b>Object Type</b>	USER_ACCESS
<b>OTM Table</b>	
<b>Deployment Type</b>	DB_XML
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE

<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
ua.DOMAIN_NAME,
ua.USER_ACCESS_XID,
ua.GL_USER_GID,
ua.GL_LEVEL,
ua.USER_ROLE_GID,
uma.USER_MENU_LAYOUT_GID,
upa.USER_PREFERENCE_GID,
maa.MOBILE_ACTION_GID
FROM
USER_ACCESS ua
LEFT JOIN USER_MENU_ACCESS uma ON ua.USER_ACCESS_GID = uma.USER_ACCESS_GID
LEFT JOIN USER_PREFERENCE_ACCESS upa ON ua.USER_ACCESS_GID = upa.USER_ACCESS_GID
LEFT JOIN MOBILE_ACTION_ACCESS maa ON ua.USER_ACCESS_GID = maa.USER_ACCESS_GID
WHERE
ua.DOMAIN_NAME = 'BAU'
ORDER BY
ua.USER_ACCESS_GID

```

## VPD Profile

Perfil de segurança em nível de dados

<b>Sequência</b>	11
<b>Object Type</b>	VPD_PROFILE
<b>OTM Table</b>	
<b>Deployment Type</b>	DB_XML
<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	DONE
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	DONE
<b>Validação</b>	PENDING

```

SELECT
*
FROM
VPD_PROFILE
WHERE
DOMAIN_NAME = 'BAU'
ORDER BY
VPD_PROFILE_XID

```

## Relatórios (BI ZIP)

Relatórios e arquivos BI

<b>Sequência</b>	12
<b>Object Type</b>	BI_PUBLISHER_FILES
<b>OTM Table</b>	
<b>Deployment Type</b>	MANUAL

<b>Responsável</b>	ITC
<b>Tipo de Migração</b>	
<b>Documentação</b>	PENDING
<b>Migration Project</b>	PENDING
<b>Exportação</b>	PENDING
<b>Deploy</b>	PENDING
<b>Validação</b>	PENDING