


webexone²⁵

Join the conversation!

Scan the QR code to be added to
the Webex space for Q&A and
more





webexone²⁵

Exploring the Possibilities of Webex APIs

Integrations, Bots, Service Apps, and More!

29 September 2025

Adam Weeks, Phil Bellanti, and Diego Manuel Jimenez Moreno

Contents

01 Webex APIs

Introduction to Webex APIs

02 Integrations

Overview of Integrations and OAuth

03 Bots

Webex Bots and Adaptive Cards

04 Service Apps

Service Apps and Webhooks

05 Embedded Apps

Overview of Embedded Apps

06 Use Cases

Exploring the combination of APIs, Bots and Service Apps in different scenarios.

07 Troubleshooting

Troubleshooting with Webex APIs


01

Introduction to Webex APIs

APIs

What is an API?

- **API** = Application Programming Interface
- A set of rules and tools that lets different software applications communicate and work together
- Enables integration, automation, and sharing of features between systems



Why Are APIs Important?

- **Facilitate Integration:** Seamlessly connect internal and external systems
- **Enhance Functionality:** Extend the capabilities of existing applications and access third-party features
- **Improve Efficiency:** Automate repetitive tasks and reduce development time and costs
- **Promote Innovation:** Encourage new applications and services, foster collaboration, and enable rapid adaptation to business needs
- **Support Scalability & Flexibility:** Easily scale solutions and adapt to changing requirements

Webex APIs

The Webex APIs connect your applications directly to the Cisco Webex Platform, enabling you to:

- **Create spaces** and invite people to collaborate
- **Search for people** in your organization
- **Post messages** and automate conversations in any Webex space
- **Retrieve conversation history** or receive real-time notifications for new activity
- **Control Cisco Devices** with commands
- ...and much more!



<https://developer.webex.com/calling/docs/getting-started>

Popular Webex APIs

Meetings

Meeting Chats
Meeting Closed
Captions
Meeting Invitees
Meeting Messages
Meeting Participants
Meeting Polls
Meeting Preferences
Meeting Q and A
Meeting Qualities
Meeting Transcripts
Meetings Summary
Report People
Recording Report
Recordings
Session Types
Tracking Codes
Video Mesh
Webhooks
...and more

Messaging

Attachment Actions
Events
Memberships
Messages
People
Room Tabs
Rooms
Team Memberships
Teams
Tracking Codes
Webhooks
...and more

Calling

Call Controls
Call Routing
Call Settings for Me
Calling Service Settings
Conference Controls
Converged Recordings
Device Settings
DECT Device Settings
Detailed Call History
Emergency Service Settings
Features
Locations
Numbers
People
PSTN
Recording Report
Video Mesh
Detailed Call History
Organization Settings
Person Settings
Voice Messaging
Workspace Settings
Webhooks
...and more

Admin & Compliance

Admin Audit Events
Authorizations
Events
Groups
Historical Analytics
Licenses
Locations
Meeting Qualities
Organizations
Partner Management
Partner Tags
Recording Report
Recordings
Reports
Resource Group
Memberships
Resource Groups
Roles
Security Audit Events
Session Types
Space Classifications
...and more

API Tools




API Exploration & Testing

- **Postman** and **Bruno**: Industry-standard tools for sending API requests and seeing responses.
- **developer.webex.com** – For documentation, code samples, and interactive API explorer.
- **cURL**: Command-line requests & scripting

Development: Apps, Bots & Automation

- **Programming Languages**: Python, JavaScript (Node.js), etc.—the foundation for app/bot development.
- **SDKs/Libraries**: These are the accelerators inside those languages for easier API usage.



Webex APIs Workspace Collections



Brand New BETA Postman Workspace

- 🚀 **Instant Start:** Fork a collection (like "Webex Messaging") and make calls in minutes.
- 🔑 **Simplified Auth:** Set your bearer token once, use it everywhere.
- ⚡ **Build Faster:** Chain requests for complex workflows, generate code snippets.
- 📖 **Always Current:** Powered by OpenAPI for up-to-date API definitions.
- 🤝 **Collaborate:** Share environments & tests with your team.

<https://postman.com/webexdev/webex-public-workspace-beta>

Setup & Lab 1 Activities


- 1 Preparing our workstation
- 2 Make an API call from the Webex Developer Portal
- 3 Explore the Postman Workspace
- 4 Use the Postman Messaging Collection
- 5 Make an API request with cURL

<http://cs.co/lab-2801>

02 Integrations

Webex Integrations

- Application that acts on behalf of a Webex user to enhance their Webex experience.
- Utilizes Webex APIs for automation.
- Users are presented with a consent page that lists the permissions the integration needs to work in Webex.



HTTP Basic Auth

User gives the application a user id and password

API request contains a header field in the form of


Authorization: Basic <credentials>

<credentials> is a Base64 encoding of ID and password joined by a single colon ":"

The screenshot shows the 'Step 1 Find Friends' section of the Facebook interface. At the top, there are three steps: 'Step 1 Find Friends' (active), 'Step 2 Profile Information', and 'Step 3 Profile Picture'. Below the steps, the heading 'Are your friends already on Facebook?' is followed by the text: 'Many of your friends may already be here. Searching your email account is the fastest way to find your friends on Facebook.' The main form is for Gmail, with fields for 'Your Email:' and 'Email Password:', and a 'Find Friends' button. A note states 'Facebook will not store your password.' Below the Gmail section, there are links to 'Find Friends' for Yahoo!, Windows Live Hotmail, and Other Email Service.

facebook.com ~2010

OAuth 2.0



Security is
delegated to
HTTPS/TLS

Simpler
implementation
for developers

Centered in
bearer tokens
(RFC6750)

More usable
with non-web
clients

OAuth 2.0 : Getting Started



Your Application



OAuth 2.0 : Getting Started



<https://developer.webex.com/>

Your Application

A screenshot of the 'New Integration' form in the Webex Developer portal. The form is titled 'New Integration' and includes several sections: 'Will this integration use a mobile SDK?' with radio buttons for 'No' (selected) and 'Yes'; 'Integration name' with a text input field containing 'e.g. My App'; 'Icon' with a section for uploading a custom icon or selecting from three default Webex icons (yellow, pink, and green); and 'Description' with a text area for providing details about the integration. The top of the page shows the 'webex for Developers' header with navigation links for Documentation, Blog, Support, and Resources, along with a search bar and a user profile icon.

OAuth 2.0 : Getting Started

webex for Developers

Documentation Blog Support Resources

Search

J

OAuth settings

Learn more about authentication in the [Apps & OAuth Guide](#).

Client ID

C75f2e7449fca7397c9e37e7edd21a062e05

[Copy](#)

Client Secret

[Regenerate the client secret](#)

OAuth Authorization URL

You can use the URL below to initiate an OAuth permission request for this app. It is configured with your redirect URI and app scopes. Be sure to update the state parameter.

```
https://webexapis.com/v1/authorize?
client_id=C75f2e7449fca7397c9e37e7edd21a062e
05929b52973356f9e03c02ce48bb6f2&response_ty
pe=code&redirect_uri=http%3A%2F%2F127.0.0.1%
3A5000%2Fcallback&scope=spark%3Akms%20spar
k%3Apeople_read&state=set_state_here
```

Integration ID

Unique system generated

Y2lzY29zcGFyYXovL3VzL0FQUEXJQ0FUSU9C

[Copy](#)



Authorization Endpoint



Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Getting Started

Application User



Your Application



Authorization Endpoint




Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



1. User visits your application



Authorization Endpoint



Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



2. Application redirects user to Auth server with Client ID, copy of Redirect URI, and Integration scopes in the request parameters.



Authorization Endpoint



Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



3. Auth Server redirect user to the Redirect URI with "code" in the request parameter.



Authorization Endpoint




Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



CLICK BUTTON TO GET LIST OF ROOMS

PEOPLE API

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



4. Application requests access and refresh tokens in exchange for the Client ID, Client Secret, Code, and Redirect URI.



Authorization Endpoint




Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



5. Access Token Endpoint responds to request with JSON formatted access and refresh token.



Authorization Endpoint



Access Token Endpoint



RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



```
{  
  "access_token": "ZDI3MGEyYzQtNmFlNS00NDNhLWF1NzAtZGVj",  
  "expires_in": 1209600, //seconds  
  "refresh_token": "MDEyMzQ1Njc4OTAxMjM0NTY3ODkwMTIzNDU",  
  "refresh_token_expires_in": 7776000 //seconds  
}
```


Authorization Endpoint


Access Token Endpoint


RESTful API / Webex User Data

OAuth 2.0 : Authorization Code Flow



Application User



Your Application



6. Application can use the access token to access Webex user data.



Authorization Endpoint



Access Token Endpoint



RESTful API / Webex User Data

Lab 2 Activities

- 1 Create an Integration on Webex Developer Portal
- 2 Make a manual authorization code flow call via API
- 3 Setup Integration with Postman
- 4 Make API requests with token from Integration


03 Bots

Bots

Give Webex users access to outside services right from their Webex spaces. Bots help users automate tasks, bring external content into the discussion, and gain efficiencies.

Types of bots:

- Notifiers
- Controllers
- Assistants



Congratulations! 🎉

WebexOne2025 is one step closer to becoming a reality.

WebexOne2025

👉 **Next Step:** Use your Bot Access Token to set up your webhook and finish building your bot.

Bot access token
Non-expiring (good for 100 years)
access token for your bot. Save this token to set up your webhook.

MzE2NDAxODctYWRIOS00ZTc1LWFiZTltNzgZyZVhMzMzNTc5ZGRjNTMzMz

Tip: Save this token!
It won't be shown again (but you can regenerate a new one if needed).

Copy Token

Each bot is identified and authenticated using its unique **bot access token**.

<https://developer.webex.com/messaging/docs/bots>



Webex Messaging APIs for Bots

● GET
 ● POST
 ● PUT
 ● DELETE

/People	/Rooms	/Memberships (room)	/Messages	/Webhooks	/Teams	/Team Memberships
List People	List Rooms	List Membership	List Messages	List Webhooks	List Teams	List Team Membership
	Create a Room	Create a Membership	Create a Message	Create a Webhook	Create a Team	Create a Team Membership
Get Person Details	Get Room Details	Get Membership Details	Get Message Details	Get Webhook Details	Get Team Details	Get Team Membership Details
	Update a Room	Update a Membership	Edit a Message	Update a Webhook	Update a Team	Update a Team Membership
	Delete a Room	Delete a Membership	Delete a Message	Delete a Webhook	Delete a Team	Delete a Team Membership
Get My Details						

Messages

Messages are how you communicate in a room. In Webex, each message appears with its own timestamp and sender information. Bots can use the Messages API to list, create, update, or delete messages, enabling automated notifications, updates, and direct interactions with users.



<https://developer.webex.com/messaging/docs/api/v1/messages>

People

People are registered users of Webex. Webex bots can list people in your organization using the List People API. Regular users can search for people by email or display name, while admin users can list all users in the organization and access additional information.

Response: 200

Data	Info
<pre>{ "notFoundIds": null, "items": [{ "id": "Y2lzY29zcGFyazovL3VzL1BFT1BMRS83NM80c", "emails": ["cholland@cb136.dc-03.com"], "displayName": "Charles Holland", "nickName": "Charles", "firstName": "Charles", "lastName": "Holland", "avatar": "https://avatar-prod-us-west-2.webex.com/avatar/Y2lzY29zcGFyazovL3VzL1BFT1BMRS83NM80c/100", "orgId": "Y2lzY29zcGFyazovL3VzL1BFT1BMRS83NM80c", "created": "2025-09-13T16:38:16.626Z", "lastModified": "2025-09-13T16:57:20.014Z", "status": "unknown", "type": "person" }] }</pre>	Copy

People

List People

Operation Id: List_People

Description: List people in your organization. For most users, either the `email` or `displayName` parameter is required. Admin users can omit these fields and list all users in their organization.

Response properties associated with a user's presence status, such as `status` or `lastActivity`, will only be returned for people within your organization or an organization you manage. Presence information will not be returned if the authenticated user has `disabled status sharing`. Calling `/people` frequently to poll `status` information for a large set of users will quickly lead to `429` errors and throttling of such requests and is therefore discouraged.

Admin users can include `Webex Calling` (BroadCloud) user details in the response by specifying `callingData` parameter as `true`. Admin users can list all users in a location or with a specific phone number. Admin users will receive an enriched payload with additional administrative fields like `licenses`, `roles`, `locations` etc. These fields are shown when accessing a user via `GET /people/{id}`, not when doing a `GET /people?id=`

Lookup by `email` is only supported for people within the same org or where a partner admin relationship is in place.

Lookup by `roles` is only supported for Admin users for the people within the same org.

Long result sets will be split into [pages](#).

GET /people

Configuration

Version 1

Parameters

Code Snippets

GET /people

Query Params

☐ email

john.andersen@example.com

☒ displayName

Charles Holland

☐ id

Y2lzY29zcGFyazovL3VzL1BFT1

☐ orgId

Y2lzY29zcGFyazovL3VzL09SR0

☐ roles

Y2lzY29zcGFyazovL3VzL1JPTE

☐ callingData

true

☐ locationId

Y2lzY29zcGFyazovL3VzL0xPQ0

☐ max

100

☐ excludeStatus

true

+ Add Query Parameters

Headers

<https://developer.webex.com/messaging/docs/api/v1/people>


Rooms & Memberships

Rooms are virtual spaces where people collaborate and share messages. The Rooms API lets you create, update, or delete rooms, and set properties like the title or whether a room is public. To create a team room, include a teamId in your request.

<https://developer.webex.com/messaging/docs/api/v1/rooms>

Memberships define the relationship between a person and a room. With the Memberships API, you can list, add, or remove members, and assign moderator roles. You must be a member of a room to manage its memberships.

<https://developer.webex.com/messaging/docs/api/v1/memberships>




WebexPythonSDK

A community-supported Python library that simplifies building applications and bots by providing easy access to Webex APIs for messaging, meetings, and device management.

```
1 from webexpythonsdk import WebexAPI
2
3 BOT_TOKEN = "bot_token"
4 PERSON_EMAIL = "cholland@domain"
5 MESSAGE_TEXT = "Hello! I am testing my new bot."
6
7
8 def send_teams_message(message):
9     webex = WebexAPI(BOT_TOKEN)
10    webex.messages.create(toPersonEmail=PERSON_EMAIL, markdown=message)
11
12
13 send_teams_message(MESSAGE_TEXT)
```

<https://webexcommunity.github.io/WebexPythonSDK/>



Parameters

Code Snippets

Curl

Python

Nodejs

```
import requests

url = "https://webexapis.com/v1/messages"

payload = '{}{}'

headers = {
    "Authorization": "Bearer N2FkOWQwZmQ0tNjJlZC00YjJkLTk5OQ",
    "Content-Type": "application/json",
    "Accept": "application/json"
}


response = requests.request('POST', url, headers=headers, data=payload)

print(response.text.encode('utf8'))
```

Adaptive Cards

An Adaptive Card is a flexible, platform-agnostic UI component that allows Webex bots to send rich, interactive content—such as forms, buttons, images, and structured information—directly into Webex chat spaces. Adaptive Cards allow you to:


- Collect user input directly within the chat (forms, selections, buttons)
- Trigger actions from user responses (e.g., approvals, feedback, workflows)
- Present structured data in a visually organized way
- Enhance user engagement with images, buttons, and interactive elements
- Provide consistent UI across different platforms and devices



<https://developer.webex.com/messaging/docs/buttons-and-cards>

Adaptive Cards Designer

You can design and experiment with Buttons and Cards in our interactive Buttons and Cards Designer.



<https://developer.webex.com/buttons-and-cards-designer>

Adaptive Cards

Adaptive Cards are sent as attachments in the message payload.

```
from webexpythonsdk import WebexAPI

BOT_TOKEN = "bot_token"
PERSON_EMAIL = "cholland@domain"

card = {...}

def send_teams_message(card):
    webex = WebexAPI(BOT_TOKEN)
    webex.messages.create(toPersonEmail=PERSON_EMAIL, text="", attachments=[card])

send_teams_message(card)
```

WebexOne2025 ☆

Messages

Profile

Content

Meetings

+ Apps



WebexOne2025 21:01

Webex App

Buttons and Cards Release

Release Date: Aug 6, 2019

Product: Webex

OS: Mac, Windows, Web

We're making it easier for you to interact with bots and integrations in Webex. When your bot sends information in a space that includes a card with buttons, you can now easily interact with it.

Buttons and Cards Resources:



Developer Portal Buttons and Cards Guide

Subscribe to Release Notes

Seen by




<https://developer.webex.com/buttons-and-cards-designer>

Webhooks

Use webhooks to notify your apps when specific activities occur in Webex.

A webhook is an HTTP callback, or an HTTP POST, to a specified URL that notifies your app when a particular activity or “event” has occurred in one of your resources on the Webex platform.

The benefit of using webhooks is that they allow your application to receive real-time data from Webex, so you can keep up with the state of your resources (i.e. rooms, messages, memberships, etc.).



<https://developer.webex.com/messaging/docs/api/guides/webhooks>

Webhooks Alternatives

Webhooks require a publicly accessible URL to send notifications. When you are working on your local machine, to address this, tools like ngrok or Localtunnel can be used to expose local servers to the internet:

- Ngrok
- Localtunnel

ngrok



Another option is to use websockets to receive incoming messages, which removes the need for a public IP or webhook tunneling. There are Node.js examples that can use this approach:

- <https://github.com/WebexCommunity/webex-node-bot-framework>
- <https://github.com/WebexSamples/webex-bot-starter>

There is also a Python library called **webex_bot** that uses websockets to receive incoming messages, eliminating the need for a public IP or incoming webhooks.

webex_bot Library


The webex_bot library is an open-source project that provides a simple yet powerful framework for building bots on the Webex platform using Python. It streamlines bot development by handling Webex messaging, command parsing, and event processing. Key features include:

- Use simple decorators to define bot commands
- Supports Adaptive Cards and file attachments
- Add extra features with plugins
- Handles messages, memberships, and file uploads

https://github.com/fbradyirl/webex_bot

Lab 3 Activities

- 1 Create you own Webex Bot in developer.webex.com.
- 2 Send a message to yourself using WebexPythonSDK.
(List People and Create a Message)
- 3 Create a Room and add yourself using WebexPythonSDK.
(Create a Room and Create a Membership)
- 4 Design and send your own Adaptive Card.
- 5 Work with `webex_bot` code examples.



04 Service Apps

Webex Service Apps

Machine accounts that operate on behalf of an org, independent of specific Webex user accounts.

Designed for your most critical and sensitive Webex integrations.

Underpinned by the OAuth 2.0 protocol for access tokens, mostly abstracted in a GUI experience



The screenshot shows the 'webex Control Hub' interface. The left sidebar contains navigation links: 'Return to Partner Hub', 'Overview', 'Getting Started Guide', 'Alerts center', 'MONITORING' (Analytics, Troubleshooting, Reports), 'MANAGEMENT' (Users, Groups, Locations, Workspaces, Devices, Apps, Account, Organization Settings), and 'SERVICES' (Updates & Migrations, Messaging, Meeting, JP's Org). The main content area is titled 'Apps' and has tabs for 'General', 'Integrations', 'Bots', 'Embedded Apps', 'Assistant Skills', and 'Service Apps'. A search bar 'Search by ID' is present. Below is a table of service apps.

App Name	Developer	Authorizer	Auth Date
SA Meetings Scheduler Authorized	my newest display name	adminaudit adminaudit	Apr 19, 2023, 2:39:35 PM
SA My demo service app Authorized	Konrad Ralf Schifflert the 12th	adminaudit adminaudit	Mar 6, 2023, 3:18:17 PM
SA My Demo Service App 2 Authorized	Konrad Ralf Schifflert the 12th	adminaudit adminaudit	Mar 6, 2023, 3:24:34 PM
SA My Demo Service App 3	Konrad Ralf Schifflert the 12th		
SA Nikolaus 4	my newest display name		
SA Product Vault Meetings Provisioner ...	my newest display name	adminaudit adminaudit	Apr 10, 2023, 8:11:07 AM
SA pvtest Authorized	my newest display name	adminaudit adminaudit	Apr 10, 2023, 7:41:52 AM
SA Service App Nikolaus 2	my newest display name		
SA Service App Nikolaus 7 Authorized	my newest display name	adminaudit adminaudit	Apr 3, 2023, 2:39:30 PM

Webex Service Apps Developer Guide

Build

Using Webex Service Apps

Decouple your most important business processes from individual user life cycles.

Service apps enable you to request admin permission to use Webex REST APIs, reducing dependence on a single user's authorization and mitigating any associated risks to your app. Instead, the actor for the API calls is a powerful machine account provisioned in the customer's org, ensuring your business automation flows will continue to run smoothly.

Service App Creation:
Developer Flow

Service App Creation:
Admin Flow

- Complete instructions for setup and testing
- Includes both the administrator and developer perspectives
- Sample app available on public GitHub

developer.webex.com/docs/service-apps

Webex Developer Sandbox

Provides administrator (*Control Hub*) access to a licensed Webex org

Free to all developers!

Create & test:

- Webex Embedded Apps
- Integrations that require Admin and Compliance APIs
- Webex Messaging bots and integrations in locked (moderated) spaces.

developer.webex.com/create/docs/developer-sandbox-guide



Lab 4 Activities

1. Create a **Service App** in Webex.
2. Request admin authorization to allow the Service App and observe the admin tasks in Control Hub.
3. Retrieve an access and refresh token to be used in a sample Service App.
4. Configure a sample Python-based Service App with the access and refresh token.
5. Run the sample Service App to schedule a meeting on behalf of a test user.
6. Verify the scheduled meeting in Webex.



Service App Authorization Webhook Event

POST webexapis.com/v1/webhooks

resource: **serviceApp**

event: **authorized** (or **deauthorized**)



```
{
  "id": "jY3LTk5NDgtNTU0ZDIxNTM2MDlk",
  "name": "Test Service App Auth",
  "targetUrl": "https://example.com/146b5ceb-2a37",
  "resource": "serviceApp",
  "event": "authorized",
  "orgId": "TQ00GMtYTU2YS1iMDVhNzA1ZDcwYjQ",
  "createdBy": "0zZmViLTQzY2YtOWVmZi05YjA0MDZkZjFkOTY",
  "appId": "NTIyMjcxDI50TQ4NDhjNjk2YWMwYTEwN2Q2YTg5MjI3",
  "ownedBy": "creator",
  "status": "active",
  "created": "2024-05-08T16:15:41.296Z",
  "actorId": "jZkMi1iZTkxLTRlMTUtY03NGQ4NU1ZmE",
  "data": {
    "id": "zczYmQ3ZmUyNzQ5YjFkM2VmN2MzNGYyMzk1",
    "friendlyId": "user-20-test",
    "authorizerId": "LTRlMTUtYjk2YS03NGQ4NWYxNjU1ZmE",
    "authorizerOrgId": "YxLTQ00GMtYTU2YS1iMDVhNzA1ZDcwYjQ",
    "authorizationDate": "2024-05-08T16:16:35.491Z",
    "scopes": [
      "spark:kms",
      "meeting:admin_schedule_write"
    ],
    "trainSiteNames": [
      "clgmaiyaq.webex.com"
    ],
    "adminTrainSiteNames": [
      "clgmaiyaq.webex.com"
    ]
  }
}
```

Inspect Webhook Payload

resource: **serviceApp**

event: **deauthorized**

targetUrl:(from webhook.site)

```
{
  "id": "jY3LTk5NDgtNTU0ZDIxNTM2MDlk",
  "name": "Test Service App Auth",
  "targetUrl": "https://example.com/146b5ceb-2a37",
  "resource": "serviceApp",
  "event": "authorized",
  "orgId": "TQ00GMtYTU2YS1iMDVhNzA1ZDcwYjQ",
  "createdBy": "0zZmViLTQzY2YtOWVmZi05YjA0MDZkZjFkOTY",
  "appId": "NTIyMjcxDI50TQ4NDhjNjk2YWwYTEwN2Q2YTg5MjI3",
  "ownedBy": "creator",
  "status": "active",
  "created": "2024-05-08T16:15:41.296Z",
  "actorId": "jZkMi1iZTkxLTRlMTUtY03NGQ4NU1ZmE",
  "data": {
    "id": "zczYmQ3ZmUyNzQ5YjFkM2VmN2MzNGYyMzk1",
    "friendlyId": "user-20-test",
    "authorizerId": "LTRlMTUtYjk2YS03NGQ4NWYxNjU1ZmE",
    "authorizerOrgId": "YxLTQ00GMtYTU2YS1iMDVhNzA1ZDcwYjQ",
    "authorizationDate": "2024-05-08T16:16:35.491Z",
    "scopes": [
      "spark:kms",
      "meeting:admin_schedule_write"
    ],
    "trainSiteNames": [
      "clgmaiyaq.webex.com"
    ],
    "adminTrainSiteNames": [
      "clgmaiyaq.webex.com"
    ]
  }
}
```

developer.webex.com/docs/api/v1/webhooks/create-a-webhook

05

Embedded app


Webex Embedded Apps

In-Meeting




Can pop out
& back into
apps panel

Sidebar




Launches from
Sidebar

In-Space



All members
can control
functions for
the shared app

Calling Sidebar




Caller
information and
screen pops





Analyze and Monitor your Webex Calling environment with **MoYoBi**, a business intelligence tool for companies to optimize and monitor their Webex communications

- Generate dashboards & reports that are tailored to their specific needs and requirements.
- Track key metrics such as call volume, call duration, and call cost.
- Call analytics and AA/CQ Monitoring can be performed using a variety of dashboards & reports.



Webex Embedded App Framework



```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8" />
5     <meta name="viewport" content="width=device-width" />
6     <title>HOST - Embedded Apps Kitchen Sink</title>
7     <link
8       rel="stylesheet"
9       href="https://cdn.jsdelivr.net/npm/water.css@2/out/water.css"
10    />
11     <!-- Import the app's stylesheet -->
12     <link rel="stylesheet" href="./style.css" />
13     <script
14       src="https://binaries.webex.com/static-content-pipeline/webex-embedded-app/v1/webex-embedded-app-sdk.js"
15       defer
16     ></script>
17     <script src="./utils.js" defer></script>
18     <script src="./loginWithWebex.js" defer></script>
19     <!-- Import the app's javascript file -->
20     <script src="./index.js" defer></script>
21   </head>
22
23   <body>
24     <div>
25       <h2>Embedded App Kitchen Sink</h2>
26       <div>
27         <p>
28           This sample application shows how to utilize the Webex Embedded App
```


developer.webex.com/create/docs/embedded-apps

Webex Embedded App Framework : PII


(Personally Identifiable Information)




Email



Org Id




User Info



Meeting
Info





Message &
Space Info



User Id

Webex Embedded Apps- private or public



Available only to the users in their Org

IT Admin reviews and approves the app

Bring your custom apps into meetings and space: Ex Expense Management


Available to all Cisco customers

Webex team reviews and approves

Published on Webex App Hub

06 Use Cases

Webex App Hub



Explore at: <https://apphub.webex.com/>

SignStudio – AI Sign Language Translation



For 70 million Deaf people worldwide, most digital content remains inaccessible. With sign language their preferred language and human interpreters scarce, meaningful inclusion has so far been out of reach for businesses.

What is SignStudio?

SignStudio is an AI-powered sign language translation platform, created by Signapse.

Choose AI translations for fast, scalable sign language.

Opt for expert human translators if you need sector-specific expertise.

Upload video, text or audio content and receive a signed translation, ready to share.


Value to Customer:

Lower cost and faster turnaround time than traditional translation.


Content can be made accessible to Deaf customers in their native language.

Helps businesses grow their customer base, meet accessibility standards, and demonstrate true inclusion.

Future-ready: additional features coming soon, including real-time AI translation.



1. Feedback Bot



Develop an assistant bot that allows only permitted users to collect feedback from all users in the organization.

Requirements:

1. Only allow permitted users to access the bot's feedback functionality.
2. Provide access through the default card to send a feedback request to all users in the organization.
3. Present an Adaptive Card with a text input box for the user to enter the feedback request message.
4. Collect responses from recipients and send a confirmation or error notification to the requesting user after feedback is submitted.

Pagination

Pagination is a technique for dividing large sets of data into smaller, more manageable pages. For example, in the Webex API, when retrieving people from a large organization, the results can be returned in limited batches. Your app can then request additional pages as needed, improving both performance and user experience.

Note: When using WebexPythonSDK, pagination is handled automatically—you do not need to implement it yourself.

```
C:\Users\cholland\PycharmProjects\Bot\.venv\Scripts\python.exe C:\Users\cholland\PycharmProjects\Bot\message.py
Printing first 2 people:
Name: Anita Perez, Email: ['aperez@cb102.dc-03.com']
Name: Charles Holland, Email: ['cholland@cb102.dc-03.com']
Printing next 2 people:
Name: Eric Steele, Email: ['esteele@cb102.dc-03.com']
Name: Kellie Melby, Email: ['kmelby@cb102.dc-03.com']


Process finished with exit code 0
```

```
C:\Users\cholland\PycharmProjects\Bot\.venv\Scripts\python.exe C:\Users\cholland\PycharmProjects\Bot\message.py
{'next': {'url': 'https://webexapis.com/v1/people?max=2&cursor=b6ltaXQ9MiZzd6FydEluZGV4PTM', 'rel': 'next'}}

Process finished with exit code 0
```

<https://developer.webex.com/docs/basics#pagination>

2. Provision a device



Create an interactive Webex bot that enables end-users to auto-provision their new phones by submitting the device's MAC address. The bot will guide the user through the process using an Adaptive Card and interact with backend services to complete the provisioning.

Requirements:

1. Validate that the MAC address provided by the user follows the correct format (AABBCCDDEEFF).
2. Present an Adaptive Card to the user with:
 1. An input field for the MAC address.
 2. A choice set (dropdown) for selecting the phone model, with the following pre-defined options:
 - DMS Cisco 8851
 - DMS Cisco 8861
 - DMS Cisco 8865
3. Use the submitted data (MAC address and selected phone model) to initiate device provisioning through the backend or relevant API.
4. Notify the user in Webex of the provisioning result (success or error).

07 Troubleshooting

Webex Status API

The Webex status API lets you programmatically access comprehensive data on the status of Webex services.

- Status summary
- Complete status rollup
- Status page components
- Unresolved incidents
- 50 most recent incidents
- Upcoming scheduled
- Active scheduled maintenance
- 50 most recent scheduled maintenances

Webex Status API Documentation and functionality

Basics

The following documentation is provided to let users of the Webex status page programmatically access various elements on the page.


1. [Summary](#)
2. [Status](#)
3. [Components](#)
4. [Incidents](#)
 - [Unresolved-incidents](#)
 - [All-incidents](#)
5. [Scheduled-Maintenances](#)
 - [Upcoming-scheduled-maintenances](#)
 - [Active-scheduled-maintenances](#)
 - [All-scheduled-maintenances](#)

<https://developer.webex.com/calling/docs/webex-status-api>

Troubleshooting APIs

Webex provides a range of APIs to support troubleshooting, auditing, and operational visibility across your organization. These endpoints allow you to track activity, investigate incidents, and generate reports for compliance and analysis:

- **Audit:** Review admin activities and configuration changes.
- **Compliance Events:** Monitor message and room events as a compliance officer.
- **Reports:** Generate and download usage and activity reports.
- **Calling:** Retrieve call history and quality metrics.
- **Meetings:** Get statistics and details about scheduled and completed meetings.



Pro Pack

Pro Pack for Control Hub add-on service provides your administrators, information security professionals, and compliance officers with advanced functionality in security, compliance, and analytics that can integrate with your software.


Difference Between Standard and Pro Pack Services		
	Standard	Pro Pack
Security		
Hybrid Data Security on-premises key management		Yes
Custom security settings		Yes
Compliance		
eDiscovery search and extraction tool	90 days of data available	Unlimited data available
Events API	90 days of data available	Unlimited data available
Retention policy	360 days of data available	Flexible retention policy from 1 to 10 years
Legal Hold		Yes
Analytics		
Reports	90 days of data available	Up to 13 months of data available
Authentication activities		Yes
Report with drill-down and discovery	Yes	Yes More detailed drill-down available for participants.
Real-time meeting diagnostics	Yes	Yes

<https://help.webex.com/en-us/article/np3c1rm/Pro-Pack-For-Control-Hub>

Webex API Troubleshooting Guide

Learn how to...


- Diagnose problems
- Engage Developer Support
- Collect browser, SDK, and device logs



<https://developer.webex.com/explore/docs/api/guides/troubleshooting>

Lab 7 Activities

1. Check general Webex Status
2. Check different Audit events
3. Create reports and download them
4. Check Events as a Compliance Officer
5. Get Call History and statistics
6. Check Meeting statistics





webexone²⁵

webexone²⁵

Share your experience!

Scan the QR code for the
post-session survey

