



Bookmarks

- ▶ [Unit 0: Overview](#)
- ▶ [Entrance Survey](#)
- ▼ [Unit 1: Probability models and axioms](#)

[Lec. 1: Probability models and axioms](#)

[Exercises 1 due Jan 26, 2017 20:59 ART](#)

[Mathematical background: Sets, sequences, limits, and series; \(un\)countable sets.](#)

[Solved problems](#)

[Problem Set 1](#)

[Problem Set 1 due Jan 26, 2017 20:59 ART](#)

- ▶ [Unit 2: Conditioning and independence](#)

Unit 1: Probability models and axioms > Problem Set 1 > Problem 3 Vertical: Three tosses of a fair coin

Problem 3 Vertical: Three tosses of a fair coin

Bookmark this page

Problem 3: Three tosses of a fair coin

4/4 points (graded)

You flip a fair coin (i.e., the probability of obtaining Heads is $\frac{1}{2}$) three times. Assume that all sequences of coin flip results, of length 3, are equally likely. Determine the probability of each of the following events.

1. $\{HHH\}$: 3 Heads



2. $\{HTH\}$: the sequence Heads, Tails, Heads



3. Any sequence with 2 Heads and 1 Tails (in any order):



4. Any sequence in which the number of Heads is greater than or equal to the number of Tails:



Submit

You have used 2 of 2 attempts

✓ Correct (4/4 points)

DISCUSSION

Click "Show Discussion" below to see discussions on this problem.

Discussion

Topic: Unit 1/Problem Set 1 / Three tosses of a fair coin

[Hide Discussion](#)[Add a Post](#)[◀ All Posts](#)

answer form

question posted 8 days ago by **saif_7557**

we have to write the answer in decimal or fraction?

This post is visible to everyone.



PorfiryZabuldygin

8 days ago - marked as answer 6 days ago by **saif_7557**

Not sure about decimal but fraction in a/b format is good.



Show Comment (1) ▼

Add a response:

Preview

Submit

© All Rights Reserved



© 2012-2017 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX®

