```sql
USE [master]
GO

/****** Object:  Database [Pss]    Script Date: 25/06/2022 11:56:35 p. m. ******/
CREATE DATABASE [Pss]
 CONTAINMENT = NONE
 ON  PRIMARY
( NAME = N'Pss', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\Pss.mdf' , SIZE = 8192KB , MAXSIZE = UNLIMITED,
FILEGROWTH = 65536KB )
 LOG ON
( NAME = N'Pss_log', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\Pss_log.ldf' , SIZE = 8192KB , MAXSIZE = 2048GB ,
FILEGROWTH = 65536KB )
 WITH CATALOG_COLLATION = DATABASE_DEFAULT
GO

ALTER DATABASE [Pss] SET COMPATIBILITY_LEVEL = 150
GO

IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [Pss].[dbo].[sp_fulltext_database] @action = 'enable'
end
GO

ALTER DATABASE [Pss] SET ANSI_NULL_DEFAULT OFF
GO

ALTER DATABASE [Pss] SET ANSI_NULLS OFF
GO

ALTER DATABASE [Pss] SET ANSI_PADDING OFF
GO

ALTER DATABASE [Pss] SET ANSI_WARNINGS OFF
GO
```

```
ALTER DATABASE [Pss] SET ARITHABORT OFF

GO

ALTER DATABASE [Pss] SET AUTO_CLOSE OFF

GO

ALTER DATABASE [Pss] SET AUTO_SHRINK OFF

GO

ALTER DATABASE [Pss] SET AUTO_UPDATE_STATISTICS ON

GO

ALTER DATABASE [Pss] SET CURSOR_CLOSE_ON_COMMIT OFF

GO

ALTER DATABASE [Pss] SET CURSOR_DEFAULT  GLOBAL

GO

ALTER DATABASE [Pss] SET CONCAT_NULL_YIELDS_NULL OFF

GO

ALTER DATABASE [Pss] SET NUMERIC_ROUNDABORT OFF

GO

ALTER DATABASE [Pss] SET QUOTED_IDENTIFIER OFF

GO

ALTER DATABASE [Pss] SET RECURSIVE_TRIGGERS OFF

GO

ALTER DATABASE [Pss] SET  DISABLE_BROKER

GO

ALTER DATABASE [Pss] SET AUTO_UPDATE_STATISTICS_ASYNC OFF

GO

ALTER DATABASE [Pss] SET DATE_CORRELATION_OPTIMIZATION OFF

GO

ALTER DATABASE [Pss] SET TRUSTWORTHY OFF

GO

ALTER DATABASE [Pss] SET ALLOW_SNAPSHOT_ISOLATION OFF
```

```
GO

ALTER DATABASE [Pss] SET PARAMETERIZATION SIMPLE

GO

ALTER DATABASE [Pss] SET READ_COMMITTED_SNAPSHOT OFF

GO

ALTER DATABASE [Pss] SET HONOR_BROKER_PRIORITY OFF

GO

ALTER DATABASE [Pss] SET RECOVERY SIMPLE

GO

ALTER DATABASE [Pss] SET  MULTI_USER

GO

ALTER DATABASE [Pss] SET PAGE_VERIFY CHECKSUM

GO

ALTER DATABASE [Pss] SET DB_CHAINING OFF

GO

ALTER DATABASE [Pss] SET FILESTREAM( NON_TRANSACTED_ACCESS = OFF )

GO

ALTER DATABASE [Pss] SET TARGET_RECOVERY_TIME = 60 SECONDS

GO

ALTER DATABASE [Pss] SET DELAYED_DURABILITY = DISABLED

GO

ALTER DATABASE [Pss] SET ACCELERATED_DATABASE_RECOVERY = OFF

GO

ALTER DATABASE [Pss] SET QUERY_STORE = OFF

GO

USE [Pss]

GO

/****** Object:  Table [dbo].[Activos_Fijos]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON
```

```sql
GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Activos_Fijos](

        [ID_ACTIVOS_FIJOS] [int] NOT NULL,

        [ID_INVENTARIO] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AD] [date] NOT NULL,

 CONSTRAINT [PK_Activos_Fijos] PRIMARY KEY CLUSTERED

(

        [ID_ACTIVOS_FIJOS] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Beneficiario]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Beneficiario](

        [ID_Beneficiario] [int] NOT NULL,

        [Estado] [nvarchar](50) NOT NULL,

        [Fechas] [date] NOT NULL,

        [ID_Usuario] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATE_AT] [date] NOT NULL,
```

```sql
 CONSTRAINT [PK_Beneficiario] PRIMARY KEY CLUSTERED

(

        [ID_Beneficiario] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Coordinador]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Coordinador](

        [ID_COORDINADOR] [int] NOT NULL,

        [NOMBRE] [nvarchar](50) NOT NULL,

        [ID_REGISTRO] [int] NOT NULL,

        [ID_INVENTARIO] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AD] [date] NOT NULL,

 CONSTRAINT [PK_Coordinador] PRIMARY KEY CLUSTERED

(

        [ID_COORDINADOR] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Crear_Usuario]    Script Date: 25/06/2022 11:56:36 p. m. ******/
```

```sql
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Crear_Usuario](
        [ID_Crear_Usuario] [int] NOT NULL,
        [ID_USUARIO] [int] NOT NULL,
        [ID_COORDINADOR] [int] NOT NULL,
        [DELETED_AT] [date] NOT NULL,
        [CREATED_AT] [date] NOT NULL,
        [UPDATED_AD] [date] NOT NULL,
 CONSTRAINT [PK_Crear_Usuario] PRIMARY KEY CLUSTERED
(
        [ID_Crear_Usuario] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]
) ON [PRIMARY]
GO
/****** Object:  Table [dbo].[Dotación_y_EPP's]    Script Date: 25/06/2022 11:56:36 p. m. ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Dotación_y_EPP's](
        [ID_DOTACION] [int] NOT NULL,
        [ID_INVENTARIO] [int] NOT NULL,
        [DELETED_AT] [nchar](10) NOT NULL,
        [CREATED_AT] [nchar](10) NOT NULL,
        [UPDATED_AD] [nchar](10) NOT NULL,
```

```sql
 CONSTRAINT [PK_Dotación_y_EPP's] PRIMARY KEY CLUSTERED

(

        [ID_DOTACION] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Empleado]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Empleado](

        [ID_Empleado] [int] NOT NULL,

        [Primer_Nombre] [nvarchar](50) NOT NULL,

        [Segundo_Nombre] [nvarchar](50) NULL,

        [Primer_Apellido] [nvarchar](50) NOT NULL,

        [Segundo_Apellido] [nvarchar](50) NULL,

        [Telefono] [int] NOT NULL,

        [Correo_Electronico] [nvarchar](50) NOT NULL,

        [Dirrecion] [nvarchar](50) NULL,

        [Contraseña] [nvarchar](50) NOT NULL,

        [Fechas] [date] NOT NULL,

        [Estado] [nvarchar](50) NOT NULL,

        [ID_Usuario] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATE_AT] [date] NOT NULL,

 CONSTRAINT [PK_Empleado] PRIMARY KEY CLUSTERED
```

```
(

        [ID_Empleado] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Factura]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Factura](

        [ID_FACTURA] [nchar](10) NOT NULL,

        [FECHA] [nchar](10) NOT NULL,

        [ID_REGISTRO] [nchar](10) NOT NULL,

        [ID_PROVEEDOR] [nchar](10) NOT NULL,

        [PRODUCTO] [nchar](10) NOT NULL,

        [CANTIDAD] [nchar](10) NOT NULL,

        [VALOR_UNITARIO] [nchar](10) NOT NULL,

        [VALOR_TOTAL] [nchar](10) NOT NULL,

        [NOMBRE_EMPRESA] [nchar](10) NOT NULL,

        [DELETED_AT] [nchar](10) NOT NULL,

        [CREATED_AT] [nchar](10) NOT NULL,

        [UPDATED_AD] [nchar](10) NOT NULL,

 CONSTRAINT [PK_Factura] PRIMARY KEY CLUSTERED

(

        [ID_FACTURA] ASC
```

```sql
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Informe]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Informe](

        [ID_Informe] [int] NOT NULL,

        [ID_Coordinador] [int] NOT NULL,

        [ID_Benefactor] [int] NOT NULL,

        [ID_Inventario] [int] NOT NULL,

        [ID_Suministros] [int] NOT NULL,

        [Tipo_de_Imforme] [nvarchar](50) NOT NULL,

        [Fecha_de_Creacion] [date] NOT NULL,

        [Proveedor] [nvarchar](50) NOT NULL,

        [Dirijido_A] [nvarchar](20) NOT NULL,

        [Creado_Por] [nvarchar](50) NOT NULL,

        [Cantidad_Hojas] [int] NOT NULL,

        [Estado_Producto] [nvarchar](20) NOT NULL,

        [Tipo_Inventario] [nvarchar](50) NOT NULL,

        [CANTIDAD_DISPONIBLE] [int] NOT NULL,

        [INGRESO_PRODUCTOS] [nvarchar](50) NOT NULL,

        [EGRESO_PRODUCTOS] [nvarchar](50) NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AD] [date] NOT NULL,
```

```
 CONSTRAINT [PK_Informe] PRIMARY KEY CLUSTERED

(

        [ID_Informe] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Informe_Beneficiarios]    Script Date: 25/06/2022 11:56:36 p. m.
******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Informe_Beneficiarios](

        [ID_INFO_BENEFICIARIO] [int] NOT NULL,

        [ID_INFORME] [int] NOT NULL,

        [ID_BENEFICIARIO] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AD] [date] NOT NULL,

 CONSTRAINT [PK_Informe_Beneficiarios] PRIMARY KEY CLUSTERED

(

        [ID_INFO_BENEFICIARIO] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Informe_Suministros]    Script Date: 25/06/2022 11:56:36 p. m.
******/
```

```sql
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Informe_Suministros](
        [ID_SUMINISTROS] [int] NOT NULL,
        [NOMBRE] [nvarchar](50) NOT NULL,
        [ESTADO_PRODUCTO] [nvarchar](50) NOT NULL,
        [CANTIDAD] [nvarchar](50) NOT NULL,
        [ID_INFORME] [int] NOT NULL,
        [DELETED_AT] [date] NOT NULL,
        [CREATED_AT] [date] NOT NULL,
        [UPDATED_AD] [date] NOT NULL,
 CONSTRAINT [PK_Informe_Suministros] PRIMARY KEY CLUSTERED
(
        [ID_SUMINISTROS] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]
) ON [PRIMARY]
GO
/****** Object:  Table [dbo].[Inventario]    Script Date: 25/06/2022 11:56:36 p. m. ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Inventario](
        [ID_INVENTARIO] [int] NOT NULL,
        [FECHA] [date] NOT NULL,
        [CODIGO_TIPO_INVENTARIO] [int] NOT NULL,
```

[HORA_ENTREGA] [date] NOT NULL,

[TIPO_DE_INVENTARIO] [nvarchar](50) NOT NULL,

[ID_INFORMES] [int] NOT NULL,

[ID_COORDINADOR] [int] NOT NULL,

[ID_REGISTRO] [int] NOT NULL,

[ID_DOTACION] [int] NOT NULL,

[ID_NO_ACTIVOS] [int] NOT NULL,

[ID_ACTIVOS_FIJOS] [int] NOT NULL,

[CANTIDAD_TIPO_INVENTARIO] [nvarchar](50) NOT NULL,

[DELETED_AT] [date] NOT NULL,

[CREATED_AT] [date] NOT NULL,

[UPDATED_AD] [date] NOT NULL,

 CONSTRAINT [PK_Inventario] PRIMARY KEY CLUSTERED

(

[ID_INVENTARIO] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object: Table [dbo].[Movimiento]   Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Movimiento](

[ID_MOVIMIENTO] [int] NOT NULL,

[ID_INVENTARIO] [int] NOT NULL,

[ID_INFORMES] [int] NOT NULL,

[ENTREGA_PRODUCTO] [nvarchar](50) NOT NULL,

```
        [NOMBRE_PRODUCTO] [nvarchar](50) NOT NULL,

        [REGISTRO_DIARIO] [nvarchar](50) NOT NULL,

        [REGISTRO_MES] [nvarchar](50) NOT NULL,

        [TIPO_INVENTARIO] [nvarchar](50) NOT NULL,

        [FECHA_Y_HORA] [date] NOT NULL,

        [CANTIDAD_DISPONIBLE] [nvarchar](50) NOT NULL,

        [CANTIDAD_EGRESO] [nvarchar](50) NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AT] [date] NOT NULL,

 CONSTRAINT [PK_Movimiento] PRIMARY KEY CLUSTERED

(

        [ID_MOVIMIENTO] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[No_Activos]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[No_Activos](

        [ID_NO_ACTIVOS] [int] NOT NULL,

        [ID_INVENTARIO] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_A] [date] NOT NULL,

 CONSTRAINT [PK_No_Activos] PRIMARY KEY CLUSTERED
```

```
(

        [ID_NO_ACTIVOS] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Registrar_Asistencia]    Script Date: 25/06/2022 11:56:36 p. m.
******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Registrar_Asistencia](

        [ID_REGISTRAR_ASISTENCIA] [int] NOT NULL,

        [FECHA_REGISTRO_ASISTENCIA] [date] NOT NULL,

        [ID_COORDINADOR] [int] NOT NULL,

        [ID_BENEFICIARIO] [int] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATED_AD] [date] NOT NULL,

 CONSTRAINT [PK_Registrar_Asistencia] PRIMARY KEY CLUSTERED

(

        [ID_REGISTRAR_ASISTENCIA] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object:  Table [dbo].[Registro]    Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON
```

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Registro](

       [ID_REGISTRO] [int] NOT NULL,

       [ID_INVENTARIO] [int] NOT NULL,

       [ID_FACTURA] [int] NOT NULL,

       [ID_COORDINADOR] [int] NOT NULL,

       [NOMBRE_CREADOR] [nvarchar](50) NOT NULL,

       [TIPO_INVENTARIO] [nvarchar](50) NOT NULL,

       [FACTURA] [nvarchar](50) NOT NULL,

       [FECHA_ENTREGA_Y_HORA] [date] NOT NULL,

       [DELETED_AT] [date] NOT NULL,

       [CREATED_AT] [date] NOT NULL,

       [UPDATED_AT] [date] NOT NULL,

 CONSTRAINT [PK_Registro] PRIMARY KEY CLUSTERED

(

       [ID_REGISTRO] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON [PRIMARY]

) ON [PRIMARY]

GO

/****** Object: Table [dbo].[Usuario]   Script Date: 25/06/2022 11:56:36 p. m. ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Usuario](

       [ID_Usuario] [int] NOT NULL,

```sql
        [ID_Create_usuario] [int] NOT NULL,

        [ID_Empleado] [int] NOT NULL,

        [ID_Beneficiario] [int] NOT NULL,

        [Rol] [nvarchar](20) NOT NULL,

        [Nombre] [nvarchar](20) NOT NULL,

        [Direccion] [nvarchar](20) NULL,

        [Correo] [nvarchar](50) NULL,

        [Fecha_Creacioion_Usuario] [date] NOT NULL,

        [DELETED_AT] [date] NOT NULL,

        [CREATED_AT] [date] NOT NULL,

        [UPDATE_AT] [date] NOT NULL,

 CONSTRAINT [PK_Usuario] PRIMARY KEY CLUSTERED

(

        [ID_Usuario] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF)
ON [PRIMARY]

) ON [PRIMARY]

GO

USE [master]

GO

ALTER DATABASE [Pss] SET  READ_WRITE

GO
```