



Specifications

Essentials	
Status	Launched
Launch Date	Q2'14
Processor Number	i7-4790K
# of Cores	4
# of Threads	8
Clock Speed	4 GHz
Max Turbo Frequency	4.4 GHz
Intel® Smart Cache	8 MB
DMI2	5 GT/s
# of QPI Links	0
Instruction Set	64-bit
Instruction Set Extensions	SSE 4.1/4.2, AVX 2.0
Embedded Options Available	Q No
Lithography	22 nm
Scalability	1S Only
Max TDP	88 W
Thermal Solution Specification	PCG 2013D
Recommended Customer Price	BOX: \$350.00 TRAY: \$339.00
Datasheet	Link

Memory Specifications			
Max Memory Size (dependent on memory type)	32 GB		
Memory Types	DDR3-1333/1600		
# of Memory Channels	2		
Max Memory Bandwidth	25.6 GB/s		
ECC Memory Supported †	Q No		

○ Graphics Specifications				
Processor Graphics ‡	Intel® HD Graphics 4600			
Graphics Base Frequency	350 MHz			
Graphics Max Dynamic Frequency	1.25 GHz			
Graphics Video Max Memory	1.7 GB			
Intel® Quick Sync Video	Yes			
Intel® InTru™ 3D Technology	Yes			
Intel® Insider™	Yes			
Intel® Wireless Display	Yes			
Intel® Clear Video HD Technology	Yes			
# of Displays Supported †	3			

Expansion Options	
PCI Express Revision	3.0
PCI Express Configurations †	Up to 1x16, 2x8, 1x8/2x4
Max # of PCI Express Lanes	16

Package Specifications		

T _{CASE} Package Size	72.72°C
Package Size	
	37.5mm x 37.5mm
Graphics and IMC Lithography	22nm
Sockets Supported	FCLGA1150
Low Halogen Options Available	See MDDS

Advanced Technologies		
Intel® Turbo Boost Technology ‡		2.0
Intel® vPro Technology ‡	Q	No
Intel® Hyper-Threading Technology ‡	Q	Yes
Intel® Virtualization Technology (VT-x) ‡		Yes
Intel® Virtualization Technology for Directed I/O (VT-d) ‡	Q	Yes
Intel® VT-x with Extended Page Tables (EPT) ‡	Q	Yes
Intel® TSX-NI		Yes
Intel® 64‡	Q	Yes
Intel® My WiFi Technology		Yes
Idle States		Yes
Enhanced Intel SpeedStep® Technology	Q	Yes
Thermal Monitoring Technologies		Yes
Intel® Identity Protection Technology ‡		Yes
Intel® Stable Image Platform Program (SIPP)		No

Intel® Data Protection Technology	
AES New Instructions	Q Yes
Secure Key	Yes
□ Intel® Platform Protection Technology	

Intel® Platform Protection Technology		
OS Guard		Yes
Trusted Execution Technology [‡]	Q	No
Execute Disable Bit †		Yes
Anti-Theft Technology		Yes

Compatible Products

Find Compatible Desktop Boards >

Compare Select All	Product Name	Status	Embedded Options Available	Max TDP	Recommended Customer Price
	Intel® Z97 Chipset (Intel® DH82Z97 PCH)	Launched	No	4.1 W	N/A
	Intel® H81 Chipset (Intel® DH82H81 PCH)	Launched	Yes	4.1 W	T&R: \$26.00
	Intel® H87 Chipset (Intel® DH82H87 PCH)	Launched	No	4.1 W	T&R: \$32.00
	Intel® Q87 Chipset (Intel® DH82Q87 PCH)	Launched	Yes	4.1 W	T&R:\$47.00
	Intel® Q85 Chipset (Intel® DH82Q85 PCH)	Launched	No	4.1 W	N/A
	Intel® Z87 Chipset (Intel® DH82Z87 PCH)	Launched	No	4.1 W	N/A
	Intel® B85 Chipset (Intel® DH82B85 PCH)	Launched	No	4.1 W	T&R: \$28.00

Ordering and Spec Information

Trade Compliance Information

ECCN	CCATS	US HTS
5A992C	G077159	8542310000-HYBRD

Ordering and Spec Information

Spec Code	Ordering Code	Step	RCP		
Boxed Intel® Core™ i7-4790K Processor (8M Cache, up to 4.40 GHz) FC-LGA12C					
SR219	BX80646174790K	СО	\$350.00		
Boxed Intel® Core™ i7-4790K Processor (8M Cache, up to 4.40 GHz) FC-LGA12C, Fanless					
SR219	BXF80646I74790K	СО	\$350.00		
Boxed Intel® Core™ i7-4790K Processor (8M Cache, up to 4.40 GHz) FC-LGA12C, for China					
SR219	BXC80646I74790K	СО	N/A		
Intel® Core™ i7-4790K Processor (8M Cache, up to 4.40 GHz) FC-LGA12C, Tray					
SR219	CM8064601710501	СО	\$339.00		

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" means "DRC conflict free", which is defined by U.S. SEC rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the DRC or adjoining countries. We also use the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries.

See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading-technology.html?wapkw=hyper+threading for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

 $System\ and\ Maximum\ TDP\ is\ based\ on\ worst\ case\ scenarios.\ Actual\ TDP\ may\ be\ lower\ if\ not\ all\ I/Os\ for\ chipsets\ are\ used.$

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see http://www.intel.com/performance.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

Send us your feedback!